GIGABYTE

Gigabyte B550I AORUS PRO AX Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, 8 Phases Digital VRM, up to 5300MHz DDR4 (OC), 2xPCIe 3.0 M.2, WiFi 6E, 2.5GbE LAN, USB 3.2 Gen2

Brand : Gigabyte

Product code: B550I AORUS PRO AX

Product name : B550I AORUS PRO AX Motherboard -Supports AMD Ryzen 5000 Series AM4 CPUs, 8 Phases Digital VRM, up to 5300MHz DDR4 (OC), 2xPCIe 3.0 M.2, WiFi 6E, 2.5GbE LAN, USB 3.2 Gen2

AMD B550, AMD Socket AM4, 2x DDR4, 2.5G LAN, HDMI, Wi-Fi, M,2, SATA III, USB 3.2, DP, Mini-ITX, 170x170 mm

Gigabyte B550I AORUS PRO AX Motherboard - Supports AMD Ryzen 5000 Series AM4 CPUs, 8 Phases Digital VRM, up to 5300MHz DDR4 (OC), 2xPCIe 3.0 M.2, WiFi 6E, 2.5GbE LAN, USB 3.2 Gen2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor			Rear panel I/O ports	
Processor manufacturer *		AMD	DisplayPort version	1.4
Processor socket *		Socket AM4	Network	
Compatible processor series *		3rd Generation AMD Ryzen [™] 3, 3rd Generation AMD Ryzen 5, 3rd Generation AMD Ryzen [™] 7, 3rd Generation AMD Ryzen [™] 9	Ethernet LAN Ethernet interface type Wi-Fi *	2.5 Gigabit Ethernet
Maximum number of SMP processors		1	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Maximum internal memory supported by processor		64 GB	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Memory			Bluetooth	✓
Supported memory types * Number of memory slots *	DDR4-SDRAM 2 DIMM Dual-channel		Bluetooth version	5.3
Memory slots type Memory channels ECC			Features	
Non-ECC	1	,3400,3466,3600,3733,3866,4000,4400,4600,4800,5100,5200,5300	Motherboard chipset *	AMD B550
Supported memory clock speeds Supported memory clock speed	MHz		Audio chip	Realtek ALC1220-VB
(max) Maximum internal memory *	5300 MHz 64 GB		Audio output channels *	7.1 channels
Unbuffered memory	1		Product colour	Black
Storage controllers			PC health monitoring	Fan, Temperature, Voltage
Supported storage	drive interfaces *	M.2, SATA	Component for *	Nettop
Number of HDDs supported		4	Motherboard form factor *	mini ITX
Number of storage drives supported		6	Motherboard chipset family *	AMD
RAID support RAID levels		✓0, 1, 10	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Graphics			Expansion slots	
Parallel processing technology support *		Not supported	PCI Express x16 (Gen 4.x) slots Number of M.2 (M) slots	1 2
Maximum resolution		5120 x 2880 pixels	BIOS	
HDCP		12.0	BIOS type *	UEFI AMI
DirectX version		12.0	BIOS memory size	256 Mbit
Number of displays supported		3	ACPI version	5.0
Internal I/O			Clear CMOS jumper	1
USB 2.0 connectors	5 *	1	Desktop Management Interface (DMI) version	2.7

Internal I/O		BIOS	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	System Management BIOS (SMBIOS) version	2.7
Number of SATA III connectors *	4 4 1 1	Logistics data	
Total number of SATA connectors Front panel audio connector Front panel connector ATX Power connector (24-pin)		Country of origin Products per shipping (inner) case Harmonized System (HS) code	Taiwan 1 pc(s) 84733020
CPU fan connector	1	Battery	
Number of chassis fan connectors 12V power connector RGB LED pin header	2	Battery weight Lithium weight per battery Number of battery cells	3 g 0.07 g 1
Rear panel I/O ports		Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Battery type	CR2032
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	1 1 1	Packaging data	
ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * Ethernet LAN (RJ-45) ports *		Package width Package depth Package height Package weight	265 mm 235 mm 97 mm 1.4 kg
HDMI ports quantity * HDMI version	2 2.1	Weight & dimensions	
DisplayPorts quantity	1	Width Depth Height	170 mm 170 mm 35 mm
		Packaging content	
		Batteries included Bundled software	✓ Norton Internet Security (OEM) XSplit Gamecaster + Broadcaster Realtek 8125 Gaming LAN Bandwidth Control Utility


Other features

Technical details Warranty period

790 g

3 year(s)

Weight





4719331809508

0889523022986



889523022986

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.