Viewsonic VA270-H computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black

Brand : Viewsonic

Product code: VA270-H

Product name : VA270-H

- SuperClear® IPS panel
- Full HD 1080p resolution
- 100Hz Variable refresh rate delivers fluid visuals
- 1ms (MPRT) response time for precision
- HDMI and VGA inputs for flexible connectivity
27" Full HD Monitor with Fast 1ms Response Time

Viewsonic VA270-H computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black:

The ViewSonic VA270-H is a 27" Full HD monitor featuring HDMI and VGA inputs for business and home use. The optimal screen performance and comfortable viewing without tearing or stuttering are delivered through variable refresh rate, Eye ProTech technology, and various ViewMode presets. Experience truly seamless multitasking on just one screen with a VESA-compatible mount at a low power consumption.
Viewsonic VA270-H. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black

Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✗
Display brightness (typical)	250 cd/m²
Response time	1 ms
Anti-glare screen	✓
Screen shape *	Flat
Contrast ratio (typical) *	1000:1
Contrast ratio (dynamic)	50000000:1
Maximum refresh rate *	100 Hz
Refresh rate optimizor	✓
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.311 x 0.311 mm
Horizontal scan range	24 - 86 kHz
Vertical scan range	48 - 75 Hz
Digital horizontal frequency	30 - 120 kHz
Digital vertical frequency	48 - 100 Hz
Colour depth	8 bit
sRGB coverage (typical)	104%
NTSC coverage (typical)	72%

Performance

Flicker-free technology	✓
Low Blue Light technology	✓

Multimedia

Built-in speaker(s) *	✗
Built-in camera *	✗

Ports & interfaces

HDMI *	✓
HDMI ports quantity	1
HDMI version	1.4
Headphone out *	✗
DC-in jack	✓

Ergonomics

VESA mounting *	✓
Panel mounting interface	75 x 75 mm
Cable lock slot *	✓
Cable lock slot type	Kensington
Tilt adjustment	✓
Tilt angle range	-3 - 15°

Power

Power consumption (typical) *	28 W
Power consumption (standby) *	0.3 W
Power consumption (max)	30 W
AC input voltage	100 - 240 V

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 90%

Packaging content

Cables included	HDMI
Power adapter included	✓
Quick start guide	✓

Weight & dimensions

Width (with stand)	613.2 mm
Depth (with stand)	189 mm
Height (with stand)	447.5 mm
Weight (with stand)	3.5 kg
Width (without stand)	613.2 mm

Design

Market positioning *	Home
Product colour *	Black
Certification	CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO

Ports & interfaces

Built-in USB hub *	✖
VGA (D-Sub) ports quantity	1

Weight & dimensions

Depth (without stand)	51 mm
Height (without stand)	363 mm
Weight (without stand)	3.2 kg

Packaging data

Package width	676 mm
Package depth	102 mm
Package height	458 mm
Package weight	4.7 kg
Package type	Box

0766907026955

766907026955