

ZYXEL

Zyxel GS1200-8HP v2 Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grey

Brand : Zyxel

Product code: GS1200-8HPV2-GB0101F

Product name : GS1200-8HP v2



8x Ethernet, 4x PoE+, 10/100/1000 Mbps, 16 Gbps, 4K MAC, 240x105x26 mm

Zyxel GS1200-8HP v2. Switch type: Managed. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. Full duplex. MAC address table: 4000 entries, Switching capacity: 16 Gbit/s. Networking standards: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3x. DC input voltage: 55 V. Power connector: DC-in jack. Power over Ethernet (PoE)

| | | | |
|---|---------------------------------------|--|-------------|
| Management features | | Design | |
| Switch type * | Managed | Housing material | Metal |
| Quality of Service (QoS) support | ✓ | Performance | |
| Web-based management | ✓ | Buffer size | 192 KB |
| Ports & interfaces | | Power | |
| Basic switching RJ-45 Ethernet ports quantity * | 8 | DC input voltage | 55 V |
| Basic switching RJ-45 Ethernet ports type * | Gigabit Ethernet (10/100/1000) | Input current | 1.3 A |
| Power connector | DC-in jack | Power consumption (max) | 72 W |
| Network | | Power over Ethernet (PoE) | |
| Networking standards * | IEEE 802.1Q, IEEE 802.1p, IEEE 802.3x | Power over Ethernet (PoE) * | ✓ |
| Port mirroring | ✓ | Power over Ethernet plus (PoE+) ports quantity | 4 |
| Full duplex | ✓ | Total Power over Ethernet (PoE) budget | 60 W |
| Flow control support | ✓ | Operational conditions | |
| Link aggregation | ✓ | Operating temperature (T-T) | 0 - 40 °C |
| Broadcast storm control | ✓ | Storage temperature (T-T) | -40 - 70 °C |
| Auto MDI/MDI-X | ✓ | Operating relative humidity (H-H) | 10 - 90% |
| Data transmission | | Storage relative humidity (H-H) | 10 - 90% |
| Switching capacity * | 16 Gbit/s | Weight & dimensions | |
| MAC address table * | 4000 entries | Width | 240 mm |
| Store-and-forward | ✓ | Depth | 105 mm |
| Jumbo frames support | ✓ | Height | 26 mm |
| Jumbo frames | 9000 | Weight | 584 g |
| Jumbo frame range | 1 - 1 B | Packaging data | |
| Security | | Package type | Box |
| DHCP features | DHCP client | Package width | 256 mm |
| IGMP snooping | ✓ | Package depth | 132 mm |
| Loop protection | ✓ | Package height | 78 mm |
| Design | | Package weight | 1.15 kg |
| Rack mounting * | ✗ | | |

Design

Product colour

Grey

Logistics data

Harmonized System (HS) code

85176990



4718937600618

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-JUN-2024. Prints or copies of Information are only valid on the printed Publication date