

## **DELL Mobile Adapter Speakerphone- MH3021P**

Brand: DELL Product code: DELL-MH3021P

**Product name :** Mobile Adapter Speakerphone-

MH3021P

1 x USB-C, 1 x HDMI, 2 x USB-A, 200Hz - 20kHz

DELL Mobile Adapter Speakerphone- MH3021P:

World's first USB-C adapter with integrated speakerphone offers an all-in-one connectivity and conferencing solution.

DELL Mobile Adapter Speakerphone- MH3021P. Device type: Universal, Product colour: Silver, Cable length: 0.465 m. Frequency range: 200 - 20000 Hz. Microphone frequency: 100 - 10000 Hz. Connectivity technology: Wired, USB connector type: USB Type-C. Width: 119 mm, Depth: 119 mm, Height: 32 mm





Features		Features	
Device type * Auto * Product colour Speakerphone Noise reduction Echo cancellation Cable length Plug and Play Windows operating systems supported	Universal  Silver  Universal  Universal  Silver  Universal  Univer	Compatible products	- Latitude 5411 - Latitude 7300 - Latitude 3301 - Precision 5540 - Latitude 3410 - Precision 3541 - Latitude 3410 - Precision 3541 - Latitude 7310 - Precision 5550 - Precision 3540 - Vostro 13 5000 (5391) - Precision 7550 - Precision 7750 - Latitude 5500 - Precision 7760 - Latitude 5310 - XPS 15 (9500) - Precision 7740 - Latitude 7410 - Latitude 3500 - Latitude 7400 - Vostro 7590 - Latitude 7400 - Vostro 7590 - Latitude 7400 - Latitude 5300 - Latitude 5311 (7390) - Latitude 9410 2-in-1 - XPS 17 (9700) - Latitude 5511 - Latitude 3310 2-in-1 - Latitude 5310 2-in-1 - Precision 3551 - Latitude 3400 - Latitude 5401 - XPS 13 (7390) 2- Latitude 5401 - XPS 13 (7390) - Latitude 5400 - Latitude 5501 - Vostro 15 5000 (5590) - XPS 13 (9300) - Latitude 5510 - Latitude 3510
		Loudspeakers	
		Frequency range	200 - 20000 Hz
		Microphone	
		Microphone frequency	100 - 10000 Hz
		Display	
		Built-in display	×
		Ports & interfaces	
		Connectivity technology * USB 2.0 ports quantity USB connector type	Wired 2 USB Type-C
		USB 2.0 ports quantity	2

Weight & dimensions	
Depth	119 mm
Height	32 mm
Weight	214 g
Packaging content	
Quantity	1
Logistics data	
Harmonized System (HS) code	85182900











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.