Gigabyte AORUS FO32U2 32" OLED Gaming Monitor - 3840 x 2160(UHD), 240Hz, 0.03ms, KVM, 250 cd/m2, FreeSync Premium Pro, DisplayHDR True Black 400, HDMI 2.1

Brand : Gigabyte Product code: FO32U2

Product name : AORUS FO32U2 32" OLED Gaming Monitor - 3840 x 2160(UHD), 240Hz, 0.03ms, KVM, 250 cd/m2, FreeSync Premium Pro, DisplayHDR True Black 400, HDMI 2.1

80.0cm (31.5") 4K Ultra HD 3840 x 2160 OLED, 16:9, 250cd/m², 1.07B, 0.03ms, 178°/178°

Gigabyte AORUS F032U2 32" OLED Gaming Monitor - $3840 \times 2160(UHD)$, 240Hz, 0.03ms, KVM, 250 cd/m2, FreeSync Premium Pro, DisplayHDR True Black 400, HDMI 2.1:

Immerse yourself in gaming excellence with the AORUS FO32U2 Gaming Monitor and its captivating 32-inch OLED display. Witness vibrant colors and deep contrasts as the OLED technology brings every pixel to life. With a remarkable 240Hz refresh rate and an ultra-responsive 0.03ms response time, enjoy unparalleled gaming fluidity. The QHD resolution ensures crystal-clear visuals. Elevate your gaming experience with the AORUS FO32U2, where the brilliance of OLED transforms every pixel into a vivid masterpiece, creating a visual spectacle that sets a new standard for gaming monitors. Boasting exclusive Tactical Features and Al-based OLED Care, it's designed for those who demand the best and refuse to settle.





| Display | | Ports & interfaces | |
|---|--|---|---|
| Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (typical) | 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD 16:9 OLED OLED X 250 cd/m ² | HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * DC-in jack | 2 2.1 1 1.4 |
| Response time Anti-glare screen Screen shape * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported | 0.03 ms Flat 1500000:1 240 Hz 178° 178° 1.07 billion colours 0.181 x 0.181 mm 69.9 cm 39.5 cm | Frgonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range | 100 x 100 mm Kensington 13 cm 0 - 90° 0 - 20° -5 - 20° |
| High Dynamic Range (HDR) | DisplayHDR 400 True Black | Power | |
| technology Colour depth Colour gamut standard Colour gamut Hardware calibration | 10 bit DCI-P3 99% ✓ | Energy efficiency class (SDR) * Energy efficiency class (HDR) * Power consumption (standby) * Power consumption (max) Power consumption (PowerSave) | Not available G 0.5 W 53 W 0.3 W |
| Performance | | AC input voltage | 100 - 250 V |
| NVIDIA G-SYNC * AMD FreeSync * | × | AC input frequency | 50/60 Hz |
| AMD FreeSync type | FreeSync Premium | Packaging content | |
| Flicker-free technology | ✓ | Cables included | DisplayPort, HDMI, USB |

| Multimedia | | Weight & dimensions | |
|--|------------------------|-------------------------------------|-----------|
| Built-in speaker(s) * | ✓ | Width (with stand) | 718.3 mm |
| Built-in camera * | × | Depth (with stand) | 158.6 mm |
| Number of speakers | 2 | Height (with stand) | 613.6 mm |
| RMS rated power | 10 W | Weight (with stand) | 8.53 kg |
| Design | | Width (without stand) | 718.3 mm |
| Market positioning * | Gaming | Depth (without stand) | 57.2 mm |
| Product colour * | Black | Height (without stand) | 417.5 mm |
| | Black | Weight (without stand) | 6.2 kg |
| Ports & interfaces | | Packaging data | |
| Built-in USB hub * | ✓ | Package width | 980 mm |
| USB upstream port type | USB Type-A, USB Type-C | Package depth | 190 mm |
| Number of USB Type-B upstream ports quantity | 1 | Package height | 580 mm |
| Number of USB Type-C upstream | 1 | Package weight | 13.2 kg |
| ports quantity | 1 | Logistics data | |
| USB Type-A downstream ports quantity | 2 | Products per shipping (inner) case | 1 pc(s) |
| quartity | _ | readers per simpping (initial) case | = ps(s) |
| USB Power Delivery | <u>-</u> ✓ | Technical details | - 50(0) |
| , , | ✓ 18 W | | 3 year(s) |



4719331858117

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.