

Philips 32BDL3511Q/00 Signage Display Digital A-board 81.3 cm (32") 350 cd/m² Full HD Black 18/7



Brand : Philips

Product code: 32BDL3511Q/00

Product name : 32BDL3511Q/00



- Easy-setup 18/7 display
- 32"
- Direct LED Backlight
- Full HD

32" Full HD 1920 x 1080 VA, 350 cd/m², 4000:1, 16.7 Million, DVI-I, HDMI, USB, RJ-45, RS232C, 18/7 Philips 32BDL3511Q/00. Product design: Digital A-board. Display diagonal: 81.3 cm (32"), Display resolution: 1920 x 1080 pixels, Display brightness: 350 cd/m², HD type: Full HD. Operating hours (hours/days): 18/7. Product colour: Black

Display		Design	
Panel type	VA	Orientation	Horizontal/Vertical
LED backlighting type	Direct-LED	Product colour *	Black
Display diagonal *	81.3 cm (32")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100,200 x 200 mm
Display brightness *	350 cd/m ²	Bezel width (bottom)	1.72 cm
HD type *	Full HD	Bezel width (side)	1.19 cm
Touchscreen *	✗	Bezel width (top)	1.19 cm
Native aspect ratio	16:9	Performance	
Response time	6.5 ms	Purpose *	Commercial
Contrast ratio (typical)	4000:1	Operating hours (hours/days)	18/7
Contrast ratio (dynamic)	500000:1	Power	
Viewing angle, horizontal	178°	Power consumption (typical) *	45 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.5 W
Display number of colours	16.78 million colours	Energy efficiency class (SDR)	G
Pixel pitch	0.36375 x 0.36375 mm	Energy consumption (SDR) per 1000 hours	41 kWh
Display diagonal (metric)	80 cm	AC input voltage	100 - 240 V
Panel life	50000 h	AC input frequency	50 - 60 Hz
Haze rate	2%	Energy efficiency scale	A to G
Ports & interfaces		Computer system	
HDMI ports quantity *	2	Video formats supported	H.264, MPEG, WMV3
HDMI version	2.0	Audio formats supported	AAC, HE-AAC, WMA
HDMI input ports quantity	2	Image formats supported	BMP, JPEG, PNG
DVI port *	✓	Weight & dimensions	
DVI-I ports quantity	1	Display width	726.5 mm
USB port *	✓	Display depth	69.1 mm
USB ports quantity	2	Display height	425.4 mm
USB version	2.0	Display weight	5.7 kg
Ethernet LAN *	✓	Packaging content	
Ethernet LAN (RJ-45) ports	1	Remote control included	✓
Audio (L/R) in	1	Batteries included	✓
Audio (L/R) out	1	Cables included	AC, IR sensor, RS-232, USB
RS-232C	✓	Operational conditions	
Remote (IR) input	1	Operating temperature (T-T)	0 - 40 °C
Remote (IR) output	1	Operating relative humidity (H-H)	20 - 80%
Audio		Storage temperature (T-T)	-20 - 60 °C
Built-in speaker(s) *	✓	Storage relative humidity (H-H)	5 - 95%
Number of built-in speakers	2	Logistics data	
RMS rated power	20 W	Harmonized System (HS) code	85285210
Design			
Product design *	Digital A-board		

Design

Placement supported *

Indoor



8712581778569

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-JUN-2024. Prints or copies of Information are only valid on the printed Publication date