



BenQ LW550 data projector Standard throw projector 3000 ANSI lumens DLP WXGA (1200x800) 3D White

Brand : BenQ

Product code: 9H.JRT77.13E

Product name : LW550



- Support 98% REC.709 coverage for true and vibrant colors
- Up to 30,000 hours LED light source life with no lamp replacement
- Instant on/off and auto vertical keystone for quick and easy setup
DLP, 3000 ANSI lumens, WXGA (1280 x 800), 16:10, 2x HDMI, USB Type-A, RS-232, 3.5 mm, Keystone Adjustment

BenQ LW550. Projector brightness: 3000 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1200x800). Light source type: LED, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Zoom ratio: 1.1:1, Throw ratio: 1.55 - 1.7, Offset: 100%. Video colour modes: Bright cinema, Presentation, sRGB. Serial interface type: RS-232, HDMI version: 1.4a

Projector		Storage	
Smart projector *	✗	Card reader integrated *	✗
Projector brightness *	3000 ANSI lumens	Features	
Projection technology *	DLP	Interactive *	✗
Projector native resolution *	WXGA (1200x800)	Noise level (economic mode)	28 dB
Contrast ratio (typical) *	20000:1	HDCP	✓
Native aspect ratio *	16:10	Noise level *	34 dB
Number of colours	1.07 billion colours	Multimedia	
Horizontal scan range	15 - 102 kHz	Built-in speaker(s) *	✓
Vertical scan range	23 - 120 Hz	RMS rated power	10 W
Keystone correction, horizontal	-30 - 30°	Number of built-in speakers	1
Keystone correction, vertical	-30 - 30°	Design	
Colour gamut	95%	Market positioning *	Business
Light source		Product type *	Standard throw projector
Light source type *	LED	Product colour *	White
Service life of light source *	20000 h	Placement	Ceiling, Desktop
Service life of light source (economic mode)	30000 h	Display	
Lens system		Built-in display *	✗
Zoom capability	✓	Power	
Zoom ratio	1.1:1	Power source *	AC
Throw ratio	1.55 - 1.7	Power consumption (typical) *	215 W
Offset	100%	Power consumption (standby) *	0.5 W
Video		AC input voltage	100 - 240 V
Full HD *	✗	AC input frequency	50/60 Hz
3D *	✓	Cord length	1.8 m
Video colour modes	Bright cinema, Presentation, sRGB	Operational conditions	
Ports & interfaces		Operating temperature (T-T)	0 - 40 °C
HDMI version	1.4a	Weight & dimensions	
USB 2.0 ports quantity *	1	Width	303.5 mm
Headphone outputs	1	Depth	220.7 mm
Serial interface type *	RS-232		

Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	2	Height	107.4 mm
DVI port *	✘	Weight *	2.6 kg
Network		Packaging content	
Smart TV *	✘	Remote control included *	✓
Ethernet LAN *	✘	Batteries included	✓
Wi-Fi *	✘	Cables included	AC
		Manual	✓
		Logistics data	
		Quantity per pack	1 pc(s)



4718755091056

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-JUN-2024. Prints or copies of Information are only valid on the printed Publication date