

## Ricoh FI-7460 ADF + Manual feed scanner 600 x 600 DPI Grey, White

**Brand :** Ricoh

**Product code:** PA03710-B051

**Product name :** FI-7460



- Skew Reducer to ensure stable feeding
  - Paper Protect function to protect documents from damage
  - Independent Side Guides for easy setting of mixed batches
  - Stacking Control function for easy paper collection after scanning
  - Manual Feed Mode to scan various types of documents
  - Backlit LCD for easy operation viewing
- Image Scanner, A8 - A3, 27~413 g/m<sup>2</sup>



Ricoh FI-7460 ADF + Manual feed scanner 600 x 600 DPI Grey, White:

The fi-7460 provides high quality technology for reliable scanning and enhanced image processing functionalities to significantly empower business workflows. Even with its compact size, the device scans A4 landscape documents at 60 ppm/120 ipm (200/300 dpi), and is capable of loading up to 100 sheets at a time and scanning up to as many as 18,000 sheets a day.

Scanning		Power	
Maximum scan size *	304.8 x 5588 mm	Power supply type *	AC
Optical scanning resolution *	600 x 600 DPI	Power consumption (typical)	36 W
Colour scanning	✓	Power consumption (standby)	0.35 W
Duplex scanning *	✓	Input voltage	100 - 240 V
Output colour depth	24 bit	Power consumption (sleep)	1.4 W
Output greyscale depth	8 bit	<b>System requirements</b>	
Output monochrome depth	1 bit	Minimum RAM	4000 MB
ADF scan speed (b/w, A4)	60 ppm	Minimum processor	i5 2.5MHz
Duplex ADF scan speed (b/w, A4)	120 ipm	Windows operating systems supported	Windows 10, Windows 10 Home x64, Windows 7, Windows 7 Home Premium x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64
<b>Design</b>		Server operating systems supported	Windows Server 2008, Windows Server 2008 R2 x64, Windows Server 2008 x64, Windows Server 2012 R2 x64, Windows Server 2016 x64
Scanner type *	ADF + Manual feed scanner	<b>Operational conditions</b>	
Product colour *	Grey, White	Operating temperature (T-T)	5 - 35 °C
Built-in display *	✓	Operating relative humidity (H-H)	20 - 80%
<b>Performance</b>		<b>Weight &amp; dimensions</b>	
Sensor type *	Dual CCD	Width	380 mm
Light source	White LED (4x)	Depth	209 mm
Daily duty cycle (max) *	18000 pages	Height	168 mm
<b>Input capacity</b>		Weight	7.6 kg
Auto document feeder (ADF) input capacity	100 sheets	<b>Packaging content</b>	
<b>Paper handling</b>		Cables included	AC, USB
Scanning media types supported	Envelopes, Plastic Card	AC adapter included	✓
Multi feed detection	✓	ADF paper chute	✓
Long-paper mode	✓	Drivers included	✓
ISO A-series sizes (A0...A9)	A3, A3+, A3++, A4, A5, A6, A7, A8		
Letter	✓		
Auto Document Feeder (ADF) media weight	27 - 413 g/m <sup>2</sup>		
<b>Ports &amp; interfaces</b>			
USB port *	✓		
USB version	3.2 Gen 1 (3.1 Gen 1)		
Standard interfaces	USB 1.1, USB 2.0, USB 3.2 Gen 1 (3.1 Gen 1)		

### Packaging content

Bundled software	PaperStream IP (TWAIN/ISIS), Operation Panel, Error Recovery Guide, PaperStream Capture, ScanSnap Manager, 2D Barcode, Scan to Microsoft SharePoint, ABBYY FineReader for ScanSnap, Scanner Central Admin Agent
------------------	---

### Technical details

Programming function	✓
Sustainability certificates	ENERGY STAR
Compliance certificates	RoHS

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-JUN-2024. Prints or copies of Information are only valid on the printed Publication date