


StarTech.com 4 Port PCI Express 2.0 SATA III 6Gbps RAID Controller Card with HyperDuo SSD Tiering

Brand : StarTech.com


Product code: PEXSAT34RH

Product name : 4 Port PCI Express 2.0 SATA III 6Gbps RAID Controller Card with HyperDuo SSD Tiering



StarTech.com 4 Port PCI Express 2.0 SATA III 6Gbps RAID Controller Card with HyperDuo SSD Tiering - PCIe SATA 3 Controller Adapter

StarTech.com 4 Port PCI Express 2.0 SATA III 6Gbps RAID Controller Card with HyperDuo SSD Tiering. Supported storage drive interfaces: Serial ATA, Serial ATA III, Host interface: PCI Express. RAID levels: 0, 1, 10, JBOD, Data transfer rate: 6 Gbit/s, Chipset: Marvell - 88SE9230. Windows operating systems supported: Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64,..., Mac operating systems supported: Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High..., Server operating systems supported: Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows... Width: 120 mm, Depth: 70 mm, Height: 20 mm. Master (outer) case width: 381 mm, Master (outer) case length: 488 mm, Master (outer) case height: 321 mm



Ports & interfaces		System requirements	
Supported storage drive interfaces *	Serial ATA, Serial ATA III	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Host interface *	PCI Express		
PCI Express slots version	2.0		
Internal SATA ports quantity	4		
Performance		Operational conditions	
RAID levels *	0, 1, 10, JBOD	Operating temperature (T-T)	5 - 50 °C
Data transfer rate	6 Gbit/s	Storage temperature (T-T)	-25 - 70 °C
SSD support	✓	Operating relative humidity (H-H)	20 - 80%
Chipset	Marvell - 88SE9230	Weight & dimensions	
Logical block addressing (LBA) support	48 bit	Width	120 mm
Technical details		Depth	70 mm
Sustainability compliance	✓	Height	20 mm
Sustainability certificates	CE, RoHS	Weight	49 g
Compliance certificates	CE, RoHS	Package width	145 mm
		Package depth	175 mm
		Package height	32 mm
		Package weight	141 g
		Logistics data	
		Master (outer) case width	381 mm
		Master (outer) case length	488 mm
		Master (outer) case height	321 mm
		Products per master (outer) case	60 pc(s)
		Harmonized System (HS) code	84733080
		Other features	
		Manual	✓
		Drivers included	✓
		PCI Card form factor	Full-height (low-profile)

System requirements


Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac compatibility	✓
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Linux operating systems supported	✓



0065030849951



065030849951



0731215166419



731215166419

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.