## Gigabyte H410M H V2 Motherboard - Supports Intel Core 10th CPUs, up to 2933MHz DDR4 (OC), 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1

## Brand : Gigabyte

Product code: H410M H V2

Product name : H410M H V2 Motherboard - Supports Intel Core 10th CPUs, up to 2933MHz DDR4 (OC), 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1

- Supports 10th Gen Intel Core Processors

- Dual Channel Non-ECC Unbuffered DDR4, 2 DIMMs
- 8-Channel HD Audio with High Quality Audio Capacitors
- NVMe PCIe Gen3 x4 2280 M.2 Connector
- Intel GbE LAN with cFosSpeed Internet Accelerator Software
- Smart Fan 5 features Multiple Temperature Sensors and Hybrid Fan Headers with FAN STOP
- GIGABYTE APP Center, Simple and Easy Use

H470 Express Chipset, DDR4 2933/2666/2400/2133 MHz, HDMI, D-Sub, Intel GbE LAN chip, PCI Express 3.0, M.2, USB 3.2 Gen 1

## Gigabyte H410M H V2 Motherboard - Supports Intel Core 10th CPUs, up to 2933MHz DDR4 (OC), 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1:


Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket *	Intel LGA 1200 (Socket H5) Intel® Celeron®, Intel® Core <sup>™</sup> i3,	PS/2 ports quantity VGA (D-Sub) ports quantity * HDMI ports quantity *	1 1 1
Compatible processor series *	Intel <sup>®</sup> Core <sup>™</sup> i5, Intel <sup>®</sup> Core <sup>™</sup> i7, Intel <sup>®</sup> Core <sup>™</sup> i9, Intel <sup>®</sup> Pentium <sup>®</sup>	Network	
Supported processor sockets Maximum internal memory supported by processor	LGA 1200 (Socket H5) 64 GB	Ethernet LAN Ethernet interface type Wi-Fi *	✔ Gigabit Ethernet ★
Memory		Features	
Supported memory types * Number of memory slots * Memory slots type Memory channels ECC Non-ECC Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities Unbuffered memory Storage controllers	DDR4-SDRAM 2 DIMM Dual-channel ✓ 2133,2400,2666,2933 MHz 2933 MHz 64 GB 1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB ✓	Motherboard chipset * Audio output channels * Product colour PC health monitoring Component for * Motherboard form factor * Motherboard chipset family * Power source type Windows operating systems supported <b>Expansion slots</b> PCI Express x1 slots PCI Express x16 (Gen 3.x) slots Number of M.2 (M) slots	Intel H410 7.1 channels Brown CPU, Fan, Temperature, Voltage PC micro ATX Intel ATX Windows 10, Windows 11 x64 2 1
Supported storage drive types Supported storage drive interfaces *	HDD & SSD M.2. PCI Express 3.0. SATA III	BIOS	-
Number of HDDs supported Number of storage drives supported RAID support RAID levels	4	BIOS type * BIOS memory size ACPI version Clear CMOS button	UEFI 256 Mbit 5.0
Graphics		Logistics data	
DirectX version	12.0	Country of origin Products per shipping (inner) case	China 1 pc(s)

nternal I/O		Logistics data	
JSB 2.0 connectors *	1	Harmonized System (HS) code	84733020
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Battery	
Number of SATA III connectors *	4	Battery weight	3 g
Total number of SATA connectors	4	Lithium weight per battery	0.07 g
Audio connector	1	Number of battery cells	1
Front panel audio connector	4	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Front panel connector ATX Power connector (24-pin)		Battery type	CR2032
Power fan connector	<b>↓</b>	Packaging data	
CPU fan connector	1	Package width	265 mm
EPS power connector (8-pin)	1	Package depth	235 mm
12V power connector	1	Package height	52 mm
Rear panel I/O ports		Package weight	728 g
USB 2.0 ports quantity *	4	Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2	Width	226 mm
ports quantity *	2	Depth	185 mm
Ethernet LAN (RJ-45) ports *	1	Height	35 mm
		Packaging content	
		Batteries included	<
		Bundled software	Norton Internet Security (OEM version) cFosSpeed
		Technical details	
		Warranty period	3 year(s)



4719331815387

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.