

DELL P Series 24 Monitor - P2423

Brand: DELL **Product family:** P Series Product code: DELL-P2423

Product name: Dell 24

Monitor - P2423

- 61.0cm (24") WUXGA 1920 x 1200 LED IPS
- 5ms, 16:10, 300cd/m², 1000:1
- USB, VGA, DVI, HDMI, DisplayPort

61.0cm (24") WUXGA 1920 x 1200 LED IPS, 16:10, 300cd/m², 16.7M, 5ms, 178°/178°, 1000:1

DELL P Series 24 Monitor - P2423:

See everything on our 24-inch WUXGA 16:10 monitor with versatile connectivity, a three-sided ultrathin bezel and ComfortView Plus.

DELL P Series 24 Monitor - P2423. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black











Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen *	61 cm (24") 1920 x 1200 pixels WUXGA 16:10 LCD IPS LED	Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play LED indicators	90 - 90° -45 - 45° -5 - 21°
Display brightness (typical)	300 cd/m ²	Power	
Response time Anti-glare screen Screen shape * Supported video modes Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Response time (fast) Pixel pitch Pixel density Horizontal scan range	5 ms ✓ Flat 480p, 576p, 720p, 1080i, 1080p 1000:1 60 Hz 178° 16.7 million colours 8 ms 0.27 x 0.27 mm 94 ppi 30 - 83 kHz	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Input current Power supply type Energy efficiency scale	D Not available 15 kWh 14.8 W 0.3 W 48 W 0.2 W 100 - 240 V 50 - 60 Hz 1.5 A Internal A to G
Vertical scan range Viewable size, horizontal	56 - 76 Hz 51.8 cm	Operational conditions	
Viewable size, norizontal Viewable size, vertical Viewable size diagonal Display diagonal (metric) High Dynamic Range (HDR) supported	32.4 cm 32.4 cm 61 cm 60.96 cm	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	0 - 40 °C -20 - 60 °C 10 - 80% 5 - 90% 0 - 5000 m

Display		Operational conditions	
Colour gamut	99%	Non-operating altitude	5000 - 12192 m
Colour gamut standard	sRGB	Packaging content	
Performance		Stand included	✓
NVIDIA G-SYNC *	×	Cables included	AC, DisplayPort, USB, VGA
AMD FreeSync *	×	Quick start guide	✓
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	531 mm
Built-in speaker(s) *	×	Depth (with stand)	179.6 mm
Built-in camera *	×	Height (with stand)	510.8 mm
Design		Weight (with stand)	5.23 kg
Market positioning *	Business	Width (without stand)	531 mm
Product colour *	Black	Depth (without stand)	53.3 mm
Front bezel colour	Black	Height (without stand)	348.1 mm
Detachable stand	√	Weight (without stand)	3.52 kg
Feet colour	Silver	Bezel width (side)	6.3 mm
Heavy metals free	Hg (mercury)	Bezel width (top)	6.3 mm
Ports & interfaces		Bezel width (bottom)	1.78 cm
Built-in USB hub *	√	Packaging data	
USB upstream port type	USB Type-B	Package weight	7.71 kg
Number of USB Type-B upstream	1	Sustainability	
ports quantity	1	Sustainability certificates	ENERGY STAR, RoHS, TCO
USB Type-A downstream ports quantity	4	Doesn't contain	PVC/BFR
VGA (D-Sub) ports quantity	1	European Product Registry for Energy Labelling (EPREL) code	1043228
DVI port	✓	Carbon footprint	
DVI-I ports quantity	1	Total carbon footprint	565 kg of CO2e
HDMI *	√	Total carbon emissions (Standard	-
HDMI ports quantity	1	deviation)	122 kg of CO2e
HDMI version DisplayPorts quantity	1.4 1	Carbon emissions (Manufacturing)	354 kg of CO2e
DisplayPort version	1.2	Carbon emissions (Logistics)	68 kg of CO2e
Headphone out *	X	Carbon emissions (Energy Usage)	138 kg of CO2e
AC (power) in	7	Carbon emissions (End-of-Life)	4 kg of CO2e
Network		Total carbon emissions (w/o Use phase)	426 kg of CO2e
Wi-Fi	×	PAIA version	1.3.0
Ergonomics		Logistics data	
VESA mounting *	1	Harmonized System (HS) code	85285210
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Height adjustment	15 cm		
Pivot	✓		














Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.