

HP EliteBook 840 G9 Intel® Core™ i7 i7-1255U Laptop 35.6 cm (14") WUXGA 16 GB DDR5-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Silver

Brand : HP Product family: EliteBook Product code: 9M472AT

Product name: 840 G9

- Intel® Core™ i7-1255U (up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads)
- Windows 11 Pro
- 35.6 cm (14") diagonal WUXGA display
- Intel® Iris® Xe Graphics
- 16 GB memory; 512 GB SSD storage

EliteBook 840 14 inch G9 Notebook PC, 14", Windows 11 Pro, Intel® Core $^{\text{\tiny TM}}$ i7, 16GB RAM, 512GB SSD, WUXGA

HP EliteBook 840 G9 Intel® Core $^{\text{TM}}$ i7 i7-1255U Laptop 35.6 cm (14") WUXGA 16 GB DDR5-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Silver:

Redefine corporate standards

Maximum turbo power

55 W

Remove barriers to hybrid work with the HP EliteBook 840. This enterprise business laptop brings new conferencing capabilities powered by HP Presence^[3], productivity, and security that is easily managed in hybrid work environments.











Design		Network	
Product type * Product colour * Form factor * Market positioning Introduction year Original brand name	Laptop Silver Clamshell Premium 2023 HP	Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) 2x2 Intel Wi-Fi 6E AX211 Intel
Display	25.6 (4.41)	Bluetooth Bluetooth version	√ 5.3
Display diagonal * Display resolution *	35.6 cm (14") 1920 x 1200 pixels	Ports & interfaces	
Touchscreen * HD type Panel type Anti-glare screen Display brightness Display diagonal (metric) RGB colour space Colour gamut Processor	WUXGA IPS ✓ 400 cd/m² 35.6 cm sRGB 100%	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Combo headphone/mic port USB Type-C DisplayPort Alternate Mode USB Power Delivery	2 1 2.0 2 ✓
Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor threads	Intel Intel® Core™ i7 12th gen Intel® Core™ i7 i7-1255U 10 12	Keyboard Keyboard special features Pointing device Numeric keypad * Keyboard backlit Spill-resistant keyboard Input device model	Étanche Clickpad Clickpad Clavier HP Premium
Processor boost frequency Performance cores	4.7 GHz 2	Software	
Efficient cores Performance-core Max Turbo Frequency Efficient-core Max Turbo Frequency Processor cache Processor cache type Processor base power	8 4.7 GHz	Pre-installed software	HP Connection Optimizer; HP Image Assistant; HP Hotkey Support; HP MAC Address Manager; HP Support Assistant; HP Easy Clean; HP Power Manager; myHP; HP Privacy Settings; Touchpoint Customizer for Commercial; HP Notifications; HP QuickDrop; HP Quick Touch; HP PC Hardware Diagnostics Windows
Maximum turba nawar	EE \A/		

• •		- 6	
Memory	16 CD	Software	MC-d- 11 D
Internal memory * 16 GB Internal memory type DDR5-SDRAM Memory clock speed 4800 MHz Memory layout (slots x size) 2 x 8 GB Memory slots 2x SO-DIMM Maximum internal memory * 64 GB ECC X Non-ECC		Operating system installed *	Windows 11 Pro
		Brand-specific features	
	2 x 8 GB 2x SO-DIMM 64 GB	HP speaker type HP Connection Optimizer HP Support Assistant HP front camera	HP Dual Speakers HP Webcam 5MP Absolute persistence module; HP
	*		DriveLock and Automatic DriveLock; HP Secure Erase; HP Sure Click; HP
Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe Optical drive type *	512 GB SSD 512 GB 1 512 GB PCI Express	HP Security tools	Sure Sense; BIOS Update via Network; HP Sure Admin; HP BIOSphere Gen6; HP Client Security Manager Gen7; Secured-core PC capable; TPM 2.0 embedded security chip (Common Criteria EAL4+ and FIPS 140-2 Level 2 Certified); HP Sure Start Gen7; HP Wake on WLAN; HP Tamper Lock; HP Sure Run Gen5; HP Sure Recover Gen5
Graphics			HP Client Management Script
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family	Not available Intel Intel Intel Iris Xe Graphics	HP Management tools	Library (download); HP Driver Packs (download); HP Manageability Integration Kit Gen4 (download); HP Image Assistant Gen5 (download); HP Patch Assistant (download); HP Cloud Recovery; HP Connect for Microsoft Endpoint Manager
On-board graphics card model *	Intel Iris Xe Graphics		HP Hotkey Support; HP Easy Clean; myHP; HP Privacy Settings; HP
Audio Audio system	B&O PLAY	HP Software provided	Notifications; HP QuickDrop; HP Quick Touch; HP PC Hardware Diagnostics Windows
Built-in speaker(s)	✓	HP segment	Business
Number of built-in speakers	2	HP GTIN (EAN/UPC)	198122068500
Speakers manufacturer	Bang & Olufsen	Battery	
Number of microphones	2	Battery technology	Lithium-lon (Li-lon)
		Buttery teermology	Eleman fon (El fon)
Camera		Number of battery cells	3
Front camera	√ 5 MD		
	√ 5 MP	Number of battery cells	3
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power	3 51 Wh 45 W
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency	3 51 Wh 45 W 50 - 60 Hz
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage	3 51 Wh 45 W
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM)	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM)	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Sustainability	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Sustainability Sustainability compliance	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V 2.0 BIOS, Power on, User ENERGY STAR, GS mark, TCO 315.6 mm 224 mm
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V 2.0 BIOS, Power on, User ENERGY STAR, GS mark, TCO 315.6 mm 224 mm 19.2 mm
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height Weight *	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V 2.0 BIOS, Power on, User ENERGY STAR, GS mark, TCO 315.6 mm 224 mm
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height Weight * Packaging data	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V
Front camera	•	Number of battery cells Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Smart card reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height Weight *	3 51 Wh 45 W 50 - 60 Hz 100 - 240 V 2.0 BIOS, Power on, User ENERGY STAR, GS mark, TCO 315.6 mm 224 mm 19.2 mm

Packaging content	
Stylus pen	×
Logistics data	
Harmonized System (HS) code	8471300000
Other features	
Number of speakers	2





















198122068531

0198122068531

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.