

HP Elite x360 830 G9 Intel® Core™ i5 i5-1235U Hybrid (2-in-1) 33.8 cm (13.3") Touchscreen WUXGA 16 GB DDR5-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Silver

Brand: HP Product family: Elite x360 Product code: 6T142EA

Product name: 830 G9

- Intel® Core™ i5-1235U (up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads)
- Windows 11 Pro (preinstalled with Windows 10 Pro Downgrade)
- 33.8 cm (13.3") diagonal WUXGA touch display
- Intel® Iris® Xe Graphics
- 16 GB memory; 512 GB SSD storage

Elite x360 830 13 inch G9 2-in-1Notebook PC, 13.3", Windows 11 Pro (preinstalled with Windows 10 Pro Downgrade), Intel® Core $^{\text{TM}}$ i5, 16GB RAM, 512GB SSD, WUXGA

HP Elite x360 830 G9 Intel® Core™ i5 i5-1235U Hybrid (2-in-1) 33.8 cm (13.3") Touchscreen WUXGA 16 GB DDR5-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Silver:

Built-in flexibility

Remove barriers to hybrid work with the HP EliteBook x360 830. This enterprise business laptop brings new conferencing capabilities powered by HP Presence^[3], productivity, and security that is easily managed in hybrid work environments.











Design		Ports & interfaces	
Product type * Product colour * Form factor * Market positioning Introduction year Country of origin Original brand name	Hybrid (2-in-1) Silver Convertible (Folder) Premium 2022 China HP	HDMI version Thunderbolt 4 ports quantity Combo headphone/mic port Charging port type USB Type-C DisplayPort Alternate Mode USB Power Delivery	2.0 2 ✓ USB Type-C ✓
Display		Performance	
Display diagonal *	33.8 cm (13.3")	Repairability index	8.4
Display resolution *	1920 x 1200 pixels	Keyboard	
Touchscreen * HD type WUXGA Panel type IPS Display surface Gloss Anti-glare screen Display brightness 1000 cd/m²	Keyboard special features Pointing device Numeric keypad * Keyboard backlit Spill-resistant keyboard Input device model	Étanche Clickpad	
Display diagonal (metric) RGB colour space	33.8 cm sRGB	Software	
Colour gamut Processor Processor manufacturer * Processor family * Processor generation	Intel Intel® Core™ i5 12th gen Intel® Core™ i5	Pre-installed software	HP Hotkey Support; HP Support Assistant; HP Easy Clean; HP Power Manager; myHP; HP Privacy Settings; Touchpoint Customizer for Commercial; HP Notifications; HP QuickDrop; HP Quick Touch; HP PC Hardware Diagnostics Windows
Processor model *	i5-1235U	Operating system installed *	Windows 11 Pro
Processor cores	10	Processor special features	
Processor threads Processor boost frequency Processor cache Processor cache type Configurable TDP-down	12 4.4 GHz 12 MB L3 12 W	Intel Flex Memory Access Intel Trusted Execution Technology Intel VT-x with Extended Page Tables (EPT) Execute Disable Bit	✓ ✓ ✓
Memory		CPU configuration (max)	1
Internal memory * Internal memory type	16 GB DDR5-SDRAM	Embedded options available Intel Virtualization Technology for Directed I/O (VT-d)	x

		B	
Memory	4000 1411	Processor special features	
Memory clock speed Memory form factor	4800 MHz On-board	Intel Virtualization Technology (VT-x)	✓
Maximum internal memory *	16 GB	Brand-specific features	
ECC	×	HP Support Assistant	1
Non-ECC	✓	HP Smart AC Adapter	1
Storage		·	Absolute persistence module; HP
Total storage capacity *	512 GB		DriveLock and Automatic DriveLock; HP Secure Erase; Nano Security lock
Storage media *	SSD		slot; HP Sure Click; HP Sure Sense;
Total SSDs capacity	512 GB		BIOS Update via Network; HP Sure Admin; HP BIOSphere Gen6; HP
Number of SSDs installed	1 512 CB	HP Security tools	Client Security Manager Gen7;
SSD capacity SSD interface	512 GB PCI Express	•	Secured-core PC capable; TPM 2.0 embedded security chip (Common
NVMe	✓		Criteria EAL4+ and FIPS 140-2 Level 2 Certified); HP Sure Start Gen7; HP
Optical drive type *	×		Wake on WLAN; HP Tamper Lock;
Graphics			HP Sure Run Gen5; HP Sure Recover Gen5
Discrete graphics card model *	Not available		HP Client Management Script
On-board graphics card *	✓		Library (download); HP Driver Packs (download); HP Client Catalog
On-board GPU manufacturer	Intel		(download); HP Manageability
Discrete graphics card *	×	HP Management tools	Integration Kit Gen4 (download); HP Image Assistant Gen5 (download);
On-board graphics card family On-board graphics card model *	Intel Iris Xe Graphics Intel Iris Xe Graphics		HP Patch Assistant (download); HP
	inter his Ae Graphics		Cloud Recovery; HP Connect for Microsoft Endpoint Manager
Audio	DC O DLAV	HP segment	Business
Audio system Built-in speaker(s)	B&O PLAY ✓	HP GTIN (EAN/UPC)	197192037454
Number of built-in speakers	2	Battery	
Speakers manufacturer	Bang & Olufsen	Battery technology	Lithium-lon (Li-lon)
Built-in microphone	✓	Number of battery cells	3
Number of microphones	2	Battery capacity *	51 Wh
Camera		Power	
Camera Front camera	√	AC adapter power	65 W
	✓	AC adapter power AC adapter frequency	50 - 60 Hz
Front camera	√ Wi-Fi 6E (802.11ax)	AC adapter power AC adapter frequency AC adapter input voltage	
Front camera Network Top Wi-Fi standard * Wi-Fi standards	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax)	AC adapter power AC adapter frequency AC adapter input voltage Security	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax)	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax)	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) 2x2 Intel Wi-Fi 6E AX211	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) 2x2 Intel Wi-Fi 6E AX211 Intel	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) 2x2 Intel Wi-Fi 6E AX211 Intel	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance Sustainability certificates Sustainable technologies and	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance Sustainability certificates Sustainable technologies and materials	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance Sustainability certificates Sustainable technologies and materials Weight & dimensions	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance Sustainability certificates Sustainabile technologies and materials Weight & dimensions Width Depth Height	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance Sustainability certificates Sustainable technologies and materials Weight & dimensions Width Depth	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance Sustainability certificates Sustainabile technologies and materials Weight & dimensions Width Depth Height	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance Sustainability certificates Sustainabile technologies and materials Weight & dimensions Width Depth Height Weight * Packaging data Package width	50 - 60 Hz 100 - 240 V
Front camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) x 2x2 Intel Wi-Fi 6E AX211 Intel 5.2	AC adapter power AC adapter frequency AC adapter input voltage Security Cable lock slot Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Sustainability Sustainability compliance Sustainability certificates Sustainable technologies and materials Weight & dimensions Width Depth Height Weight * Packaging data	50 - 60 Hz 100 - 240 V

Packaging content		
Keyboard included	✓	
Stylus pen	×	
Other features		
Number of speakers	2	























































197192037423

0197192037423

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.