



<b>Display</b>		<b>Operational conditions</b>	
Colour gamut standard	sRGB	Operating temperature (T-T)	0 - 40 °C
sRGB coverage (typical)	107%	Storage temperature (T-T)	-20 - 60 °C
NTSC coverage (typical)	91%	Operating relative humidity (H-H)	20 - 80%
Display sRGB	✓	Operating altitude	0 - 3658 m
<b>Performance</b>		Non-operating altitude	3658 - 12192 m
NVIDIA G-SYNC *	✗	<b>Packaging content</b>	
AMD FreeSync *	✗	Stand included	✓
Fast charging	✓	Cables included	VGA, HDMI, DisplayPort, USB Type-A to USB Type-B, Audio (3.5mm), AC
VESA Adaptive Sync support	✓	Manual	✓
Component video sync	Separate sync, Sync-on-green (SOG)	Bundled software	SmartControl
Flicker-free technology	✓	<b>Weight &amp; dimensions</b>	
Low Blue Light technology	✓	Width (with stand)	540 mm
Compatible operating systems	Mac OS X Windows 10 / 8.1 / 8 / 7	Depth (with stand)	205 mm
<b>Multimedia</b>		Height (with stand)	501 mm
Built-in speaker(s) *	✓	Weight (with stand)	4.77 kg
Built-in camera *	✓	Width (without stand)	540 mm
Number of speakers	2	Depth (without stand)	51 mm
RMS rated power	2 W	Height (without stand)	323 mm
Megapixel (approx.)	2 MP	Weight (without stand)	3.17 kg
Built-in microphone	✓	<b>Packaging data</b>	
<b>Design</b>		Package width	730 mm
Market positioning *	Business	Package depth	198 mm
Product colour *	Black	Package height	465 mm
Front bezel colour	Black	Package weight	7.66 kg
Feet colour	Black	<b>Sustainability</b>	
<b>Ports &amp; interfaces</b>		Sustainability compliance	✓
Built-in USB hub *	✓	Sustainability certificates	ENERGY STAR, TCO, RoHS
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Doesn't contain	PVC/BFR, Mercury
USB upstream port type	USB Type-B	European Product Registry for Energy Labelling (EPREL) code	405287
Number of upstream ports	1	<b>Recycling data</b>	
USB Power Delivery	✓	Post-consumer recycled plastic	85%
HDMI *	✓	<b>Other features</b>	
HDMI ports quantity	1	Exterior finish type	Textured
HDMI version	1.4	Picture enhancement	SmartImage
DisplayPorts quantity	1	Recyclable packaging material	100%
DisplayPort version	1.2	CE Mark; FCC Class B; CU-EAC; TUV Ergo; TUV/GS; ICES-003; CB; CCC; CECP; CEL; UKRAINIAN; TUV Eye Comfort certified	
Headphone out *	✓	Regulatory Approvals	
PC Audio in	✓	Light sensor	✓
HDCP	✓	EasyRead mode	✓
HDCP version	1.4	LowBlue mode	✓
<b>Ergonomics</b>		Mean time between failures (MTBF)	70000 h
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		



8712581774516



0609585255036



609585255036

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.