Samsung Galaxy S21 FE 5G

Brand : Samsung

Product family: Galaxy

Product code: SM-G990BZWDEUA/AMA

Product name : Galaxy S21 FE 5G

6.4" FHD+ Dynamic AMOLED 2X, Qualcomm SM8350 (One Core 2.84 GHz + Triple Core 2.4 GHz + Quad Core 1.8 GHz), IP68, 802.11 ax, Bluetooth 5.0, USB Type-C, 4500 mAh, Android
Samsung Galaxy S21 FE 5G . Display diagonal: 16.3 cm (6.4"), Display resolution: 2340 x 1080 pixels.
Processor frequency: 1.8 GHz, Processor family: Qualcomm Snapdragon, Processor model: 888. RAM capacity: 6 GB, Internal storage capacity: 128 GB. Rear camera resolution (numeric): 12 MP, Rear camera type: Triple camera. SIM card capability: Dual SIM. Battery capacity: 4500 mAh. Product colour: White. Weight: 177 g







| Display | | Ports & interfaces | |
|---|---|---|--|
| Display diagonal * Screen shape Display technology marketing name Panel type Display resolution * | 16.3 cm (6.4") Flat Dynamic AMOLED 2X OLED 2340 x 1080 pixels | USB port * USB connector type USB version Headphone connectivity | ✓ USB Type-C 3.2 Gen 1 (3.1 Gen 1) USB Type-C |
| Maximum refresh rate Touchscreen type Pixel density Rounded display corners | 120 Hz Capacitive 401 ppi | Messaging Multimedia Messaging Service (MMS) E-mail | 4 4 |
| Processor | | Design Form factor * | Der |
| Processor family * Processor model * | Qualcomm Snapdragon 888 | Product colour * International Protection (IP) code | Bar White IP68 |
| Processor cores Processor boost frequency | 8 2.84 GHz | Performance | |
| Processor frequency * | 1.8 GHz | Fast charging Wireless charging | 4 |
| Storage | | Fingerprint reader | 1 |
| RAM capacity * Internal storage capacity * | 6 GB 128 GB | Face recognition Speakerphone | 4 |
| Camera | | Voice commands | 1 |
| Rear camera resolution (numeric) * | 12 MP | Vibrating alert | 4 |
| Second rear camera resolution (numeric) | 12 MP | Navigation GPS (satellite) | 1 |
| Third rear camera resolution (numeric) | 8 MP | GLONASS | 4 |
| Rear camera aperture number | 1.8 | BeiDou | 4 |
| Second rear camera aperture number | 2.2 | Galileo Quasi-Zenith Satellite System | |
| Third rear camera aperture number | | (QZSS) | |
| Optical zoom | 3x | Position location * | 1 |
| Digital zoom Front camera type * | 10x Single camera | Multimedia | |
| Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type | 5 | Speakers Audio formats supported | stereo 3GA, AAC, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF |
| | | | |

| Camera | | Multimedia | |
|--------------------------------|---|---|------------------------------------|
| Video capture resolution (max) | 3840 x 2160 pixels | Multimetria | 3G2, 3GP, AVI, FLV, M4V, MKV, MP4, |
| Maximum frame rate | 60 fps | Video formats supported | WEBM |
| | 1280x720@30fps, | Software | |
| Resolution at capture speed | 1920x1080@30fps, 1920x1080@60fps, 3840x2160@30fps, 3840x2160@60fps 720p, 1080p, 2160p | Platform * | Android |
| | | App distribution platform | Google Play |
| | | Virtual assistant | Samsung Bixby |
| Video recording modes | | Battery | |
| Rear camera type * | Triple camera | • | 4500 mAh |
| Geotagging | 1 | Battery capacity * | |
| Self-timer | 4 | Talk time (4G) | 37 h 13 h |
| Night mode | 4 | Browsing time (Wi-Fi) Continuous audio playback time | 79 h |
| Panorama | 4 | Continuous video playback time | 16 h |
| Network | | | 10 11 |
| SIM card capability * | Dual SIM | Sensors | |
| Mobile network generation * | 5G | Proximity sensor | 4 |
| SIM card type * | NanoSIM | Accelerometer | 4 |
| 3G standards * | UMTS, WCDMA | Ambient light sensor | 4 |
| 4G standard * | LTE-TDD & LTE-FDD | Gyroscope | 4 |
| 5G standard * | Sub6 FDD, Sub6 TDD | Barometer | 4 |
| Wi-Fi * | ✓ | Geomagnetic sensor | 1 |
| | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) | Hall sensor | 1 |
| Wi-Fi standards | | Weight & dimensions | |
| Bluetooth * | ✓ | Width | 74.5 mm |
| Bluetooth version | 5.0 | Depth | 7.9 mm |
| Wi-Fi Direct | ✓ | Height | 155.7 mm |
| MIMO | ✓ | Weight * | 177 g |
| Modulation | 1024-QAM | Certificates | |
| Near Field Communication (NFC) | < | Head SAR (EU) | 0.952 W/kg |
| Subscription | | Body SAR (EU) | 1.48 W/kg |
| Subscription type * | No subscription | Packaging content | |
| | | Quick start guide | 4 |
| | | Cables included | USB Type-C |
| | | Other features | |
| | | Touchscreen | 4 |
| | | Technical details | |
| | | | |

Repairability index

8.2

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.