## **/IOC**

## AOC G2 Q24G2A/BK LED display 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LCD Black, Red

Brand : AOC Product family: G2 Product code: Q24G2A/BK

Product name: Q24G2A/BK

Screen size (inch) 23.8, Panel resolution 2560x1440, Refresh rate 165 Hz, Response time MPRT 1 ms, Panel type IPS, HDMI HDMI 2.0 x 1, Display Port DisplayPort 1.2 x 1, Sync technology (VRR) G-SYNC Compatible + Adaptive Sync

AOC G2 Q24G2A/BK LED display 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LCD Black, Red:

**23,8"** gaming monitor with 165Hz refresh rate, 1ms MPRT response time and Adaptive Sync Q24G2AE/BK is a model suitable for all users who demand high performance. It boasts QHD resolution, low input lag and a wide color gamut combined with a height-adjustable stand. The refresh rate of 165 Hz, the fast response time of 1 ms MPRT and the support of Adaptive Sync technology of the Q24G2A/BK monitor eliminate image tearing and stuttering.

AOC G2 Q24G2A/BK. Display diagonal: 60.5 cm (23.8"), Display resolution:  $2560 \times 1440 \text{ pixels}$ , HD type: Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal:  $178^{\circ}$ , Viewing angle, vertical:  $178^{\circ}$ . Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black, Red







Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * LED backlight Backlight type Touchscreen * Display brightness (typical) Response time Anti-glare screen Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours *	60.5 cm (23.8") 2560 x 1440 pixels Quad HD 16:9 LCD IPS  W-LED  350 cd/m² 4 ms  Flat 1000:1 80000000:1 165 Hz 178° 178° 16.7 million colours 0.2055 x 0.2055 mm 30 - 250 kHz 48 - 165 Hz 52.6 cm 29.6 cm 60.4 cm  H17.6% 102.5%	Headphone out * Headphone outputs Headphone connectivity HDCP HDCP version AC (power) in  Ergonomics  VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play	1 3.5 mm  2.2  1 100 x 100 mm  Kensington  13 cm  -5 - 23°
Pixel pitch Horizontal scan range		LED indicators	1
Vertical scan range Viewable size, horizontal Viewable size, vertical Display diagonal (metric) DDC/CI Surface hardness sRGB coverage (typical) NTSC coverage (typical)		Power  Power consumption (typical) *  Power consumption (standby) *  Power consumption (max)  Power consumption (off)  AC input voltage  AC input frequency  Input current	34 W 0.5 W 54 W 0.3 W 100 - 240 V 50/60 Hz 1.5 A

Display		Power	
Adobe RGB coverage	100.8%	Power supply type	Internal
Performance		Operational conditions	
NVIDIA G-SYNC *  NVIDIA G-SYNC type  VESA Adaptive Sync support  Flicker-free technology  Low Blue Light technology  Low input lag	✓ G-SYNC Compatible ✓ ✓ ✓	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -25 - 55 °C 10 - 85% 5 - 93% 0 - 5000 m 0 - 12192 m
FPS counter	<b>√</b>	Packaging content	
Dial point Shadow control Motion blur reduction Game mode	4	Stand included Cables included Quick start guide	✓ AC ✓
Multimedia		Weight & dimensions	
Built-in speaker(s) * Built-in camera * Number of speakers RMS rated power  Design	✓ <b>X</b> 2 4 W	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand)	539.1 mm 227.4 mm 504.6 mm 4.78 kg 539.1 mm 47.2 mm
Market positioning * Product colour *	Gaming Black, Red	Height (without stand) Weight (without stand)	322.1 mm 3.35 kg
Frameless design	✓	Packaging data	5.55 %
Front bezel colour Detachable stand Feet colour Certification	Black/Red ✓ Black/Red ISO 9241-307, Microsoft WHQL	Package width Package depth Package height Package weight	605 mm 184 mm 492 mm 6.6 kg
Ports & interfaces		Sustainability	
Built-in USB hub * HDMI * HDMI ports quantity HDMI version	<b>★</b> ✓ 1 2.0	Sustainability compliance Sustainability certificates	CB, CE, Federal Communications Commission (FCC)
DisplayPorts quantity	1	Technical details	
DisplayPort version	1.2	Warranty period	3 year(s)
		Other features	
		Exterior finish type	Textured



4038986141208

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.