


BenQ SL5502K Digital signage flat panel 139.7 cm (55") LED 500 cd/m^2 4K Ultra HD Black Android 24/7

Brand : BenQ Product code: 9H.F67PK.NA6

Product name: SL5502K









Display		Performance	
LED backlighting type Display diagonal * 13 Display technology * LE Display resolution * 38 Display brightness * 50 HD type * 44 Touchscreen * X Native aspect ratio Contrast ratio (typical)	Edge-LED 139.7 cm (55") LED 3840 x 2160 pixels 500 cd/m² 4K Ultra HD	Purpose * Multi-display supported On Screen Display (OSD) Number of OSD languages On Screen Display (OSD) languages	Universal V 26 Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Hungarian, Italian, Japanese, Korean, Norwegian, Persian, Polish, Portuguese, Romanian, Russian, Swedish, Turkish, Vietnamese
Viewing angle, vertical	178°	Operating hours (hours/days)	24/7
Active display area (W x H) Panel life	1209.6 x 680.4 mm 50000 h	Power	
Ports & interfaces HDMI ports quantity * 2 HDMI input ports quantity 2 DVI port * VGA (D-Sub) input ports 1 DisplayPorts quantity * 1 USB port * USB ports quantity 4	Power consumption (typical) * Power consumption (standby) * Energy efficiency class (SDR) Energy consumption (SDR) per 1000 hours AC input voltage AC input frequency Energy efficiency scale	85.6 W 0.5 W G 86 kWh 100 - 240 V 50 - 60 Hz A to G	
	4	Computer system	
Ethernet LAN * Ethernet LAN (RJ-45) ports RS-232 interface	1 ✓	Internal memory Internal storage capacity Operating system installed	4 GB 32 GB Android
Audio		Weight & dimensions	
Built-in speaker(s) * Number of built-in speakers RMS rated power	2 20 W	Width Depth Height	1236.4 mm 63.1 mm 707.2 mm

Design		Weight & dimensions	
Product design *	Digital signage flat panel	Weight	26.4 kg
Placement supported * Orientation	Indoor Horizontal/Vertical	Packaging data	
Product colour *	Black	Package weight	31.4 kg
VESA mounting *	√	Packaging content	
Panel mounting interface 400 x 400 mm Bezel width (bottom) 1.18 cm Bezel width (side) 1.18 cm Bezel width (top) 1.18 cm	Remote control included	✓	
	1.18 cm	Remote control type	IR
		Cables included	HDMI, VGA
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-10 - 60 °C
		Logistics data	
		Harmonized System (HS) code	85285210



5054444364827

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.