Viewsonic TD2760 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Touchscreen Multi-user Black

Brand : Viewsonic Product code: TD2760

Product name: TD2760

27", 1920x1080, 16:9, MVA, 3000:1, 12ms, 230 cd/m2, 16.7M, 2xUSB 3.1 Typw-A, 1xUSB 3.1 Typw-B, 3.5mm Audio in, 3.5mm Audio out, VGA, HDMI 1.4, RS232, Display Port, 32W, VESA 100 x 100, 660x443x239 mm, 17400g

Viewsonic TD2760. Display diagonal: 68.6 cm (27"), Display resolution: $1920 \times 1080 \text{ pixels}$, HD type: Full HD, Display technology: LED, Response time: 6 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black







Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDMI version	1.4
Display resolution *	1920 x 1080 pixels	DisplayPorts quantity	1
HD type *	Full HD	DisplayPort version	1.2
Native aspect ratio *	16:9	Audio input	1
Display technology *	LED	Audio output	1
Panel type *	VA	HDCP	✓
LED backlight	✓	RS-232 ports	1
Backlight type	LED	Ergonomics	
Touchscreen *	✓		,
Touchscreen type	Multi-user	VESA mounting * Panel mounting interface	√ 100 x 100 mm
Touchscreen technology	Projected capacitive system	Wall mountable	✓ 100 X 100 mm
Touch technology	Multi-touch	Cable lock slot *	V
Number of simultaneous touchpoints	10	Cable lock slot type	Kensington
Response time	6 ms	Tilt adjustment	✓
Anti-glare screen	✓	Tilt angle range	-4 - 90°
Screen shape *	Flat	On Screen Display (OSD)	✓
Aspect ratio	16:9	Number of OSD languages	14
Contrast ratio (typical) *	3000:1	Power	
Contrast ratio (dynamic)	50000000:1	Energy efficiency class (SDR) *	F
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000	10.1111
Viewing angle, vertical	178°	hours *	19 kWh
Display number of colours *	16.78 million colours	Power consumption (typical) *	26 W
Pixel pitch	0.311 x 0.311 mm	Power consumption (standby) *	0.3 W
Horizontal scan range	15 - 90 kHz	Power consumption (off)	0.3 W
Vertical scan range	50 - 76 Hz	AC input voltage	100 - 240 V
Viewable size, horizontal	59.8 cm	AC input frequency	50 - 60 Hz
Viewable size, vertical	33.6 cm	Power supply type	AC
Display diagonal (metric)	68.58 cm	Operational conditions	
Surface hardness	6H	Operating temperature (T-T)	0 - 40 °C
Display brightness	300 cd/m ²		20 - 90%
Separate H/V sync	✓		20 30/0

Performance		Packaging content	
NVIDIA G-SYNC *	×	Quick start guide	✓
AMD FreeSync *	×	Weight & dimensions	
Multimedia		Width (with stand)	660 mm
Built-in speaker(s) *	✓	Depth (with stand)	239 mm
Built-in camera *	×	Height (with stand)	443 mm
Number of speakers	2	Weight (with stand)	7.9 kg
RMS rated power	4 W	Width (without stand)	660 mm
Built-in microphone	×	Depth (without stand)	58 mm
Design		Height (without stand)	410 mm
Product colour *	Black	Weight (without stand)	5.5 kg
Glass thickness	1.88 mm	Packaging data	
Certification	MX-CoC, Mexico Energy, CE, CE EMC, CB	Package width Package depth	753 mm 204 mm
Ports & interfaces		Package height	525 mm
Built-in USB hub *	1	Package weight	10.2 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability	
USB upstream port type	USB Type-B	European Product Registry for	384384
Number of upstream ports	1	Energy Labelling (EPREL) code	304304
Number of USB Type-B upstream ports quantity	1	Logistics data	
USB Type-A downstream ports	2	Harmonized System (HS) code	85285210
quantity	2	Other features	
VGA (D-Sub) ports quantity	1	Connection to PC	1
HDMI *	√	A concention in aluded	Power Cable, VGA Cable, HDMI
HDMI ports quantity	1	Accessories included	Cable, USB Cable, Audio Cable
		Mean time between failures (MTBF)	30000 h





766907002775

0766907002775

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.