

## j5create USB-C 4K Speakerphone Dock

Brand: j5create Product code: JCDS335-N

Product name: USB-C 4K Speakerphone Dock

- Docking station with meeting controls and speakerphone
- Built-in 4 microphones array which deliver natural vocal sound with reduced background noise
- Connect with HDMI™ display
- Bluetooth® 5.2 or USB™ plug-and-play connection
- High-quality, crystal-clear audio
- Compatible with video conferencing apps: Amazon Chime $^{™}$ , BlueJeans $^{™}$ , Cisco®, Facebook $^{™}$ , Messenger, Google Meet $^{™}$ , GoToMeeting®, Microsoft Teams $^{™}$ , Skype $^{™}$ , Skype $^{™}$ , Skype $^{™}$ , For business, Slack $^{™}$ , Zoom $^{™}$ , etc

USB-C 4K Speakerphone Dock

j5create USB-C 4K Speakerphone Dock. Connectivity technology: Wired, Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery up to: 100 W. Ethernet LAN data rates: 10,100,1000 Mbit/s. Product colour: Grey, White, Maximum digital resolution: 3840 x 2160 pixels, Maximum refresh rate: 60 Hz. Power source type: AC, DC, USB, Power connector: USB Type-C, Input current: 5 A. Windows operating systems supported: Windows 10, Windows 11, Mobile operating systems supported: Android, iOS





Ports & interfaces		Power	
Connectivity technology * Host interface * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C	t interface * USB 3.2 Gen 1 (3.1 Gen 1) Type-C 3.2 Gen 1 (3.1 Gen 1) Type-A 3.2 Gen 1 (3.1 Gen 1) Type-C 2	Power supply Output voltage Output current Power plug type	100 W 20 V 4.25 A Type C
USB 7.2 Gen 1 (S.1 Gen 1) Type-C ports quantity  USB Power Delivery  USB Power Delivery revision  USB Power Delivery up to  HDMI ports quantity * 1	Software  Windows operating systems supported  Mac operating systems supported  Mobile operating systems supported	Windows 10, Windows 11  ✓  Android, iOS	
Microphone in *	×	Operational conditions	
USB Type-C DisplayPort Alternate Mode <b>Network</b>	<b>✓</b>	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 48 °C -10 - 65 °C 0 - 85%
Ethernet LAN *	✓	Storage relative humidity (H-H)	0 - 85%
Ethernet LAN data rates	10,100,1000 Mbit/s	Weight & dimensions	
Performance Card reader integrated * Maximum digital resolution Number of displays supported	reader integrated *  mum digital resolution ber of displays supported mum refresh rate uct colour *  Dynamic Range (HDR) orted lay modes and Play sing material  X  3840 x 2160 pixels  1  60 Hz  Grey, White  V  J  Acrylonitrile butadiene styrene (ABS), Polycarbonate (PC)	Width Depth Height Weight	130 mm 130 mm 47.8 mm 377 g
Maximum refresh rate Product colour * High Dynamic Range (HDR) supported Display modes Plug and Play Housing material		Packaging data  Quantity per pack Package width Package depth Package height Package weight	1 pc(s) 170.5 mm 154 mm 56 mm 676.8 g
3		Packaging content	
Country of origin  Audio  Built-in speaker(s)  Built-in microphone	Taiwan  ✓	Cables included Quick start guide	USB Type-C ✓

Power		Logistics data	
Power source type Power connector	AC, DC, USB USB Type-C	Export Control Classification Number (ECCN)	EAR99
Input current	5 A		





847626006760

0847626006760



4712795087727

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.