## Viewsonic IFP75G1 interactive whiteboard 190.5 cm (75") 3840 x 2160 pixels Touchscreen Black HDMI

Brand : Viewsonic Product code: IFP75G1

Product name: IFP75G1

- Bring Your Own OS interactive flat panel for versatile use in any scenario
- Seamless USB-C plug-and-play connectivity for convenient presentations  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left$
- 65W charging of peripheral devices, ensuring uninterrupted presentations
- Flexible integration with slot-in PCs, supporting Windows, Linux, and Android OS

55" TFT LCD, Touch, DLED, UHD, 16:9, 1.07B, 350 cd/m², 1200:1, 8ms, 178/178, 12W x2 + 16W, Wi-Fi, PMS, HDMI, SPDIE, BS332, USB, 100-240 VAC, VESA, 26.4 kg

RJ45, HDMI, SPDIF, RS232, USB, 100-240 VAC, VESA, 26.4 kg  $\,$ 

Viewsonic IFP75G1. Display diagonal: 190.5 cm (75"), Working area: 1209.6 x 680.4 mm, Display brightness: 350 cd/m². Operating system installed: Android 11, Processor architecture: ARM Cortex A73 + ARM Cortex A53, Processor frequency: 1.5 GHz. Speaker power: 24 W, Subwoofer RMS power: 16 W. Ethernet LAN data rates: 10,100 Mbit/s. Interface: HDMI, USB connector type: USB Type-A, USB Type-B, USB Power Delivery up to: 65 W





Display		Ports & interfaces	
isplay diagonal * 190.5 cm (75") isplay brightness 350 cd/m² isplay number of colours 1.07 billion colours isplay resolution 3840 x 2160 pixels nti-glare screen   D type 4K Ultra HD anel type LCD ED backlighting type Direct-LED ative aspect ratio 16:9 ontrast ratio (typical) 1200:1	HDMI ports quantity USB Type-C ports quantity HDMI version HDMI output ports quantity USB Power Delivery USB Power Delivery up to Ethernet LAN (RJ-45) ports OPS slot S/PDIF out port Headphone connectivity	3 1 2.0 1 4 65 W 1 1 4 3.5 mm	
Contrast ratio (dynamic)	5000:1	RS-232 ports	1
Response time	8 ms	Ergonomics	
Touchscreen * Touch technology Touchscreen type Number of simultaneous touchpoints Touch resolution Touch system response time Viewing angle, horizontal Viewing angle, vertical Working area * Hardness  Computer system	Multi-touch Infrared  40  32767 x 32767 pixels 10 ms 178° 178° 1209.6 x 680.4 mm 7H	Product colour VESA mounting Panel mounting interface Mean time between failures (MTBF)  Certification	Black  400 x 200 mm  30000 h  cTUVus, FCC/ICES003, Energy Star 8.0, EMC/CE, CB/LVD, GOST-R/EAC, UkrSEPRO, EPEAT, Mexico NOM, Mexico Energy, UKCA, UK-EEL, BSMI, BIS, LBL( Low Blue Light Certification), Flicker Free, Green BOM, RoHS, ErP-Eco, REACH, SCIP, WEEE, TPCH, Packing waste, CA65 PAIA
Operating system installed	Android 11	Power	
Built-in processor Processor architecture Processor frequency	ARM Cortex A73 + ARM Cortex A53 1.5 GHz	Power consumption (typical) Power consumption (off) AC input voltage	89 W 0.5 W 100 - 240 V
Processor cores	8	Operational conditions	
Maximum internal memory RAM capacity RAM type	32 GB 3 GB DDR4	Operating temperature (T-T) Operating relative humidity (H-H) Weight & dimensions	0 - 40 °C 10 - 90%
Audio		Width *	1268 mm
Built-in speaker(s) * Number of built-in speakers Speaker power	✓ 2 24 W	Depth Height * Weight	1268 mm 85 mm 773 mm 26.4 kg

Audio		Packaging data	
Built-in subwoofer Subwoofer RMS power	<b>√</b> 16 W	Package width Package depth	1428 mm 220 mm
Projector Built-in projector *	×	Package height Package weight Quantity per pack	878 mm 35.5 kg 1 pc(s)
Network  Ethernet LAN Ethernet LAN data rates	✓ 10,100 Mbit/s	Packaging content USB cable length Cables included	3 m AC, HDMI, USB
Ports & interfaces		Remote control included	<b>√</b>
Interface HDCP HDCP version USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity USB 2.0 ports quantity	HDMI ✓ 2.2 4	Mounting kit Batteries included Mounting brackets included Quick start guide Stylus included	✓ <p< td=""></p<>
USB connector type	USB Type-A, USB Type-B	<b>Logistics data</b> Country of origin	China





766907024678

0766907024678

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.