


ASUS TUF GAMING X670E-PLUS WIFI AMD X670 Socket AM5 ATX

Brand : ASUS

Product code: 90MB1BK0-M0EAY0

Product name : TUF GAMING X670E-PLUS WIFI

TUF GAMING X670E-PLUS WIFI Mainboard Sockel AMD AM5 (Ryzen 7000, ATX, PCIe 5.0, DDR5-Speicher, 4x M.2, WiFi 6E, USB 3.2 Gen 2x2 Typ-C, Aura Sync)
 ASUS TUF GAMING X670E-PLUS WIFI. Processor manufacturer: AMD, Processor socket: Socket AM5, Compatible processor series: AMD Ryzen 5 7th Gen, AMD Ryzen 7 7th Gen, AMD Ryzen 9 7th Gen. Supported memory types: DDR5-SDRAM, Maximum internal memory: 192 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 10. Maximum resolution: 7680 x 4320 pixels. Ethernet interface type: 2.5 Gigabit Ethernet, Top Wi-Fi standard: Wi-Fi 6E (802.11ax), Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E...



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	Line-in	✓
Processor socket *	Socket AM5	Microphone in	✓
Compatible processor series *	AMD Ryzen 5 7th Gen, AMD Ryzen 7 7th Gen, AMD Ryzen 9 7th Gen	S/PDIF out port	✗
Supported processor sockets	Socket AM5	Network	
Memory		Ethernet LAN	✓
Supported memory types *	DDR5-SDRAM	Ethernet interface type	2.5 Gigabit Ethernet
Number of memory slots *	4	Wi-Fi *	✓
Memory slots type	DIMM	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Memory channels	Dual-channel	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
ECC	✓	Bluetooth	✓
Non-ECC	✓	Bluetooth version	5.2
Supported memory clock speeds MHz	4800,5000,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7600,7800,8000	Features	
Supported memory clock speed (max)	6400 MHz	Motherboard chipset *	AMD X670
Maximum internal memory *	192 GB	Audio output channels *	7.1 channels
Unbuffered memory	✓	Product colour	Black
Storage controllers		Component for *	PC
Supported storage drive types	HDD & SSD	Motherboard form factor *	ATX
Supported storage drive interfaces *	M.2, SATA III	Motherboard chipset family *	AMD
RAID support	✓	Power source type	ATX
RAID levels	0, 1, 10	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Graphics		Expansion slots	
Parallel processing technology support *	Not supported	PCI Express x4 slots	1
On-board graphics card	✗	PCI Express x16 (Gen 4.x) slots	1
Maximum resolution	7680 x 4320 pixels	PCI Express x16 (Gen 5.x) slots	1
Internal I/O		Number of M.2 (M) slots	4
USB 2.0 connectors *	3	BIOS	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	BIOS type *	UEFI AMI
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	BIOS memory size	256 Mbit
Number of SATA III connectors *	4		
Front panel audio connector	✓		
Front panel connector	✓		
ATX Power connector (24-pin)	✓		

Internal I/O		Packaging data	
CPU fan connector	✓	Package width	338 mm
Number of chassis fan connectors	4	Package depth	273 mm
Peripheral (Molex) power connectors (4-pin)	1	Package height	68 mm
EPS power connector (8-pin)	✓	Package weight	2.55 kg
Number of COM connectors	1	Weight & dimensions	
Thunderbolt headers	1	Width	305 mm
12V power connector	✓	Depth	244 mm
RGB LED pin header	✓	Packaging content	
Rear panel I/O ports		Cables included	SATA
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	5	User guide	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	3	Drivers included	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Other features	
USB 3.2 Gen 2x2 Type-C ports quantity	1	TUF PROTECTION - DIGI+ VRM (- Digital power design with DrMOS) - ESD Guards - LANGuard - Overvoltage Protection - Safeslot Core+ - Stainless-Steel Back I/O ASUS Q-Design - M.2 Q-Latch - Q-DIMM - Q-LED (CPU [red], DRAM [yellow], VGA [white], Boot Device [yellow green]) - Q-Slot ASUS Thermal Solution - M.2 heatsink - VRM heatsink design ASUS EZ DIY - BIOS FlashBack™ button - BIOS FlashBack™ LED - Clear CMOS header - ProCool - Pre-mounted I/O shield - SafeSlot - SafeDIMM AURA Sync - AURA RGB header - Addressable Gen 2 headers TUF PROTECTION - DIGI+ VRM (- Digital power design with DrMOS) - ESD Guards - LANGuard - Overvoltage Protection - Safeslot - Stainless-Steel Back I/O ASUS Q-Design - M.2 Q-Latch - Q-DIMM - Q-LED (CPU [red], DRAM [yellow], VGA [white], Boot Device [yellow green]) - Q-Slot ASUS Thermal Solution - M.2 heatsink - VRM heatsink design ASUS EZ DIY - BIOS FlashBack™ button - BIOS FlashBack™ LED - Clear CMOS header - ProCool - Pre-mounted I/O shield - SafeSlot - SafeDIMM AURA Sync - AURA RGB header - Addressable Gen 2 headers	
Ethernet LAN (RJ-45) ports *	1	Special features	
HDMI ports quantity *	1		
HDMI version	2.1		
DisplayPorts quantity	1		
Headphone outputs	1	Packaging content	Cables 2 x SATA 6Gb/s cables Miscellaneous 1 x ASUS Wi-Fi moving antenna 2 x Rubber packages for M.2 2 x Screw packages for M.2 SSD Documentation 1 x TUF certification card 1 x User guide



4711081905738



4711081905745

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.