ASUS ROG STRIX X670E-F GAMING WIFI AMD X670 Socket AM5 ATX

Brand : ASUS

Product code: 90MB1BA0-M0EAY0

Product name : ROG STRIX X670E-F GAMING WIFI

Ryzen 7000, ATX, DDR5 memory, 4x M.2, USB 3.2 Gen 2x2, PCIe 5.0, Q-Release, M.2 backplate, WiFi 6E, Aura Sync

ASUS ROG STRIX X670E-F GAMING WIFI. Processor manufacturer: AMD, Processor socket: Socket AM5, Compatible processor series: AMD Ryzen™ 7. Supported memory types: DDR5-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 10. Ethernet interface type: 2.5 Gigabit Ethernet, Top Wi-Fi standard: Wi-Fi 6E (802.11ax), Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax). Component for: PC, Motherboard form factor: ATX, Motherboard chipset family: AMD





Drosocor			Pear named 1/0 marts	
Processor			Rear panel I/O ports	
Processor manufacturer *		AMD	HDMI version	2.1
Processor socket *		Socket AM5	DisplayPorts quantity	1
Compatible processor series *		AMD Ryzen™ 7	DisplayPort version	1.4 1
Memory			Headphone outputs Line-in	1
Supported memory types * Number of memory slots *	DDR: 4	5-SDRAM	Microphone in	4
Memory slots type	4 DIMM	1	S/PDIF out port	4
Memory channels		channel	Digital audio optical out	1
ECC	<		5 .	-
Non-ECC	√		Network	
Supported memory clock speeds	4800 MHz	,5000,5200,5400,5600,5800,6000,6200,6400	Ethernet LAN	✓
Maximum internal memory *	128 (3B	Ethernet interface type	2.5 Gigabit Ethernet
Unbuffered memory	1		Wi-Fi *	v
Storage controllers			Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported storage drive types		HDD & SSD	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi
Supported storage drive interf	aces	* M.2, SATA III		6E (802.11ax)
RAID support		✓	Bluetooth	✓
RAID levels		0, 1, 10	Bluetooth version	5.2
Graphics			Features	
Parallel processing technology	,	Not supported	Motherboard chipset *	AMD X670
support *			Audio chip	Realtek ALC4080
Internal I/O			Audio output channels *	7.1 channels
USB 2.0 connectors *		4	Component for *	PC
USB 3.2 Gen 1 (3.1 Gen 1)		2	Motherboard form factor *	ATX
connectors *		2		
Number of CATA III compositors			Motherboard chipset family *	AMD
Number of SATA III connectors	*	4	Motherboard chipset family * Cooling type	AMD Active
Front panel audio connector	*	1	Cooling type Windows operating systems	
Front panel audio connector ATX Power connector (24-pin)	*	4	Cooling type Windows operating systems supported	Active
Front panel audio connector ATX Power connector (24-pin) CPU fan connector		4 4 4	Cooling type Windows operating systems	Active
Front panel audio connector ATX Power connector (24-pin) CPU fan connector Number of chassis fan connec		✓ ✓ ✓ 5	Cooling type Windows operating systems supported	Active
Front panel audio connector ATX Power connector (24-pin) CPU fan connector Number of chassis fan connec Thunderbolt headers		✓ ✓ 5 1	Cooling type Windows operating systems supported Expansion slots PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots	Active Windows 10 x64, Windows 11 x64
Front panel audio connector ATX Power connector (24-pin) CPU fan connector Number of chassis fan connec Thunderbolt headers 12V power connector		✓ ✓ ✓ 5	Cooling type Windows operating systems supported Expansion slots PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 5.x) slots	Active Windows 10 x64, Windows 11 x64
Front panel audio connector ATX Power connector (24-pin) CPU fan connector Number of chassis fan connec Thunderbolt headers 12V power connector RGB LED pin header		✓ ✓ 5 1	Cooling type Windows operating systems supported Expansion slots PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots	Active Windows 10 x64, Windows 11 x64
Front panel audio connector ATX Power connector (24-pin) CPU fan connector Number of chassis fan connec Thunderbolt headers 12V power connector RGB LED pin header Rear panel I/O ports		✓ ✓ 5 1 ✓	Cooling type Windows operating systems supported Expansion slots PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 5.x) slots	Active Windows 10 x64, Windows 11 x64
Front panel audio connector ATX Power connector (24-pin) CPU fan connector Number of chassis fan connec Thunderbolt headers 12V power connector RGB LED pin header Rear panel I/O ports USB 2.0 ports quantity *	tors	✓ ✓ 5 1	Cooling type Windows operating systems supported Expansion slots PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 5.x) slots Number of M.2 (M) slots	Active Windows 10 x64, Windows 11 x64
Front panel audio connector ATX Power connector (24-pin) CPU fan connector Number of chassis fan connec Thunderbolt headers 12V power connector RGB LED pin header Rear panel I/O ports	tors	✓ ✓ 5 1 ✓	Cooling type Windows operating systems supported Expansion slots PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 5.x) slots Number of M.2 (M) slots BIOS	Active Windows 10 x64, Windows 11 x64

/isus

Rear panel I/O ports		Packaging data	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	2	Package width Package depth	338 mm 273 mm
USB 3.2 Gen 2x2 Type-C ports quantity	1	Package height	680 mm 2.55 kg
Ethernet LAN (RJ-45) ports * HDMI ports quantity *	1 1	Package weight Weight & dimensions	2.55 Kg
		Width Depth	305 mm 244 mm
		Packaging content	

Cables included

SATA





4711081891147

4711081891154

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.