

StarTech.com 4PORT-8K-HDMI-SWITCH video switch

Brand : StarTech.com

Product code: 4PORT-8K-HDMI-SWITCH

Product name : 4PORT-8K-HDMI-SWITCH

StarTech.com 4PORT-8K-HDMI-SWITCH. Video port type: HDMI, USB port type: Micro-USB. Material: Metal, Product colour: Black, Maximum operating distance: 5 m. AC input voltage: 100 - 240 V, AC adapter input current: 0.3 A, AC adapter output voltage: 5 V. Width: 61 mm, Depth: 136 mm, Height: 14 mm. Package width: 123 mm, Package depth: 179 mm, Package height: 50 mm



Ports & interfaces		Weight & dimensions	
Video port type *	HDMI	Depth	136 mm
HDMI ports quantity	5	Height	14 mm
HDMI version	2.1	Weight	150 g
HDMI in	4	Packaging data	
Number of HDMI outputs	1	Package width	123 mm
USB port type	Micro-USB	Package depth	179 mm
Features		Package height	50 mm
Material	Metal	Package weight	420 g
Product colour	Black	Packaging content	
High Dynamic Range (HDR) supported	✓	Mounting kit	✓
Plug and Play	✓	Quick start guide	✓
HDCP	✓	Remote control included	✓
Maximum operating distance	5 m	Cables included	USB Type-A to Micro-USB Type-B
Supported graphics resolutions	1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1080, 2560 x 1440, 3440 x 1440, 4096 x 2160, 5120 x 1440, 7860 x 4320	AC adapter included	✓
Bandwidth	48 Gbit/s	Operational conditions	
LED indicators	✓	Operating temperature (T-T)	0 - 70 °C
External power adapter	✓	Storage temperature (T-T)	-10 - 80 °C
Audio output channels	7.1 channels	Operating relative humidity (H-H)	5 - 90%
Dolby technologies	DTS-HD Master Audio, DTS:X, Dolby Atmos, Dolby TrueHD	Sustainability	
HDCP version	2.3	Sustainability compliance	✓
Power		Sustainability certificates	CE, RoHS
AC input voltage	100 - 240 V	Technical details	
AC adapter input current	0.3 A	Compliance certificates	CE, RoHS
AC adapter output voltage	5 V	Logistics data	
		Master (outer) case width	400 mm
		Master (outer) case length	550 mm

Power		Logistics data	
AC adapter output current	1 A	Master (outer) case height	280 mm
Power consumption (typical)	5 W	Products per master (outer) case	40 pc(s)
Weight & dimensions			
Width	61 mm		



0065030899420



065030899420

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.