

Brother DCP-1610W multifunction printer Laser A4 2400 x 600 DPI 20 ppm Wi-Fi

Brand : Brother

Product code: DCP-1610W

Product name : DCP-1610W

DCP-1610W - Print/Copy/Scan, A4, 2400x600 dpi, USB 2.0, 802.11b/g/n, GDI, 32MB, 7.2kg

[Brother DCP-1610W multifunction printer Laser A4 2400 x 600 DPI 20 ppm Wi-Fi:](#)



Effortless printing with no complications

The Brother DCP-1610W is stylishly designed and compact enough to fit onto a shelf or workstation. It produces outputs with the speed and quality you would expect from a more expensive machine. Installation is very easy – connect using wireless or the USB cable, and you will be printing in no time. Plus innovative Anti-Jam technology allows you to print wirelessly with no hassle. You will also be able to print at speeds of up to 20 pages per minute (ppm), and your first page will come out in less than 10 seconds.

- Print, copy and scan
- Up to 20ppm print speed
- Wireless ready
- 2,400 x 600dpi resolution
- 150-sheet paper tray
- Innovative anti-jam technology.

Printing		Network	
Print technology *	Laser		NDP, RA, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port 9100, IPP, FTP Server, SNMPv1/v2c, HTTP Server, TFTP Client/Server, SMTP Client, ICMPv6, Web Services
Printing *	Mono printing	Supported network protocols (IPv6)	
Duplex printing *	✗	Mobile printing technologies	Brother iPrint & Scan
Maximum resolution *	2400 x 600 DPI	Performance	
Print speed (black, normal quality, A4/US Letter) *	20 ppm	Card reader integrated	✗
Time to first page (black, normal)	10 s	Internal memory *	32 MB
Copying		Built-in processor	✓
Duplex copying *	✗	Processor frequency	200 MHz
Copying *	Mono copying	Sound pressure level (printing)	52 dB
Maximum copy resolution *	600 x 600 DPI	Design	
Copy speed (black, normal quality, A4)	20 cpm	Product colour *	Black, White
Maximum number of copies	99 copies	Market positioning *	Home & office
Copier resize	25 - 400%	Built-in display *	✓
N-in-1 copy function (N=)	2, 4	Display	LCD
Scanning		Display number of lines	2 lines
Duplex scanning *	✗	Display number of characters	16
Scanning *	Colour scanning	Power	
Optical scanning resolution *	600 x 1200 DPI	Power consumption (max)	1080 W
Maximum scan resolution	19200 x 19200 DPI	Power consumption (average operating)	390 W
Maximum scan area	A4 (210 x 297)	Power consumption (PowerSave)	0.9 W
Scan technology	CIS	Power consumption (ready)	50 W
Scan to	E-mail, File, Image	Power consumption (off)	0.28 W
Scan drivers	ICA, TWAIN, WIA	AC input voltage	220 - 240 V
Fax		AC input frequency	50 - 60 Hz
Duplex faxing	✗		
Faxing *	✗		

Features		System requirements	
Recommended duty cycle	250 - 1800 pages per month		
Number of print cartridges *	1		
Printing colours *	Black		
Page description languages	GDI		
Input & output capacity			
Total input capacity *	150 sheets		
Total output capacity *	50 sheets		
Paper handling			
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Plain paper, Recycled paper	Windows operating systems supported	
ISO A-series sizes (A0...A9) *	A4, A5, A6		
ISO B-series sizes (B0...B9)	B5		
Non-ISO print media sizes	Executive, Folio, Legal, Letter		
Custom media length	148 - 355.6 mm		
Paper tray media weight	65 - 105 g/m ²		
Ports & interfaces			
Standard interfaces	USB 1.1, USB 2.0, Wireless LAN		
USB port	✓		
USB 1.1 ports quantity	1		
USB 2.0 ports quantity	1		
Network			
Wi-Fi *	✓	Mac operating systems supported	Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Ethernet LAN *	✗	Linux operating systems supported	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)		Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64, Windows Server 2012, Windows Server 2012 R2 x64
Security algorithms	128-bit WEP, 64-bit WEP, SMTP-AUTH, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPS ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS, DNS resolver, mDNS, LLNMR responder,	Server operating systems supported	
Supported network protocols (IPv4)	LPR/LPD, Custom Raw Port/Port 9100, IPP, FTP Server, SNMPv1/v2c, HTTP Server, TFTP Client/Server, SMTP Client, ICMP, Web Services		
Operational conditions			
Operating relative humidity (H-H)		20 - 80%	
Storage temperature (T-T)		0 - 40 °C	
Operating temperature (T-T)		10 - 32 °C	
Storage relative humidity (H-H)		35 - 85%	
Sustainability			
Sustainability certificates		ENERGY STAR	
Weight & dimensions			
Width		385 mm	
Depth		340 mm	
Height		255 mm	
Weight		7.2 kg	
Packaging data			
Package width		481 mm	
Package depth		436 mm	
Package height		406 mm	
Package weight		9 kg	
Packaging content			
Bundled software		Brother BRAdmin Light Network Management	
Logistics data			
Harmonized System (HS) code		84433100	
Other features			
Energy saving mode		✓	



4977766742245



4977766742283



4977766742252



4977766742313



4977766742306

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.