

ZYXEL

Zyxel GS1200-5 Managed Gigabit Ethernet (10/100/1000) Silver

Brand : Zyxel

Product code: GS1200-5-GB0101F

Product name : GS1200-5

GS1200-5 - 5-Port Web Managed Gigabit Switch

Zyxel GS1200-5. Switch type: Managed. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z. DC input voltage: 5 V. Power connector: DC-in jack



Management features		Design	
Switch type *	Managed	LED indicators	Power
Quality of Service (QoS) support	✓	Safety	CE-LVD, BSMI
Web-based management	✓	Electromagnetic compatibility	CE, FCC, BSMI, Class B
Ports & interfaces		Performance	
Basic switching RJ-45 Ethernet ports quantity *	5	Firmware upgradeable	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power	
Power connector	DC-in jack	DC input voltage	5 V
Network		Input current	1 A
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power consumption (max)	2.03 W
10G support *	✗	Power over Ethernet (PoE)	
Port mirroring	✓	Power over Ethernet (PoE) *	✗
Flow control support	✓	Operational conditions	
Link aggregation	✓	Operating temperature (T-T)	0 - 40 °C
Broadcast storm control	✓	Storage temperature (T-T)	-40 - 70 °C
Auto MDI/MDI-X	✓	Operating relative humidity (H-H)	10 - 90%
Data transmission		Storage relative humidity (H-H)	10 - 90%
Switching capacity *	10 Gbit/s	Weight & dimensions	
MAC address table *	2000 entries	Width	121 mm
Jumbo frames support	✓	Depth	75 mm
Jumbo frames	9000	Height	26 mm
Packet buffer memory	1 MB	Weight	233 g
Security		Packaging data	
DHCP features	DHCP client	Quick start guide	✓
IGMP snooping	✓	AC adapter included	✓
Authentication	Auto VLAN, MAC-based authentication	Package type	Box
Multicast features		Rubber feet	✓
Multicast support	✓	Package width	127 mm
		Package depth	82 mm
		Package height	95 mm
		Package weight	388 g

Protocols		Logistics data	
Management protocols	IGMPv1,IGMPv2,IGMPv3	Harmonized System (HS) code	85176990
Design			
Rack mounting *	✘		
Product colour	Silver		



4718937598687

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-JUL-2024. Prints or copies of Information are only valid on the printed Publication date