Epson Expression Photo XP-970 Inkjet A3 5760 x 1440 DPI 28 ppm Wi-Fi

Brand: Epson Product family: Expression Product code: C11CH45401

Product name: XP-970

- Compact and versatile: Print up to A3, scan and copy up to A4
- 6-colour Claria Photo HD Inks: Produce superior, long-lasting, glossy photos
- Wi-Fi & Wi-Fi Direct: Wireless printing with or without a network
- Easy mobile printing: Print easily from your smartphone or tablet2
- Dual paper trays: One for A4 and another for photo paper

A3, Automatic Duplex, CD/DVD print, 5760 x 1440 DPI, CIS Scanner, 1200×4800 DPI, Wi-Fi, USB, Ethernet.

Epson Expression Photo XP-970. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 5760×1440 DPI, Print speed (colour, normal quality, A4/US Letter): 28 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200×4800 DPI. Maximum ISO A-series paper size: A3. Wi-Fi. Direct printing. Product colour: Black





Printing Network Duplex printing mode Ato Ethernet LAN* / Print technology* Inkjet Security algorithms 64-bit WEP, 128-bit WEP, 1	
Print technology * Inkjet Colour printing * Colour copying * Colour cop	
Printing * Colour printing * Compatible memory cards * Compatible memory car	
Duplex printing or printing peed (black, normal quality, Al/US Letter) and Al/US Letter or print speed (colour, normal quality, Al/US Letter) and printing or print speed (colour, normal quality, Al/US Letter) and printing or print or printing or	WPA-AES
Sopher Finding Soph	noct
Print speed (black, normal quality, A4/US Letter)* Print speed (colour, normal quality, A4/US Letter)* Print speed (colour, normal quality, A4/US Letter)* Borderless printing	
Ad/US Letter) * Z8 ppm Print speed (colour, normal quality, Al/US Letter)	Cloud
Print speed (colour, normal quality, Ad/US Letter) Borderless printing V Compatible memory cards Compatible memory cards MicroSD (TransFlash), Mic MicroSDXC, MiniSD, Mini	
Black Conversion of Color Scanning of Color Scan technology of Cis of Color Scan to Color Scanning of Color Scanning of Color Scan to Color Scan to Color Scanning of Color Scan to Color Scan to Color Scanning of Color Scanning	
DVD//CD printing Compatible memory cards MicroSDXC, MiniSD, Ministation	
Copying Copying* Colour copying Product colour * Black Scanning* Colour scanning Scanning * Colour scanning Scan technology CIS Scan technology CIS Scan technology Cloud Touchscreen Control type Colour display Printing colours * Black, Cyan, Light Cyan, Light magenta, Magenta, Yellow Printing colours * Input & output capacity Total number of input trays * Paper input type Paper handling Maximum ISO A-series paper size * Rayen fray media types Multi-purpose tray media types Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types ISO A-series sizes (AOA9) * A3, A4, A5, A6 Midth Midth Pesign Product colour * Black Market positioning * Home & office Black Colour display Control type Colour display Touch Colour display Y Power Power Power consumption (copying) 17 W AC input voltage 220 - 240 V AC input frequency 50 - 60 Hz System requirements Windows operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Weight & dimensions Width 479 mm	
Copying * Colour copying Scanning Colour scanning Colour scanning Colour scanning Colour scanning Built-in display * Copying * Colour scanning Built-in display * Copying * Colour scanning Built-in display * Copying * Copying * Colour scanning Built-in display * Copying * Copying * Copying * Colour display * Control type Control type Control type Colour display Printing colours * Input & output capacity Total number of input trays * Paper input type Paper handling Maximum ISO A-series paper size * Multi-purpose tray media types Envelopes, Glossy paper, Legal, Letter, Plain paper Multi-purpose tray media types ISO A-series sizes (A0A9) * A3, A4, A5, A6 Solution in series in display Product colour * Market positioning * Home & office Built-in display * Colour display * Control type Control type Control type Touch Colour display Power Power Power Aconsumption (copying) 17 W Power consumption (sleep) 1.2 W AC input voltage AC input voltage AC input frequency System requirements Windows operating systems supported Mac operating systems Width	JHC, 3D,
Colour copying * Colour copying Product colour * Black Scanning Market positioning * Home & office Scanning * Colour scanning Built-in display * ✓ Optical scanning resolution * 1200 x 4800 DPI Display LCD Scan technology CIS Display diagonal 10.9 cm (4.3") Scan to Cloud Touchscreen ✓ Features Printing colours * Black, Cyan, Light Cyan, Light magenta, Magenta, Yellow Power Input & output capacity Power Total number of input trays * 2 Paper input type Paper tray AC input voltage 220 - 240 V Paper handling Maximum ISO A-series paper size * A3 Multi-purpose tray media types Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types ISO A-series sizes (A0A9) * A3, A4, A5, A6 Sole Series sizes (R0B9) Product colour * Market positioning * Home & office Market positioning * Home & office Market positioning * Home & office Built-in display * ✓ Colour display * Touch Colour display Power Colour display Power Power consumption (copying) 17 W Power consumption (sleep) 1.2 W AC input voltage 220 - 240 V AC input frequency 50 - 60 Hz System requirements Windows operating systems supported * Windows operating systems supported * Mac operating systems supported * Meight & dimensions ISO A-series sizes (R089) ISO B-series sizes (R089) B5	
ScanningMarket positioning *Home & officeScanning *Colour scanningBuilt-in display *✓Optical scanning resolution *1200 x 4800 DPIDisplayLCDScan technologyCISDisplay diagonal10.9 cm (4.3")Scan toCloudTouchscreen✓Control typeTouchColour displayTouchPrinting colours *Black, Cyan, Light Cyan, Light magenta, Magenta, YellowPowerInput & output capacityPowerTotal number of input trays *2Power consumption (copying)17 WPaper input typePaper trayAC input voltage220 - 240 VPaper handlingAC input frequency50 - 60 HzMaximum ISO A-series paper size *A3System requirementsMulti-purpose tray media types *Envelopes, Glossy paper, Photo paper, Plain paperWindows operating systems supported✓Multi-purpose tray media typesEnvelopes, Glossy paper, Legal, Letter, Plain paperWeight & dimensions✓ISO A-series sizes (B0B9)B5Width479 mm	
Scanning * Colour scanning Built-in display *	
Optical scanning resolution * 1200 x 4800 DPI Display LCD Scan technology CIS Display diagonal 10.9 cm (4.3") Scan to Cloud Touchscreen Control type Touch Colour display Printing colours * Black, Cyan, Light Cyan, Light magenta, Magenta, Yellow Input & output capacity Power Input trays * 2 Paper input type Paper tray Paper handling Maximum ISO A-series paper size * A3 Paper tray media types * Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types ISO A-series sizes (A0A9) * A3, A4, A5, A6 ISO B-series sizes (B0B9) Display diagonal 10.9 cm (4.3") Display diagonal 10.9 cm (4.3") Display diagonal 10.9 cm (4.3") Touch Control type Control type Touch Touch Colour display Power Power Ac onput voltage 220 - 240 V Ac input frequency 50 - 60 Hz System requirements Windows operating systems supported Mac	
Scan to Cloud Touchscreen ✓ Control type Touch Colour display ✓ Printing colours * Black, Cyan, Light Cyan, Light magenta, Magenta, Yellow Power Input & output capacity Total number of input trays * 2 Paper input type Paper tray Power consumption (copying) 17 W Paper handling Maximum ISO A-series paper size * A3 Paper tray media types Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types ISO A-series sizes (A0A9) * A3, A4, A5, A6 ISO B-series sizes (B0B9) Black, Cyan, Light Cyan, Light Cyan, Light Colour display ✓ Power Power Power consumption (copying) 17 W Power consumption (sleep) 1.2 W AC input voltage 220 - 240 V AC input frequency 50 - 60 Hz System requirements Windows operating systems supported ✓ Mac operating systems supported ✓ Weight & dimensions Width 479 mm	
Features Printing colours * Black, Cyan, Light Cyan, Light magenta, Magenta, Yellow Input & output capacity Total number of input trays * Paper input type Paper handling Maximum ISO A-series paper size * Paper tray media types * Envelopes, Glossy paper, Plain paper Multi-purpose tray media types ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) All Control type Colour display Power Power Power consumption (copying) 17 W Power consumption (sleep) 1.2 W AC input voltage AC input frequency 50 - 60 Hz System requirements Windows operating systems supported Mac operating systems supported Mac operating systems supported Weight & dimensions Width 479 mm	
Printing colours * Black, Cyan, Light Cyan, Light magenta, Magenta, Yellow Power Input & output capacity Total number of input trays * Paper input type Paper tray Paper handling Maximum ISO A-series paper size * Paper tray media types * Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types ISO A-series sizes (A0A9) * A3, A4, A5, A6 ISO B-series sizes (B0B9) Black, Cyan, Light Cyan, Light Power Power Power Power consumption (copying) 17 W Power consumption (sleep) 1.2 W AC input voltage AC input frequency 50 - 60 Hz System requirements Windows operating systems supported Mac operating systems supported Weight & dimensions Width 479 mm	
Printing colours * Black, Cyan, Light magenta, Magenta, Yellow Power Input & output capacity Total number of input trays * 2 Paper input type Paper tray Paper handling Maximum ISO A-series paper size * A3 Paper tray media types * Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types ISO A-series sizes (A0A9) * A3, A4, A5, A6 ISO B-series sizes (B0B9) Black, Cyan, Light magent Cyan, Light magent Angenta, Hellow Power Power consumption (copying) 17 W Power consumption (sleep) 1.2 W AC input voltage AC input frequency 50 - 60 Hz System requirements Windows operating systems supported Mac operating systems supported Weight & dimensions Width 479 mm	
Input & output capacity Total number of input trays * 2 Paper input type Paper tray Maximum ISO A-series paper size * Multi-purpose tray media types Iso A-series sizes (A0A9) * A3, A4, A5, A6 ISO B-series sizes (B0B9) Magenta, Magenta, Yellow Power Power consumption (copying) 17 W Power consumption (sleep) 1.2 W AC input voltage AC input voltage AC input frequency 50 - 60 Hz System requirements Windows operating systems supported Mac operating systems supported Weight & dimensions Width 479 mm	
Total number of input trays * 2 Paper input type Paper tray AC input voltage 220 - 240 V AC input voltage 50 - 60 Hz Paper handling Maximum ISO A-series paper size * Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types Envelopes, Glossy paper, Legal, Letter, Plain paper ISO A-series sizes (A0A9) * A3, A4, A5, A6 ISO B-series sizes (B0B9) Power consumption (sleep) 1.2 W AC input voltage AC input frequency 50 - 60 Hz System requirements Windows operating systems supported Mac operating systems supported Weight & dimensions Width 479 mm	
Paper input type Paper tray AC input voltage 220 - 240 V Paper handling Maximum ISO A-series paper size * A3 Paper tray media types * Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types Envelopes, Glossy paper, Legal, Letter, Plain paper ISO A-series sizes (A0A9) * A3, A4, A5, A6 ISO B-series sizes (B0B9) AC input voltage 220 - 240 V AC input voltage 50 - 60 Hz System requirements Windows operating systems supported Mac operating systems supported Weight & dimensions Width 479 mm	
Paper handling Maximum ISO A-series paper size * A3 Paper tray media types * Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types ISO A-series sizes (A0A9) * A3, A4, A5, A6 ISO B-series sizes (B0B9) AC input frequency 50 - 60 Hz System requirements Windows operating systems supported Mac operating systems supported Weight & dimensions Width 479 mm	
Paper handling Maximum ISO A-series paper size * A3 Paper tray media types * Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types Envelopes, Glossy paper, Legal, Letter, Plain paper Mac operating systems supported Mac operating systems supported Mac operating systems supported Weight & dimensions Width 479 mm	
Paper tray media types * Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types Envelopes, Glossy paper, Legal, Letter, Plain paper ISO A-series sizes (A0A9) * A3, A4, A5, A6 ISO B-series sizes (B0B9) B5 Mindows operating systems supported Mac operating systems supported Weight & dimensions Width 479 mm	
Paper tray media types * Envelopes, Glossy paper, Photo paper, Plain paper Multi-purpose tray media types Envelopes, Glossy paper, Legal, Letter, Plain paper Mac operating systems supported Mac operating systems supported Mac operating systems supported Weight & dimensions Width 479 mm	
Multi-purpose tray media types Envelopes, Glossy paper, Legal, Letter, Plain paper Mac operating systems supported Weight & dimensions Width 479 mm	
Multi-purpose tray media types Letter, Plain paper ISO A-series sizes (A0A9) * A3, A4, A5, A6 ISO B-series sizes (B0B9) B5 Weight & dimensions Width 479 mm	
ISO A-series sizes (A0A9) * A3, A4, A5, A6 ISO B-series sizes (B0B9) B5 Width 479 mm	
ISO B-series sizes (B0B9) B5	
Non-ISO print media sizes Legal, Letter Height 148 mm	
Envelopes sizes 10, C6, DL Weight 8.7 kg	
Photo paper sizes 10x15,13x18 cm	
Ports & interfaces Packaging content Cortridge(s) included	
Direct printing * Cartridge(s) included Power cord included	
USB port	

rk		Packaging content	
Vi-Fi *	✓	Warranty card	✓
		Logistics data	
		Harmonized System (H	HS) code 84433100
		Other features	
		PictBridge	✓
		Software CD	J



8715946668321

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.