

HP ProBook 635 Aero G7 AMD Ryzen™ 7 PRO 4750U Laptop 33.8 cm (13.3") Full HD 8 GB DDR4-SDRAM 256 GB SSD Wi-Fi 6 (802.11ax) Windows 10 Pro Silver

Brand : HP Product family: ProBook Product code: 2W8S2EA

Product name: 635 Aero G7

- AMD Ryzen $^{\text{\tiny TM}}$ 7 PRO 4750U (1.7 GHz base clock, up to 4.1 GHz max boost clock, 8 MB L3 cache, 8 cores)
- Windows 10 Pro 64
- 33.8 cm (13.3") diagonal FHD display
- AMD Radeon™ Graphics
- 8 GB memory; 256 GB SSD storage

ProBook 635 Aero G7 Notebook PC, 13.3", Windows 10 Pro 64, AMD Ryzen $^{™}$ 7 PRO, 8GB RAM, 256GB SSD, FHD

HP ProBook 635 Aero G7 AMD Ryzen $^{™}$ 7 PRO 4750U Laptop 33.8 cm (13.3") Full HD 8 GB DDR4-SDRAM 256 GB SSD Wi-Fi 6 (802.11ax) Windows 10 Pro Silver:

Easy to carry, and ready for business

The ultralight HP ProBook 635 Aero can go everywhere with you without weighing you down. With a sleek design, powerful business security, and connectivity this stunning business laptop keeps users productive around the home or office.







Design		Camera	
Product type * Product colour * Form factor *	Laptop Silver Clamshell	Front camera HD type	HD
		Network	
		Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)
Market positioning	Everyday	Wi-Fi standards	Wi-Fi 6 (802.11ax)
Intel® vPro™ Platform Eligibility	X	Mobile network connection *	×
Country of origin	China	Antenna type	2x2
Display		WLAN controller model	Intel Wi-Fi 6 AX200
Display diagonal *	33.8 cm (13.3")	WLAN controller manufacturer	Intel
Display resolution *	1920 x 1080 pixels	Ethernet LAN	×
Touchscreen *	×	Bluetooth	✓
HD type	Full HD	Bluetooth version	5.0
Panel type	IPS	Ports & interfaces	
Native aspect ratio	16:9	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2
Anti-glare screen	V	ports quantity *	2
Display brightness	250 cd/m ²	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	1
Display diagonal (metric) RGB colour space	33.8 cm NTSC	ports quantity HDMI ports quantity *	1
Colour gamut	45%	HDMI version	2.0
-	43 /0	Combo headphone/mic port	√
Processor		Charging port type	DC-in jack
Processor manufacturer *	AMD	USB Type-C DisplayPort Alternate	,
Processor family *	AMD Ryzen™ 7 PRO	Mode	✓
Processor model *	4750U	USB Power Delivery	✓
Processor cores Processor threads	8 16	Keyboard	
Processor threads Processor boost frequency	16 4.1 GHz	Keyboard special features	Spill-resistant
Processor frequency *	1.7 GHz	Pointing device	Clickpad
Processor cache	8 MB	Numeric keypad *	×
Processor cache type	L3	Keyboard backlit	✓
, , , , , , , , , , , , , , , , , , ,		Spill-resistant keyboard	✓
Memory	0.00	Software	
Internal memory *	8 GB	Operating system architecture	64-bit
Internal memory type	DDR4-SDRAM	operating system distincesture	

Memory clock speed 3200 MHz Operating system installed Windows 10 Pro Memory form factor SO-DIMM Part So-DIMM Part So-DIMM Proport Factor SO-DIMM Proport Solvents Size 1 x 8 GB Proport Solvents Size 1 Proport Size 1	Memory		Software	
Memory from factor SO-DIMM Pands-specific features HP Dual Speakers Memory slots x size) 1 x 8 GB HP Speaker type HP Dual Speakers ECC 2 x 50-DIMM HP Support Assistant V ECC 4 HP Support Assistant V Total storage capacity* 256 GB HP Support Assistant HP Webcam Total storage capacity 256 GB HP Scurity HP Security authorized and Automatic DriveLock; HP Security authorization; TPM 2.0 embedded authoriz	Memory Memory clask speed	2200 MH=		Windows 10 Pro
Memory layout (slots x size) 1 x 8 GB HP speaker type HP Dual Speakers ECC X HP Connection Optimizer ✓ ECC X HP Support Assitant ✓ Storage 256 GB HP front camera HP Webcam Total Storage capacity 256 GB HP front camera Absolute persistence module; HP Divide.0ck; HP Divide.0ck; and Automatic Drivel.0ck; report on authentication; TPM 2 cembedded security, report on the decision of the property of the proper	Memory form factor	SO-DIMM		Windows 10 Pro
Memony slots 1x SO-DIMM HP' Speaker type HP Upla's peakers ECC X HP Support Assistant ✓ FStorage 256 GB HP front camera HP Webcam Total storage capacity* 256 GB HP front camera HP Webcam Total SSDs capacity 256 GB HP Scure Frace; Power-on authentication, Preboot authentication, TPM 20 embedded second to authentication, TPM 20 embedded second to authentication, TPM 20 embedded second to authentication, TPM 20 embedded second aut			Brand-specific features	
ECC X HP Support Assistant V Storage HP Front camera HP Webcam Total storage capacity* 256 GB HP front camera HP Webcam Total storage capacity 256 GB HP front camera Absolute persistence module; HP Divervock and Automatic DriveLock; HP Secure Erase; Power-on authentication; Preboot authe				·
Skorage HP front camera HP Webcam Total storage capacity 256 G8 Absolute persistence module; HP Scurre Crase; Power-on author ChriveLock and Automatic DriveLock; PF Scurre Crase; Power-on author ChriveLock and Automatic DriveLock; PF Scurre Crase; Power-on author Criteria Exil-4* Number of SSDs installed 256 G8 HP Security Cyclip Shipped with Windows 25D interface PCI Express, NVMe	-	×	•	
Total storage capacity	Storage			
Discrete graphics card model Not available On-board graphics card MD On-board GPU manufacture Discrete graphics card MAD On-board GPU manufacture Discrete graphics card MAD AMD Radeon Graphics AMD Radeon Graphics HP Management tools AMD Radeon Graphics HP Driver Packs; HP System Software Manager (StM); HP BIOS Config Utility (REU); HP Client Catalog; HP Manageability Integration Kit Gen3 Number of built-in speakers 2 Built-in microphone V Battery Battery Battery technology Lithium-lon (Li-lon) Number of battery cells 3 Front camera Front camera V Battery capacity Sattery weight Sattery weight Sattery weight Sattery weight Sattery weight Certificates Low halogen Certification ENERGY STAR Sustainable technologies and materials Width 307.6 mm Depth	Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe Optical drive type * Card reader integrated	SSD 256 GB 1 256 GB PCI Express, NVMe		Absolute persistence module; HP DriveLock and Automatic DriveLock; HP Secure Erase; Power-on authentication; Preboot authentication; TPM 2.0 embedded security chip shipped with Windows 10 (Common Criteria EAL4+ Certified); HP Sure Click; Windows Defender; HP BIOSphere Gen5; HP Sure Sense; BIOS Update via Network; Master Boot Record Security; Support for chassis padlocks and cable lock devices; HP Client Security Manager Gen6; HP Sure Start Gen6; HP Sure Run Gen3; HP Sure Recover Gen3; HP Sure
On-board graphics card *	•			
Discrete graphics card *	On-board graphics card *	✓		
On-board graphics card model * MDD Radeon Graphics HP Management tools Config Utility (BCU); HP Client Catalog; HP Manageability Integration Kit Gen3 Audio HP segment Business Number of built-in speakers 2 Battery Built-in microphone ✓ Battery Number of microphones 2 Battery technology Lithium-lon (Li-lon) Camera Number of battery capacity * 53 Wh Front camera ✓ Power AC adapter power 65 W Certificates Certificates Low halogen ✓ Certification ENERGY STAR Sustainability Low halogen; TCO Certified materials Weight & dimensions Width 307.6 mm Width 307.6 mm Depth Popth Height 17.9 mm				
Number of built-in speakers 2 Built-in microphone	On-board graphics card model *		HP Management tools	Config Utility (BCU); HP Client
Built-in microphone Number of microphones 2 Battery technology Lithium-lon (Li-lon) Camera Number of battery cells 3 Battery capacity* 53 Wh Battery weight 204 g Power AC adapter power 65 W Certificates Low halogen 65 W Certification 50 ENERGY STAR Sustainable technologies and materials Cow halogen; TCO Certified materials Weight & dimensions Weight & dimensions Width 307.6 mm Depth Height 17.9 mm				=
Number of microphones 2 Rattery Battery technology Lithium-lon (Li-lon) Number of battery cells 3 Front camera Front camera Power AC adapter power 65 W Certificates Low halogen Certification ENERGY STAR Sustainable technologies and materials Weight & dimensions Width 307.6 mm Depth Height 07.9 mm	·		HP segment	Business
Rattery technology Lithium-lon (Li-lon) Number of battery cells 3 Front camera Front camera Power AC adapter power 65 W Certificates Low halogen Certification ENERGY STAR Sustainability Sustainable technologies and materials Weight & dimensions Width 307.6 mm Depth Beight 307.6 mm Depth Beight 307.9 mm	•		Battery	
Front camera # Alterny capacity * 53 Wh Battery weight 204 g # Power AC adapter power 65 W # Certificates Low halogen Certification ENERGY STAR # Sustainability # Sustainabile technologies and materials # Weight & dimensions # Width 307.6 mm Depth 204.5 mm Height 17.9 mm		2	Battery technology	Lithium-lon (Li-lon)
Battery weight 204 g Power AC adapter power 65 W Certificates Low halogen Certification ENERGY STAR Sustainability Sustainable technologies and materials Low halogen; TCO Certified Weight & dimensions Width 307.6 mm Depth 204.5 mm Height 17.9 mm			·	
Power AC adapter power 65 W Certificates Low halogen Certification ENERGY STAR Sustainability Sustainable technologies and materials Low halogen; TCO Certified Weight & dimensions Width 307.6 mm Depth 204.5 mm Height 17.9 mm	Front camera			
AC adapter power 65 W Certificates Low halogen Certification ENERGY STAR Sustainability Sustainable technologies and materials Weight & dimensions Width 307.6 mm Depth 204.5 mm Height 17.9 mm			Battery weight	204 g
Certificates Low halogen Certification ENERGY STAR Sustainability Sustainable technologies and materials Weight & dimensions Width Depth Depth Height 17.9 mm			Power	
Low halogen Certification ENERGY STAR Sustainability Sustainable technologies and materials Low halogen; TCO Certified Weight & dimensions Width 307.6 mm Depth 204.5 mm Height 17.9 mm			AC adapter power	65 W
Certification ENERGY STAR Sustainability Sustainable technologies and materials Weight & dimensions Width 307.6 mm Depth 204.5 mm Height 17.9 mm			Certificates	
Sustainability Sustainable technologies and materials Weight & dimensions Width 307.6 mm Depth 204.5 mm Height 17.9 mm			Low halogen	✓
Sustainable technologies and materials Weight & dimensions Width 307.6 mm Depth 204.5 mm Height 17.9 mm			Certification	ENERGY STAR
Weight & dimensions Width 307.6 mm Depth 204.5 mm Height 17.9 mm			Sustainability	
Width 307.6 mm Depth 204.5 mm Height 17.9 mm				Low halogen; TCO Certified
Depth 204.5 mm Height 17.9 mm			Weight & dimensions	
Height 17.9 mm			Width	307.6 mm
				204.5 mm
Weight * 990 g				17.9 mm
			Weight *	990 g









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.