## ASUS ROG-STRIX-Z690-F-GAMING-WIFI Intel Z690 LGA 1700 ATX

Brand: ASUS Product code: 90MB18M0-M0EAY0

Product name: ROG-STRIX-Z690-F-GAMING-WIFI

Intel®Z690 LGA 1700 ATX motherboard with PCle®5.0, 16+1 power stages, DDR5 memory support, Two-Way Al Noise Cancelation, Al Overclocking, Al Cooling, Al Networking, WiFi 6E (802.11ax), Intel®2.5 Gb Ethernet, four M.2 slots with heatsinks, PCle 4.0 NVMe®SSD support, M.2 backplate, PCle®Slot Q-Release, USB 3.2 Gen 2x2 Type-C®, SATA and Aura Sync RGB lighting





| Processor                                    |             |   | Rear panel I/O ports                               |  |
|--|-------------|---|--|--|
| Processor manufacturer *                     |             | Intel   | USB 3.2 Gen 2 (3.1 Gen 2) Type-C                   | 1  |
| Processor socket *                           |             | LGA 1700  | ports quantity *                                   | 1  |
| Compatible processor sories *                |             | Intel® Celeron®, Intel® Core™ i3,<br>Intel® Core™ i5, Intel® Core™ i7,          | Ethernet LAN (RJ-45) ports * HDMI ports quantity * | 1  |
| Compatible processor series *                |             | Intel® Core 13, Intel® Core 17, Intel® Core 17, Intel® Core 13, Intel® Core 17, | HDMI version                                       | 2.1  |
| Memory                                       |             |   | Headphone outputs                                  | 1  |
| Supported memory types *                     | DDR         | 5-SDRAM   | Microphone in                                      | <b>√</b>   |
| Number of memory slots *                     | 4           | 33.0  | S/PDIF out port                                    | ,  |
| Memory slots type                            | DIMM        | 1   | ·  | •  |
| Memory channels                              |             | -channel  | Network  |  |
| Non-ECC                                      | 4000        |   | Ethernet LAN                                       | ✓  |
| Supported memory clock speeds                | 4800<br>MHz | ,5000,5200,5400,5600,5800,6000,6200,6400  | Ethernet interface type                            | 2.5 Gigabit Ethernet   |
| Maximum internal memory *                    | 128 (       | GB  | Wi-Fi *  | ✓  |
| Unbuffered memory                            | ✓           |   | Top Wi-Fi standard                                 | Wi-Fi 6E (802.11ax)  |
| Storage controllers                          |             |   | WC Et al. and and                                  | 802.11a, 802.11b, 802.11g, Wi-Fi 4                                     |
| Supported storage drive types                |             | HDD & SSD   | Wi-Fi standards                                    | (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) |
| Supported storage drive interfaces           |             |   | Bluetooth  | ✓ (002.11ax), WI-11 0E (002.11ax)                                      |
| RAID support                                 |             | <b>√</b>  | Bluetooth version                                  | 5.2  |
| RAID levels                                  |             | 0, 1, 5, 10   |  | 5.2  |
| Graphics                                     |             |   | Features   |  |
| •  |             |   | Motherboard chipset *                              | Intel Z690   |
| Parallel processing technology support *     |             | Not supported   | Audio chip   | Realtek ALC4080  |
|  |             |   | Audio output channels *                            | 7.1 channels   |
| Internal I/O                                 |             |   | Component for *                                    | PC   |
| USB 2.0 connectors *                         |             | 2   | Motherboard form factor *                          | ATX  |
| USB 3.2 Gen 1 (3.1 Gen 1)                    |             | 1   | Motherboard chipset family *                       | Intel  |
| connectors *                                 |             |   | Windows operating systems supported                | Windows 10, Windows 11   |
| USB 3.2 Gen 2 (3.1 Gen 2) connectors *       |             | 1   |  |  |
| Number of SATA III connectors                | *           | 6   | Expansion slots                                    |  |
| Front panel audio connector                  |             | <b>V</b>  | PCI Express x1 (Gen 3.x) slots                     | 1  |
| ATX Power connector (24-pin)                 |             | ✓   | PCI Express x16 (Gen 3.x) slots                    | 1  |
| Power fan connector                          |             | ✓   | Number of M.2 (M) slots                            | 4  |
| CPU fan connector                            |             | <b>V</b>  | BIOS   |  |
| Number of chassis fan connectors 5           |             | 5   | BIOS type *  | UEFI AMI   |
| EPS power connector (8-pin)                  |             | ✓   | BIOS memory size                                   | 256 Mbit   |
| TPM connector                                |             | ✓   | Clear CMOS button                                  | <b>✓</b>   |
| 12V power connector   RGB LED pin header   ✓ |             | ✓   |  |  |
|  |             | ✓   | Logistics data                                     |  |
| •  |             |   | Harmonized System (HS) code                        | 84733020   |

| Rear panel I/O ports                                 |   | Weight & dimensions      |  |
|--|---|--------------------------|--|
| USB 2.0 ports quantity *                             | 2 | Width                    | 305 mm   |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *    | 4 | Depth                    | 244 mm   |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-C<br>ports quantity * | _ | Packaging content        |  |
|  | 1 | Cables included          | SATA   |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *    | 2 | Drivers included         | ✓  |
|  |   | Other features           |  |
|  |   | Weight Packaging content | 1.54 kg  4 x SATA 6Gb/s cables 1 x ASUS 2x2 Dual-Band Wi-Fi moving antennas 1 x M.2 Q-Latch package 1 x M.2 Q- Latch package for M.2 backplate 2 x M.2 Rubber Packages 1 x ROG key chain 1 x cable tie 1 x ROG STRIX stickers 1 x ROG STRIX thank you card 1 x Support DVD 1 x User manual |





4711081441762

4711081441779

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.