Samsung VM55B-U LED Indoor

Brand : Samsung

Product name : VM55B-U

Samsung VM55B-U. Display diagonal: 139.7 cm (55"), Display resolution: 1920 x 1080 pixels, Display technology: LED, Display brightness: 500 cd/m², HD type: Full HD, Operating hours (hours/days): 24/7. Product colour: Black

Product code: LH55VMBUBGBXEN





Display		Ports & interfaces	
Display technology *	LED	RS-232 input ports	1
Display diagonal	139.7 cm (55")	RS-232 output ports	1
Display resolution	1920 x 1080 pixels	USB port	1
HD type	Full HD	USB ports quantity	1
Panel type	IPS	HDCP	1
Pixel pitch *	0.63 x 0.63 mm	HDCP version	2.2
Display brightness *	500 cd/m ²	IR input ports quantity	1
Contrast ratio (typical)	1200:1	Audio input	1
Contrast ratio (dynamic)	45000:1	Audio output	1
Response time	0.008 s	Power	
Viewing angle, horizontal	178°	Power consumption (typical) *	220 W
Viewing angle, vertical	178°	Power consumption (typical)	0.5 W
Horizontal scan range	62.7 - 72.3 kHz	Energy efficiency class (SDR)	G
Vertical scan range	57 - 63 Hz	Energy consumption (SDR) per 10	200
Haze rate	25%	hours	165 kWh
Colour gamut	72%	AC input voltage	100 - 240 V
Operating hours (hours/days)	24/7	AC input frequency	50 - 60 Hz
Design		Operational conditions	
Placement supported *	Indoor	Operating temperature (T-T)	0 - 40 °C
Orientation *	Landscape/Portrait	Storage temperature (T-T)	10 - 90 °C
Bezel width (top)	2.25 mm	Sustainability	
Bezel width (bottom)	1.25 mm		FCC (USA) Part 15, Subpart B Class
Wall mountable	4		ACE (Europe) : EN55032 : 2012 or
VESA mounting	√	Certification	2015 ? EN55024:2010 or EN 55035:2017VCCI (Japan) : VCCI CISPR32:2016 Class BKCC/EK
Panel mounting interface	600 x 400 mm		
Product colour	Black		(Korea) : Tuner : KN13 /
Ports & interfaces			KN20Tunerless : KN22 / KN24BSMI
HDMI ports quantity	2		(Taiwan) : CNS13438 (ITE EMI) Class A / CNS14
HDMI input ports quantity	2	Weight & dimensions	·
HDMI version	2.0		
DVI port	4	Width	1213.5 mm
DVI-D ports quantity	1	Depth	73.1 mm
DisplayPorts quantity	1	Height	684.3 mm
DisplayPorts in	1	Weight	21.2 kg
DisplayPort version	1.2	Packaging data	
Ethernet LAN	1	Mounting kit	√
Ethernet LAN (RJ-45) ports	1	Package width	1398 mm
		Package depth	257 mm

Packaging data

Package height Package weight 844 mm 28.8 kg



8806094366105

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.