Epson TM-J7200(321) W/O MICR, WHITE, INC PSU, EU

Brand : Epson **Product code:** C31CF69321

Product name: TM-J7200(321) W/O MICR, WHITE, INC

PSU, EU

- Versatile inkjet POS printer: Faster, better quality and more versatile
- Low TCO: Similar overall costs to previous dot matrix model
- Durable prints: Print is now more resistant to water and light
- Simple maintenance: Ink and paper rolls are very easy to replace
- Backwards compatible: Crisp, clear text and glossy photos

TM-J7200(321) W/O MICR, WHITE, INC PSU, EU

Epson TM-J7200(321) W/O MICR,WHITE, INC PSU, EU. Print technology: Inkjet, Type: POS printer, Print speed: 98 mm/sec. Supported paper width: 58 - 83 mm, Media thickness: 0.06 - 0.09 mm, Maximum paper size (slip): 230 x 297 mm. Connectivity technology: Wired, USB connector: USB Type-B. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 180000 h, Autocutter durability: 1.5 million cuts. Product colour: White



Printing		Power	
Colour Print speed Print speed (graphic) Print speed (receipt) Print speed (slip) Printing characters Character sets Alphanumeric memory	98 mm/sec 98 mm/sec 98 mm/sec 98 mm/sec 85 mm/sec Text, Graphic, Barcode ANK 95	AC input voltage Power consumption (standby)	24 V 70000 mA
		Operational conditions	
		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	10 - 35 °C -20 - 40 °C 20 - 80% 20 - 85%
Print technology *		Weight & dimensions	
Type *	POS printer	Width	195 mm
Paper handling Supported paper width Media thickness	58 - 83 mm 0.06 - 0.09 mm	Depth Height Weight	260 mm 188 mm 5.1 kg
Maximum paper size (slip)	230 x 297 mm	Packaging data	
Ports & interfaces USB port * USB 2.0 ports quantity USB connector Connectivity technology * Ethernet LAN (RJ-45) ports	√ 1 USB Type-B Wired 1	Cables included Quantity per pack Package width Package depth Package height Package weight	AC 1 pc(s) 300 mm 390 mm 315 mm 7.19 kg
Network	-	Logistics data	
Ethernet LAN * Wi-Fi *	×	Harmonized System (HS) code Products per pallet Products per pallet layer	84433210 48 pc(s) 8 pc(s)
Features		Pallet gross width	80 cm
Sound pressure level (printing) Mean time between failures (MTBF) Half-cutter Autocutter durability Country of origin Printer receipt unit life Printer slip unit life Safety	55 dB 180000 h X 1.5 million cuts China 3700000000 lines 5000000 lines TÜV, TÜV (EN60950-1) CE, EN55024, EN55032 Class A,	Pallet gross length Pallet gross height Products per pallet (UK) Products per pallet layer (UK) Pallet width (UK) Pallet length (UK) Pallet height (UK) Technical details	120 cm 114 cm 60 pc(s) 10 pc(s) 100 cm 120 cm 114 cm
Certification	IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11	Font styles Voltage	ANK 24 V
Design		Other features	58 mm - 83 mm
Product colour *	White	Paper dimensions	30 Hilli - 83 Hilli

Power		Other features	
Power source type *	DC	Mean cycles between failures (MCBF)	5000000



8715946639048

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.