

# Epson SureColor SC-T5405 large format printer Wi-Fi Inkjet Colour 2400 x 1200 DPI A0 (841 x 1189 mm) Ethernet LAN



**Brand :** Epson

**Product family:** SureColor

**Product code:** C11CJ56301A1

**Product name :** SC-T5405

- Production flexibility: 110ml/350ml/700ml ink cartridges
  - POP Draft Mode: Print A0 posters in as little as 36 seconds
  - Unobtrusive design: Floor-standing to fit seamlessly into most environments
  - Ease of use - wireless printing: From your desktop or mobile device
  - Peace of mind: Unique Nozzle Verification Technology (NVT) helps prevent misprints
- Wireless, USB 3.0, Gigabit ethernet, Wi-Fi Direct, NVT, B5 - A0, 1385 x 750 x 1060 mm

| Printing                         |   | Performance                         |   |
|----------------------------------|---|-------------------------------------|---|
| Print head nozzles               | 800 nozzles black,800 nozzles per colour  | Display diagonal                    | 27.7 cm (10.9")   |
| Print technology *               | Inkjet  | Control type                        | Touch   |
| Colour *                         | ✓   | Internal memory                     | 1024 MB   |
| Maximum resolution *             | 2400 x 1200 DPI   | Maximum internal memory             | 1000 MB   |
| Number of print cartridges *     | 4   | Sound pressure level (standby)      | 32 dB   |
| Page description languages *     | ESC/P-R, HP-GL/2, HP-RTL  | Sound pressure level (printing)     | 50 dB   |
| Printing colours *               | Pigment black, Pigment cyan, Pigment yellow, Pigment magenta                        | Power                               |   |
| Print cartridge volume (metric)  | 700 ml  | Power consumption (standby)         | 13 W  |
| Print speed (normal quality, A1) | 22 pph  | Power consumption (typical)         | 38 W  |
| Copying                          |   | Power consumption (off)             | 0.25 W  |
| Copying *                        | ✗   | AC input voltage                    | 100-240 V   |
| Scanning                         |   | AC input frequency                  | 50 - 60 Hz  |
| Scanning *                       | ✗   | System requirements                 |   |
| Input & output capacity          |   | Compatible operating systems        | Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP |
| Total number of input trays      | 2   | Windows operating systems supported | Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP                           |
| Paper handling                   |   | Mac operating systems supported     | Mac OS X 10.6 Snow Leopard  |
| Maximum print size *             | A0 (841 x 1189 mm)  | Weight & dimensions                 |   |
| Paper tray media types *         | Bond paper, Coated paper, Glossy paper, Matte paper, Photo paper, Roll, Satin paper | Width                               | 1385 mm   |
| ISO A-series sizes (A0...A9)     | A0, A1, A2, A3, A3+, A4   | Depth                               | 750 mm  |
| ISO B-series sizes (B0...B9)     | B1, B2, B3, B4, B5  | Height                              | 1060 mm   |
| Cut sheets *                     | ✓   | Weight                              | 76 kg   |
| Media thickness                  | 0.05 - 0.3 mm   | Packaging data                      |   |
| Print margin cut-sheet           | 3 x 3 x 20 x 3  | Package width                       | 850 mm  |
| Roll paper                       | ✓   | Package depth                       | 1550 mm   |
| Ports & interfaces               |   | Package height                      | 1116 mm   |
| Wi-Fi *                          | ✓   | Package weight                      | 112 kg  |
| Ethernet LAN *                   | ✓   | Drivers included                    | ✓   |
| USB port *                       | ✓   | Manual                              | ✓   |
| USB connector                    | USB Type-A / USB Type-B   | Other features                      |   |
| Ethernet LAN data rates          | 10,100,1000 Mbit/s  | Line accuracy                       | +/- 0,1   |
| Direct printing                  | ✓   | Minimum line width                  | 0.02 mm   |
| Supported network protocols      | TLS, SSL, IEE 802, SNMP, IPsec, IPv6  | Touchscreen                         | ✓   |
| Mobile printing technologies     | Apple AirPrint  | Compatible products                 | WorkForce DS-6500, WorkForce DS-60000   |

| Performance        |                    | Logistics data    |         |
|--------------------|--------------------|-------------------|---------|
| Product colour *   | Black, Grey, White | Quantity per pack | 1 pc(s) |
| Built-in display * | ✓                  |                   |         |
| Display            | LCD                |                   |         |
| Colour display     | ✓                  |                   |         |



8715946687056

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.