

## Ricoh fi-7480 ADF scanner 600 x 600 DPI A3 Grey, White

**Brand :** Ricoh

**Product code:** PA03710-B001

**Product name :** fi-7480

ADF, 600 x 600 dpi, 2 x CCD, 24 bit, 80 ppm, 160 ipm (200 & 300 DPI), USB 3.0, 7.6 kg  
 Ricoh fi-7480. Maximum scan size: 304.8 x 5588 mm, Optical scanning resolution: 600 x 600 DPI, Output colour depth: 24 bit. Scanner type: ADF scanner, Product colour: Grey, White. Sensor type: Dual CCD, Light source: White LED (4x), Scan drivers: ISIS, TWAIN. Auto document feeder (ADF) input capacity: 100 sheets. Maximum ISO A-series paper size: A3, Scanning media types supported: Plastic Card, ISO A-series sizes (A0...A9): A3, A4, A8



Scanning		Paper handling	
Maximum scan size *	304.8 x 5588 mm	Maximum scan area (ADF)	304.8 x 431.8 mm
Optical scanning resolution *	600 x 600 DPI	Minimum scan area (ADF)	50.8 x 69 mm
Colour scanning	✓	<b>Ports &amp; interfaces</b>	
Duplex scanning *	✓	USB port *	✓
Output colour depth	24 bit	USB version	3.2 Gen 1 (3.1 Gen 1)
Output greyscale depth	8 bit	USB connector type	USB Type-B
Output monochrome depth	1 bit	Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)
Film scanning	✗	<b>Power</b>	
ADF scan speed (b/w, A4)	80 ppm	Power supply type *	AC
ADF scan speed (colour, A4)	80 ppm	Power consumption (typical)	43 W
Duplex ADF scan speed (b/w, A4)	160 ipm	Power consumption (standby)	0.35 W
Duplex ADF scan speed (colour, A4)	160 ipm	Power consumption (off)	0.35 W
Black/white scanning colour modes	Grayscale, Monochrome	Power consumption (PowerSave)	1.4 W
Selectable background colour	✓	Input voltage	100-240 V
Background colours	Black, White		
<b>Design</b>			
Scanner type *	ADF scanner		
Product colour *	Grey, White		
Built-in display *	✓		
<b>Performance</b>			
Sensor type *	Dual CCD		
Light source	White LED (4x)		
Scan drivers	ISIS, TWAIN		
<b>Input capacity</b>			
Auto document feeder (ADF) input capacity	100 sheets		
<b>Paper handling</b>			
Scanning media types supported	Plastic Card		
Multi feed detection	✓		

Paper handling		System requirements	
Maximum ISO A-series paper size *	A3		Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Professional x64
ISO A-series sizes (A0...A9)	A3, A4, A8	Windows operating systems supported	
Media thickness (min)	1.4 mm		
Plastic card media weight	27 - 413 g/m <sup>2</sup>		
Auto Document Feeder (ADF) media weight	27 - 413 g/m <sup>2</sup>	Server operating systems supported	Windows Server 2008, Windows Server 2008 R2 x64, Windows Server 2008 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016 x64
Maximum scan width	30.5 cm		
Maximum scan length	5.588 mm		
Operational conditions			
Operating temperature (T-T)		5 - 35 °C	
Operating relative humidity (H-H)		20 - 80%	
Weight & dimensions			
Width		380 mm	
Depth		209 mm	
Height		168 mm	
Weight		7.6 kg	
Packaging content			
Cables included		AC	
Quick start guide		✓	
Drivers included		✓	
Bundled software		PaperStream IP, PaperStream Capture, Software Operation Panel, Error Recovery Guide, Scanner Central Admin tools, ScanSnap Manager, Scan to Microsoft SharePoint, ABBYY FineReader, 2D barcode for PaperStream	
Technical details			
Sustainability certificates		ENERGY STAR	
Compliance certificates		RoHS	
Logistics data			
Harmonized System (HS) code		84716070	



4939761308444

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.