iiyama

iiyama ProLite TF1633MSC-B1 computer monitor 39.6 cm (15.6") 1920 x 1080 pixels Full HD Touchscreen Black

Brand : iiyama   **Product family:** ProLite   **Product code:** TF1633MSC-B1

Product name : TF1633MSC-B1

- Edge to edge glass
- projective capacitive
- IPS
- HDMI x1
- DisplayPort x1
- USB HUB

PROLITE TF1633MSC-B1 15.6" PCAP 10 points multi-touch open frame monitor with edge-to-edge glass and IPS panel technology

iiyama ProLite TF1633MSC-B1 computer monitor 39.6 cm (15.6") 1920 x 1080 pixels Full HD Touchscreen Black:

The ProLite TF1633MSC-B1 uses projective capacitive touch technology, built into an eye catching bezel with edge-to-edge glass. The screen guarantees high durability, scratch-resistance, clarity and a perfect picture performance. Featuring IPS Panel Technology and Full HD (1920x1080) resolution, it offers natural, highly accurate colours and wide viewing angles. The integrated cable management system hides all the cables. In addition to the superb image quality, the screen comes with an IP54 rating, which means the screen and bezel is dust and water resistant from the front. A perfect solution for kiosk integrators and Instore Retail.

Display			Ergonomics	
Display diagonal *	39.6 cm (15.6")		VESA mounting *	✔
Display resolution *	1920 x 1080 pixels		Panel mounting interface	100 x 100 mm
HD type *	Full HD		Cable management	✔
Native aspect ratio *	16:9		Cable lock slot *	✔
Panel type *	IPS		Cable lock slot type	Kensington
Touchscreen *	✔		Height adjustment *	✖
Touchscreen technology	Projected capacitive system		Tilt angle range	90 - 5°
Display brightness (typical)	385 cd/m²		On Screen Display (OSD)	✔
Response time	5 ms		On Screen Display (OSD) languages	Traditional Chinese, Czech, German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Portuguese, Russian
Screen shape *	Flat			
Contrast ratio (typical) *	1000:1		Number of OSD languages	12
Maximum refresh rate *	60 Hz			
Viewing angle, horizontal	178°		**Power**	
Viewing angle, vertical	178°		Energy efficiency class (SDR) *	C
Display number of colours *	16.7 million colours		Energy consumption (SDR) per 1000 hours *	8 kWh
Pixel pitch	0.179 x 0.179 mm		Power consumption (typical) *	12 W
Horizontal scan range	30 - 68 kHz		Power consumption (standby) *	8 W
Viewable size, horizontal	34.4 cm		Power consumption (off)	0.5 W
Viewable size, vertical	19.4 cm		Power supply type	External
DDC/CI	✔		Energy efficiency scale	A to G
Performance			**Packaging content**	
AMD FreeSync *	✖		Cables included	AC, HDMI, USB
Low Blue Light technology	✔		Power adapter included	✔
Multimedia			Quick start guide	✔
Built-in speaker(s) *	✔		**Weight & dimensions**	
Built-in camera *	✖		Width (without stand)	389 mm
Number of speakers	2		Depth (without stand)	45.5 mm
RMS rated power	4 W		Height (without stand)	246.5 mm
Design			Weight (without stand)	2 kg
Market positioning *	Home			
Product colour *	Black			

Design

International Protection (IP) code	IP54
Certification	CE, TÜV-Bauart, EAC, RoHS, ErP, WEEE, REACH, UKCA

Ports & interfaces

Built-in USB hub *	✔
HDMI *	✔
DisplayPorts quantity	1

Packaging data

Package width	475 mm
Package depth	169 mm
Package height	343 mm
Package weight	3.9 kg
Package type	Box

Sustainability

European Product Registry for Energy Labelling (EPREL) code	1629699

4948570122530