

## Ricoh fi-7480 ADF scanner 600 x 600 DPI A3 Grey, White

Brand: Ricoh Product code: PA03710-B001

Product name: fi-7480

Scanning media types supported

Multi feed detection

Plastic Card

ADF, 600 x 600 dpi, 2 x CCD, 24 bit, 80 ppm, 160 ipm (200 & 300 DPI), USB 3.0, 7.6 kg Ricoh fi-7480. Maximum scan size: 304.8 x 5588 mm, Optical scanning resolution: 600 x 600 DPI, Output colour depth: 24 bit. Scanner type: ADF scanner, Product colour: Grey, White. Sensor type: Dual CCD, Light source: White LED (4x), Scan drivers: ISIS, TWAIN. Auto document feeder (ADF) input capacity: 100 sheets. Maximum ISO A-series paper size: A3, Scanning media types supported: Plastic Card, ISO A-series sizes (A0...A9): A3, A4, A8










| Scanning  |  | Paper handling  |  |
|---|--|---|--|
| Maximum scan size * Optical scanning resolution * Colour scanning   | 304.8 x 5588 mm<br>600 x 600 DPI<br>✓            | Maximum scan area (ADF)<br>Minimum scan area (ADF)  | 304.8 x 431.8 mm<br>50.8 x 69 mm   |
|   |  | Ports & interfaces  |  |
| Duplex scanning * Output colour depth Output greyscale depth Output monochrome depth Film scanning  | 24 bit<br>8 bit<br>1 bit                         | USB port * USB version USB connector type Standard interfaces   | <ul><li>✓</li><li>3.2 Gen 1 (3.1 Gen 1)</li><li>USB Type-B</li><li>USB 3.2 Gen 1 (3.1 Gen 1)</li></ul> |
| ADF scan speed (b/w, A4)  ADF scan speed (colour, A4)  Duplex ADF scan speed (b/w, A4)  Duplex ADF scan speed (colour, A4)  Black/white scanning colour modes  Selectable background colour  Background colours  Black, White | 80 ppm   | Power   |  |
|   | 160 ipm<br>160 ipm<br>Grayscale, Monochrome<br>✓ | Power supply type * Power consumption (typical) Power consumption (standby) Power consumption (off) Power consumption (PowerSave) Input voltage | AC<br>43 W<br>0.35 W<br>0.35 W<br>e) 1.4 W<br>100-240 V  |
| Design  |  |   |  |
| Scanner type * Product colour * Built-in display *  | ADF scanner<br>Grey, White<br>✓                  |   |  |
| Performance   |  |   |  |
| Sensor type * Light source Scan drivers   | Dual CCD<br>White LED (4x)<br>ISIS, TWAIN        |   |  |
| Input capacity  |  |   |  |
| Auto document feeder (ADF) input capacity   | 100 sheets                                       |   |  |
| Paper handling  |  |   |  |
|   |  |   |  |

## Paper handling System requirements Windows 10 Enterprise, Windows 10 Maximum ISO A-series paper size \* Α3 Enterprise x64, Windows 10 Home, ISO A-series sizes (A0...A9) A3, A4, A8 Windows 10 Home x64, Windows 10 Media thickness (min) 1.4 mm Pro, Windows 10 Pro x64, Windows Plastic card media weight 27 - 413 g/m<sup>2</sup> 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Auto Document Feeder (ADF) media 27 - 413 g/m<sup>2</sup> Premium, Windows 7 Home weight Premium x64, Windows 7 Maximum scan width 30.5 cm Professional, Windows 7 Maximum scan length 5.588 mm Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise Windows operating systems x64, Windows 8 Pro, Windows 8 Pro supported x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Professional x64 Windows Server 2008, Windows Server 2008 R2 x64, Windows Server operating systems supported Server 2008 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64. Windows Server 2016 x64 Operational conditions Operating temperature (T-T) 5 - 35 °C Operating relative humidity (H-H) 20 - 80% Weight & dimensions Width 380 mm Depth 209 mm Height 168 mm Weight 7.6 kg **Packaging content** Cables included ACQuick start guide ✓ Drivers included PaperStream IP, PaperStream Capture, Software Operation Panel, Error Recovery Guide, Scanner **Bundled** software Central Admin tools, ScanSnap Manager, Scan to Microsoft SharePoint, ABBYY FineReader, 2D barcode for PaperStream **Technical details ENERGY STAR** Sustainability certificates Compliance certificates RoHS

Logistics data

Harmonized System (HS) code

84716070



4939761308444

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.