SAMSUNG

Samsung Galaxy Z Fold4 SM-F936B 19.3 cm (7.6") Triple SIM Android 12 5G USB Type-C 12 GB 512 GB 4400 mAh Beige

Brand : Samsung **Product family:** Galaxy **Product code:** SM-F936BZECEUB

Product name: SM-F936B

- The art of multitasking
- The only foldable with uninterrupted viewing, for the most immersive experience
- S Pen. Write where you need it

SM-F936BZECEUB

Samsung Galaxy Z Fold4 SM-F936B. Display diagonal: 19.3~cm (7.6"), Display resolution: 2176~x 1812 pixels. Processor family: Qualcomm Snapdragon, Processor model: 8+ Gen 1. RAM capacity: 12 GB, Internal storage capacity: 512 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Triple SIM. Operating system installed: Android 12. Battery capacity: 4400~mAh. Product colour: Beige. Weight: 263~g








Display		Camera	
Display diagonal *	19.3 cm (7.6")	Panorama	✓
Screen shape	Flat	Network	
Display technology marketing name Panel type Display resolution * Display number of colours Maximum refresh rate High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Pixel density Second display Second display diagonal Second display resolution	OLED 2176 x 1812 pixels 16 million colours 120 Hz High Dynamic Range 10+ (HDR10 Plus) 374 ppi 15.8 cm (6.2")	SIM card capability * Mobile network generation * SIM card type * 4G standard * Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Wi-Fi Direct MIMO	Triple SIM 5G NanoSIM + eSIM LTE 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) 5.2
Second display resolution Second display type	2316 x 904 pixels Dynamic AMOLED 2X	Near Field Communication (NFC)	✓
Second display pixel density	402 ppi	Ports & interfaces	
Second display refresh rate	120 Hz	USB port *	✓
Processor		USB connector type	USB Type-C
Processor family *	Qualcomm Snapdragon	Headphone connectivity	USB Type-C
Processor model *	8+ Gen 1	Messaging	
Processor cores	8	Short Message Service (SMS)	✓
Processor boost frequency	3.18 GHz	Multimedia Messaging Service	√
Storage		(MMS) E-mail	· ·
RAM capacity *	12 GB		*
Internal storage capacity *	512 GB	Design	
Camera		Form factor *	Clamshell
Rear camera resolution (numeric) * Second rear camera resolution	50 MP 12 MP	Product colour * International Protection (IP) code Protection features	Beige IPX8 Water resistant
(numeric) Third rear camera resolution		Performance	
(numeric)	10 MP	Video call	✓
Rear camera aperture number	1.8		

		B. 6	
Camera		Performance	
Second rear camera aperture	2.2	Fast charging	✓
number	2.4	Wireless charging	✓
Third rear camera aperture number		Fingerprint reader	✓
Rear camera pixel size	1 µm	Face recognition	✓
Second rear camera pixel size	1.12 μm	Speakerphone	✓
Third rear camera pixel size	1 μm	Navigation	
Rear camera field of view (FOV) angle	85°	GPS (satellite)	1
Second rear camera field of view	1220	GLONASS	√
(FOV) angle	123°	BeiDou	√
Third rear camera field of view	36°	Galileo	✓
(FOV) angle	2	Position location *	✓
Optical zoom	3x	Multimedia	
Digital zoom	30x		-1
Front camera type *	Dual camera	Speakers	stereo
Front camera resolution (numeric) *	10 MP	Audio system	Dolby Atmos
Second front camera resolution (numeric)	4 MP	Audio formats supported	3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL,
Front camera aperture number	2.2		RTX, WAV, WMA, XMF
Second front camera aperture number	1.8	Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM
Front camera pixel size	1.22 μm		WEDIN
Second front camera pixel size	2 μm	Software	
Front camera field of view (FOV)	85°	Platform *	Android
angle Second front camera field of view	80°	Operating system installed * Virtual assistant	Android 12 Samsung Bixby
(FOV) angle	80*		Sumsung bixby
Rear camera flash *	✓	Battery	
Flash type	LED	Battery capacity *	4400 mAh
Video capture resolution (max)	4320 x 7680 pixels	Wireless audio playback time	72 h
	0.00 (201
Maximum frame rate	960 fps	Wireless video playback time	20 h
Maximum frame rate	3840x2160@30fps,	Wireless video playback time Sensors	20 n
Maximum frame rate	3840x2160@30fps, 3840x2160@60fps,	Sensors	
	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps,		20 n
Resolution at capture speed	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps,	Sensors Proximity sensor	1
	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps,	Sensors Proximity sensor Accelerometer	1
	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps	Sensors Proximity sensor Accelerometer Ambient light sensor	1
	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps,	Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope	1
Resolution at capture speed	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps	Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer	1 1 1
Resolution at capture speed Video recording modes	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p	Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor	1 1 1 1
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions	1 1 1 1
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width	130.1 mm
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth	130.1 mm 6.3 mm
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height	130.1 mm 6.3 mm 155.1 mm
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight *	130.1 mm 6.3 mm 155.1 mm 263 g
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm 1.58 cm
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Certificates	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm 1.58 cm
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Certificates Head SAR (EU)	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm 1.58 cm 15.5 cm
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Certificates Head SAR (EU) Body SAR (EU)	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm 1.58 cm 15.5 cm
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Certificates Head SAR (EU) Body SAR (EU) Extremities SAR (EU)	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm 1.58 cm 15.5 cm
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Certificates Head SAR (EU) Body SAR (EU) Extremities SAR (EU) Packaging content	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm 1.58 cm 15.5 cm 1.301 W/kg 1.506 W/kg 2.83 W/kg
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Certificates Head SAR (EU) Body SAR (EU) Extremities SAR (EU) Packaging content Quick start guide	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm 1.58 cm 15.5 cm 1.301 W/kg 1.506 W/kg 2.83 W/kg
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Certificates Head SAR (EU) Body SAR (EU) Extremities SAR (EU) Packaging content Quick start guide Cables included	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm 1.58 cm 15.5 cm 1.301 W/kg 2.83 W/kg
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Certificates Head SAR (EU) Body SAR (EU) Extremities SAR (EU) Packaging content Quick start guide Cables included SIM card ejector pin	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm 1.58 cm 15.5 cm 1.301 W/kg 1.506 W/kg 2.83 W/kg
Resolution at capture speed Video recording modes Rear camera type * Auto focus Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	3840x2160@30fps, 3840x2160@60fps, 1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 1280x720@960fps, 1280x720@960fps, 1920x1080@240fps, 7680x4320@24fps 720p, 1080p, 2160p, 4320p Triple camera ✓ ✓ Optical Image Stabilization (OIS)	Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Certificates Head SAR (EU) Body SAR (EU) Extremities SAR (EU) Packaging content Quick start guide Cables included	130.1 mm 6.3 mm 155.1 mm 263 g 6.71 cm 1.58 cm 15.5 cm 1.301 W/kg 2.83 W/kg



8806094504781

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.