Canon

Canon imageFORMULA DR-M160II Sheet-fed scanner 600 x 600 DPI A4 Black

Brand : Canon Product family: Product code: 9725B003

imageFORMULA

Product name: DR-M160II

CMOS CIS, 600 dpi, RGB LED, 60ppm, USB 2.0, RoHS, Energy Star

Canon imageFORMULA DR-M160II Sheet-fed scanner 600 x 600 DPI A4 Black:

Productive, ultra-compact scanner ideal for reliable paper-intensive scanning.

The imageFORMULA DR-M160II is a productivity-boosting desktop scanner. With a robust design, fast speed and reliable media handling, it is ideal for paper-intensive scanning.

Benefits

- Class-leading colour scanning speeds of up to 120ipm
- Robust design to handle up to 7,000 scans/day
- Windows, Mac and Linux compatible
- Compactly built and highly productive
- Supreme paper-handling reliability includes paper separation retry

Canon imageFORMULA DR-M160II. Maximum scan size: 216×3000 mm, Optical scanning resolution: 600×600 DPI, Output colour depth: 24 bit. Scanner type: Sheet-fed scanner, Product colour: Black. Sensor type: CMOS CIS, Daily duty cycle (max): 7000 pages, Light source: RGB LED. Standard input capacity: 60 sheets. Maximum ISO A-series paper size: A4









Scanning		Ports & interfaces	
Optical scanning resolution * Colour scanning Duplex scanning * Output colour depth Output greyscale depth Film scanning Greyscale levels ADF scan speed (b/w, A4) ADF scan speed (colour, A4)	216 x 3000 mm 600 x 600 DPI 24 bit 8 bit 256 60 ppm 60 ppm 120 ipm 120 ipm	USB port * USB version Standard interfaces	✓ 2.0 USB 2.0
		Power	
		Power supply type * Power consumption (typical) Power consumption (standby) Power consumption (off) AC input frequency Input voltage	AC 27 W 1.8 W 0.5 W 50 - 60 Hz 100-240 V
		System requirements	
Black/white scanning colour modes	Grayscale	Windows operating systems supported	1
Design		Mac operating systems supported	✓
Scanner type * Product colour * Built-in display *	Sheet-fed scanner Black	Weight & dimensions Width	280 mm
Performance		Depth	606 mm
Sensor type * CMC Light source RGB	CMOS CIS RGB LED 7000 pages	Height Weight	366.4 mm 3.2 kg
		Packaging content	
Scan drivers	ISIS, TWAIN	Drivers included	✓
Input capacity Standard input capacity	60 sheets	Bundled software	CapturePerfect CaptureOnTouch eCopy PDF Pro Office Kofax VRS (with AIPE) Plug-in: EMC Captiva
Paper handling			Cloud Runtime Controls
Maximum ISO A-series paper size *	A4	Technical details	
		Sustainability certificates Compliance certificates	ENERGY STAR RoHS
		Logistics data	

Ou	istics	data
∟оч	136163	uutu

Harmonized System (HS) code

84716070

