

## Epson WorkForce WF-110W inkjet printer Colour 5760 x 1440 DPI Wi-Fi

**Brand :** Epson

**Product family:** WorkForce

**Product code:** C11CH25401DA

**Product name :** WF-110W

- Portable printing: Lightweight, compact design
- Rechargeable battery: Plug into any USB port or recharge with the bundled AC adaptor
- Wi-Fi & Wi-Fi Direct: Print wirelessly wherever you are
- Quality results: Pigment inks ensure top results
- User-friendly: Hassle-free with simple set-up

LCD, Inkjet, Wi-Fi Direct, iPrint

Epson WorkForce WF-110W. Colour. Maximum resolution: 5760 x 1440 DPI, Print speed (black, normal quality, A4/US Letter): 14 ppm. Display: LCD. Wi-Fi. Product colour: Black



| Features  |                                  | Design                              |   |
|---|----------------------------------|-------------------------------------|---|
| Duplex printing *                                   | ✗                                | Market positioning *                | Home & office   |
| Ink type  | Pigment-based ink                | Product colour *                    | Black   |
| Colour *  | ✓                                | Built-in display *                  | ✓   |
| Printing  |                                  | Display                             | LCD   |
| Print speed (colour, draft quality, A4/US Letter)   | 11 ppm                           | Colour display                      | ✓   |
| Maximum resolution *                                | 5760 x 1440 DPI                  | Power                               |   |
| Print speed (black, normal quality, A4/US Letter) * | 14 ppm                           | Power consumption (printing) *      | 11 W  |
| Print speed (ISO/IEC 24734) mono                    | 7 ipm                            | Power consumption (off)             | 0.3 W   |
| Print speed (ISO/IEC 24734) colour                  | 4 ipm                            | Power consumption (standby)         | 1.3 W   |
| Print speed (ISO/IEC 24734) black (battery)         | 4 ppm                            | Power consumption (ready)           | 4 W   |
| Print speed (ISO/IEC 24734) colour (battery)        | 2 ppm                            | AC input voltage                    | 220 - 240 V   |
| Input & output capacity                             |                                  | AC input frequency                  | 50 - 60 Hz  |
| Total number of input trays *                       | 1                                | Battery                             |   |
| Total input capacity *                              | 45 sheets                        | Battery recharge time               | 3 h   |
| Ports & interfaces                                  |                                  | Packaging content                   |   |
| USB port *  | ✓                                | Battery included                    | ✓   |
| USB 2.0 ports quantity                              | 1                                | System requirements                 |   |
| Network   |                                  | Windows operating systems supported | Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP, Windows XP Professional x64 |
| Ethernet LAN *                                      | ✗                                | Mac operating systems supported     | Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks  |
| Wi-Fi *   | ✓                                | Weight & dimensions                 |   |
| Wi-Fi Direct *                                      | ✓                                | Width                               | 309 mm  |
| Mobile printing technologies                        | Epson iPrint, Google Cloud Print | Depth                               | 159 mm  |
| Performance   |                                  | Height                              | 61 mm   |
| Card reader integrated                              | ✗                                | Weight                              | 1.6 kg  |
| Sound pressure level (printing)                     | 45 dB                            | Packaging data                      |   |
|   |                                  | AC adapter included                 | ✓   |
|   |                                  | Cables included                     | Micro-USB   |

**Logistics data**

Harmonized System (HS) code 84433210



8715946670829

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.