

Viewsonic LS510W data projector Standard throw projector 3000 ANSI lumens LED WXGA (1280x800) White



Brand : Viewsonic

Product code: LS510W

Product name : LS510W

- 3rd generation LED technology for greater sustainability
- Maintenance free: 30,000-hour light source life and less power consumption
- 3,000 ANSI Lumens offering bright images in any environment
- Ease of use: instant power on/off and convenient software update
- Wide color gamut to present the best

0.65" WXGA, 1280 x 800, LED, 3000 lm, 30"~300", HDMI, 293 x 221 x 115 mm, 240 W

Viewsonic LS510W. Projector brightness: 3000 ANSI lumens, Projection technology: LED, Projector native resolution: WXGA (1280x800). Light source type: LED, Service life of light source: 30000 h. Focal length range: 22 - 24.1 mm, Aperture range (F-F): 2.56 - 2.68, Throw ratio: 1.55 - 1.70. Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1080 (HD 1080), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size

Projector		Storage	
Smart projector *	✗	Card reader integrated *	✗
Screen size compatibility *	762 - 7620 mm (30 - 300")	Features	
Projection distance	1 - 10.98 m	Interactive *	✗
Projector brightness *	3000 ANSI lumens	Noise level (economic mode)	28 dB
Projection technology *	LED	HDCP	✓
Projector native resolution *	WXGA (1280x800)	On Screen Display (OSD)	✓
Contrast ratio (typical) *	3000000:1	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Number of colours	1.07 billion colours	Number of OSD languages	24
Horizontal scan range	15 - 102 kHz	Noise level *	34 dB
Vertical scan range	23 - 120 Hz	Multimedia	
Keystone correction, vertical	+/- 40°	Built-in speaker(s) *	✓
Matrix size	1.65 cm (0.65")	RMS rated power	2 W
Matrix type	DMD	Number of built-in speakers	1
Light source		Design	
Light source type *	LED	Product type *	Standard throw projector
Service life of light source *	30000 h	Product colour *	White
Lens system		LED indicators	✓
Focal length range	22 - 24.1 mm	Cable lock slot	✓
Aperture range (F-F)	2.56 - 2.68	Display	
Zoom capability	✓	Built-in display *	✗
Throw ratio	1.55 - 1.70	Power	
Offset	1000%	Power source *	AC
Video		Power consumption (typical) *	240 W
Full HD *	✗	Power consumption (standby) *	0.5 W
3D *	✗	Operational conditions	
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1080 (HD 1080)	Operating temperature (T-T)	0 - 40 °C
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Storage temperature (T-T)	-20 - 60 °C
Ports & interfaces		Operating relative humidity (H-H)	0 - 90%
HDMI connector type	Full-size	Storage relative humidity (H-H)	0 - 90%
HDMI version	1.4	Operating altitude	0 - 3000 m
USB 2.0 ports quantity *	1	Weight & dimensions	
Audio (L/R) in *	1		
Audio (L/R) out	1		
Serial interface type *	RS-232		
VGA (D-Sub) ports quantity *	1		
HDMI ports quantity *	1		

Ports & interfaces		Weight & dimensions	
IR input ports quantity	1	Width	293 mm
AC (power) in	✓	Depth	221 mm
Network		Height	115 mm
Smart TV *	✗	Weight *	2.65 kg
Ethernet LAN *	✗	Package width	365 mm
Wi-Fi *	✗	Package depth	300 mm
		Package height	188 mm
		Package weight	2.85 kg
Packaging content			
		Remote control included *	✓
		Cables included	AC
		Manual	✓



0766907018073



766907018073

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.