ZYXEL

Zyxel SCR50AXE-EU0101F wireless router Gigabit Ethernet Triband (2.4 GHz / 5 GHz / 6 GHz) White

Brand : Zyxel **Product code:** SCR50AXE-EU0101F

Product name: SCR50AXE-EU0101F

2.4/5/6 GHz, 1 x WAN, 4 x LAN, IEEE 802.11ax/ac/n/a, 12V DC, 2.0 A, 21W, 178.0 X 54.6 (stand 68.2) X 242.2 mm, 651g

Zyxel SCR50AXE-EU0101F. WAN connection type: RJ-45. Wi-Fi band: Tri-band (2.4 GHz / 5 GHz / 6 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 890 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Cabling technology: 10/100/1000Base-T(X). Security algorithms: IPSec. Product type: Tabletop router, Product colour: White, LED indicators: Status





WAN connection		Design	
Ethernet WAN * WAN connection type	√ RJ-45	Product colour Wall mountable	White ✓
Wireless LAN features Wi-Fi band * Top Wi-Fi standard * WLAN data transfer rate (max) *	Tri-band (2.4 GHz / 5 GHz / 6 GHz) Wi-Fi 6 (802.11ax) 890 Mbit/s	Indication light LED indicators On/off switch Product type *	Status Tabletop router
Wi-Fi standards WLAN data transfer rate (first band)	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) 574 Mbit/s	Packaging content Cables included AC adapter included	LAN (RJ-45) ✓
WLAN data transfer rate (second	1201 Mbit/s	Antenna	
band) Modulation	1024-QAM	Antenna design * Antennas quantity	Internal 4
Network		Features	
Ethernet LAN * Ethernet LAN interface type * Ethernet LAN data rates Cabling technology Networking standards Dynamic DNS (DDNS) Static route	Gigabit Ethernet 10,100,1000 Mbit/s 10/100/1000Base-T(X) IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Built-in processor Processor frequency Processor cores Internal memory Flash memory Languages support Firmware upgradeable Certification	✓ 1000 MHz 2 1000 MB 256 MB Multi ✓ CE; FCC;BSMI
Mobile network		Power	
3G 4G 5G	x x x	Power source type * Output voltage Output current Power consumption (typical)	DC 12 V 2 A 21 W
Ports & interfaces Ethernet LAN (RJ-45) ports * USB port * DC-in jack	5 ×	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C -30 - 70 °C 10 - 90%

Management features		Operational conditions	
Web-based management	✓	Storage relative humidity (H-H)	10 - 95%
Reset button	✓	Weight & dimensions	
Security		Width	178 mm
Security algorithms	IPSec	Depth	54.6 mm
Firewall	✓	Height	242.2 mm
Guest access	✓	Weight	651 g
Filtering	1 1	Packaging data	
MAC address filtering IP address filtering		Package width Package depth	238 mm 281 mm
Network address translation (NAT)	✓	Package height	151 mm
Protocols		Package weight	1.72 kg
DHCP client DHCP server	*	Number of products included	1 pc(s)



4718937631582

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.