



HP LaserJet Managed MFP E731dn, Black and white, Printer for Enterprise, Print, copy, scan, fax (optional), Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security



Brand : HP

Product family: LaserJet

Product code: 5QJ98A

Product name : HP LaserJet Managed MFP E731dn, Black and white, Printer for Enterprise, Print, copy, scan, fax (optional), Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security

- Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security
 - Print, copy, scan, fax (optional)
 - Print speed up to 30 ppm; Print speed up to 35 ppm (with 8EP58AAE); Print speed up to 40 ppm (with 8EP59AAE)
- LaserJet Managed MFP E731dn

HP LaserJet Managed MFP E731dn, Black and white, Printer for Enterprise, Print, copy, scan, fax (optional), Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security:

Fast scanning, flexible solutions and world’s most secure printer^[1] to keep business moving forward Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP’s most secure printers^[1] you’ll stay secure and simplify fleet management for busy IT pros

Printing		Ports & interfaces	
Duplex printing mode	Auto	USB 2.0 ports quantity	1
Print resolution black	1200 x 1200 DPI	USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	1
Print technology *	Laser	Optional connectivity	USB 2.0, Wireless LAN
Printing *	Colour printing	Network	
Duplex printing *	✓	Wi-Fi *	✓
Maximum resolution *	1200 x 1200 DPI	Ethernet LAN *	✓
Print speed (black, normal quality, A4/US Letter) *	30 ppm	Cabling technology	10/100/1000Base-T(X)
Print speed (black, normal quality, A3)	15 ppm	Ethernet LAN data rates	10,100,1000 Mbit/s
Warm-up time	100 s	Wi-Fi Direct	✓
N-in-1 print function	✓	Security algorithms	EAP-PEAP, EAP-TLS, HTTPS, IPsec, SNMPv3, SSL/TLS
Watermark printing	✓	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Secure printing	✓	Performance	
Copying		Maximum internal memory	6144 MB
Duplex copying *	✓	Internal storage capacity	500 GB
Copying *	Mono copying	Internal memory *	6144 MB
Maximum copy resolution *	600 x 600 DPI	Built-in processor	✓
Copy speed (black, normal quality, A4)	30 cpm	Sound pressure level (printing)	51 dB
Time to first copy (black, normal)	5 s	Sound pressure level (scanning)	56 dB
Maximum number of copies	9999 copies	Sound power level (printing)	6.65 dB
Copier resize	25 - 400%	Design	
N-in-1 copy function	✓	Product colour *	Blue, White

Copying		Design	
Auto fit function	✓	Market positioning *	Enterprise
Edge erase function	✓	Built-in display *	✓
Scanning		Display	CGD
Duplex scanning *	✓	Display diagonal	25.6 cm (10.1")
Scanning *	Colour scanning	Control type	Touch
Optical scanning resolution *	600 x 600 DPI	Colour display	✓
Maximum scan resolution	600 x 600 DPI	Power	
Maximum scan area	297 x 432 mm	Power consumption (PowerSave)	0.2 W
Scanner type *	Flatbed & ADF scanner	Power consumption (printing)	560 W
Scan technology	CIS/CCD	Power consumption (ready)	35 W
Scan to	E-mail, Network folder, USB, Fax	Power consumption (sleep)	0.8 W
Scan speed (colour)	90 ppm	Power consumption (off)	0.2 W
Scan speed (black)	90 ppm	Energy Star Typical Electricity Consumption (TEC)	0.427 kWh/week
Image formats supported	JPEG, MTIFF, TIFF	AC input voltage	110 - 240 V
Document formats supported	PDF, XPS	AC input frequency	50/60 Hz
Input colour depth	24 bit	Brand-specific features	
Greyscale levels	256		(697) 197192510704; (ABT) 196188056509; (ABY) 196188056516; (ACQ) 196188056554; (B09) 196188056578; (B13) 196188056585; (B19) 193905950201; (BAZ) 196188056592
Scan drivers	TWAIN	HP GTIN (EAN/UPC) with options	197192510704, 196188056509, 196188056516, 196188056554, 196188056578, 196188056585, 193905950201, 196188056592
Fax		HP GTIN (EAN/UPC)	
Faxing *	✗		
Fax resolution (black)	300 x 300 DPI		
Fax transmission speed	3 sec/page		
Modem speed	33.6 Kbit/s		
Fax memory	500 pages		
Auto-redialing	✓		
Speed dialling	✓		
Fax forwarding	✓		
Fax delayed sending	✗		
Auto reduction	✓		
Features		System requirements	
Recommended duty cycle	0 - 20000 pages per month	Windows operating systems supported	Windows 10, Windows 11
Maximum duty cycle *	110000 pages per month	Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 10.15 Catalina, Mac OS X 12.0 Monterey
Duplex functions *	Print, Copy, Scan	Mobile operating systems supported	Android
Digital sender	✓	Other operating systems supported	ChromeOS, Android, iOS
Number of print cartridges *	1	Operational conditions	
Printing colours *	Black	Operating relative humidity (H-H)	20 - 80%
Page description languages	PCL 5e, PCL 6, PDF 1.7, PostScript 3	Recommended humidity operating range	20 - 80%
Printer fonts	Scalable, TrueType	Operating temperature (T-T)	15 - 30 °C
All-In-One-multitasking	✓	Certificates	
Country of origin	China, Mexico		
Replacement cartridges	HP Black Managed LaserJet Toner Cartridge (ISO Yield 24,000) W9064MC; HP Black Managed LaserJet Toner Cartridge (ISO Yield 48,000) W9065MC	Certification	CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032:2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019, EN 55024:2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries
HP segment	Enterprise	Sustainability	
Input & output capacity		Sustainability compliance	✓
Total number of input trays *	3	Sustainability certificates	Blue Angel, ENERGY STAR, Post-Consumer Recycled Plastic
Total input capacity *	1140 sheets	Sustainable technologies and materials	10% post-consumer recycled plastic; Recyclable through HP Planet Partners; ENERGY STAR® certified; EPEAT® registered
Total output capacity *	500 sheets		
Paper tray 1 input capacity	100 sheets		
Paper tray 2 input capacity	520 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	200 sheets		
Maximum number of input trays	5		
Maximum input capacity	3140 sheets		
Maximum output capacity	3250 sheets		

Paper handling		Weight & dimensions	
Maximum ISO A-series paper size *	A3	Width	585 mm
Maximum print size	288.5 x 423.6 mm	Depth	646 mm
Paper tray media types *	Bond paper, Envelopes, Heavy paper, Labels, Letterhead, Matte paper, Plain paper, Recycled paper, Thick paper, Transparencies	Height	858.1 mm
		Weight	63 kg
Ports & interfaces		Packaging data	
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Package width	758 mm
ISO B-series sizes (B0...B9)	B5	Package depth	848 mm
ISO C-series sizes (C0...C9)	C5, C6	Package height	1054 mm
Non-ISO print media sizes	Oficio, 16K	Package weight	83.9 kg
JIS B-series sizes (B0...B9)	B4, B5, B6	Packaging content	
Envelopes sizes	B5, C5, C6, DL	Cables included	AC
Custom media width	98 - 297 mm	Logistics data	
Custom media length	148 - 432 mm	Harmonized System (HS) code	8443310000
Paper tray media weight	60 - 300 g/m ²	Pallet gross width	75.8 cm
Direct printing *	✓	Pallet gross length	84.8 cm
USB port	✓	Pallet gross height	105.4 cm
		Pallet gross weight	83.88 g
		Layers per pallet	1 pc(s)
		Products per pallet	1 pc(s)
		Technical details	
		Master (outer) cases per pallet layer	1 pc(s)
		Other features	
		Number of users	30 user(s)
		Pallet dimensions (W x D x H)	758 x 848 x 1054 mm
		Recommended system requirements	2 GB available hard disk space, Internet connection, or USB port, Internet browser.
		Pallet dimensions (W x D x H) (imperial)	756.9 x 848.4 x 1054.1 mm (29.8 x 33.4 x 41.5")
		Pallet weight (imperial)	83.9 kg (184.9 lbs)



0196188056592




196188056592




0196188056608



196188056608



0196188056615



196188056615



0193905950317



193905950317



0196188056516




196188056516



0196188056509



196188056509



0196188056493




196188056493



0195161606076



195161606076



0196188056578



196188056578



0196188056561



196188056561



0196188056554




196188056554



0196188056547




196188056547



0196188056530




196188056530



0196188056523



196188056523



0196188056486



196188056486



0196188056479



196188056479



0197029799029



197029799029



0197192510704



197192510704

Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.