Philips B Line 325B1L/00 computer monitor 80 cm (31.5") 2560 x 1440 pixels 2K Ultra HD LCD Black

Brand : Philips

Product family: B Line

Product code: 325B1L/00

Product name : 325B1L/00

325B1L LCD monitor with PowerSensor

Philips B Line 325B1L/00 computer monitor 80 cm (31.5") 2560 x 1440 pixels 2K Ultra HD LCD Black:

Get your best work done with this Philips monitor. Crystal-clear QHD gives the space and clarity for your work. Loaded with features to improve productivity and sustainability.

Philips B Line 325B1L/00. Display diagonal: 80 cm (31.5"), Display resolution: 2560 x 1440 pixels, HD type: 2K Ultra HD, Display technology: LCD, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black







Display Ergonomics VESA mounting * Display diagonal * 80 cm (31.5") 1 Display resolution * 2560 x 1440 pixels Panel mounting interface 100 x 100 mm HD type * 2K Ultra HD Cable lock slot * Native aspect ratio * 16:9 Cable lock slot type Kensington LCD Display technology * Height adjustment * 1 Panel type * IPS Height adjustment 18 cm W-LED Backlight type Pivot 1 Touchscreen * × -90 - 90° **Pivot angle** 250 cd/m² Display brightness (typical) Swivelling Response time 4 ms Swivel angle range -180 - 180° Display surface Matt Tilt adjustment 1 Anti-glare screen Tilt angle range -5 - 30° Flat Screen shape * On Screen Display (OSD) 1 1920 x 1080 (HD 1080), 2560 x Simplified Chinese, Traditional Supported graphics resolutions 1440 Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Supported video modes 1080p, 1440p On Screen Display (OSD) languages Greek, Hungarian, Italian, Japanese, Aspect ratio 4:3, 16:9 Korean, Polish, Portuguese, Russian, Contrast ratio (typical) * 1200:1 Swedish, Turkish, Ukrainian Contrast ratio (dynamic) 50000000:1 Number of OSD languages 21 Dynamic contrast ratio marketing Plug and Play SmartContrast name LED indicators Operation, Stand-by Maximum refresh rate * 75 Hz Power 178° Viewing angle, horizontal Energy efficiency class (SDR) * G Viewing angle, vertical 178° Energy consumption (SDR) per 1000 38 kWh Display number of colours * 1.07 billion colours hours Pixel pitch 0.2727 x 0.2727 mm Power consumption (typical) * 40.3 W Pixel density 93 ppi 0 3 W Power consumption (standby) * Horizontal scan range 30 - 114 kHz Power consumption (PowerSave) 21.3 W Vertical scan range 48 - 75 Hz 100 - 240 V AC input voltage Viewable size, horizontal 69.8 cm 50 - 60 Hz AC input frequency Viewable size, vertical 39.3 cm Power supply type Internal 30 - 114 kHz Digital horizontal frequency

		_	
Display		Power	
Digital vertical frequency	48 - 75 Hz	Energy efficiency scale	A to G
Display diagonal (metric)	80 cm	Operational conditions	
DDC/Cl Haze rate Surface hardness Colour gamut standard Colour gamut sRGB coverage (typical)	 25% 3H sRGB 89% 101.7% 	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -20 - 60 °C 20 - 80% 0 - 3658 m 0 - 12192 m
NTSC coverage (typical)	89%	Packaging content	
Adobe RGB coverage Display sRGB	88% ✓	Stand included Cables included Manual	✔ HDMI, DisplayPort, AC
Performance		Bundled software	SmartControl
NVIDIA G-SYNC *	×		
AMD FreeSync * VESA Adaptive Sync support Component video sync Flicker-free technology Low Blue Light technology	X ✓ Separate sync ✓	Weight & dimensions Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand)	730 mm 250 mm 620 mm 10.7 kg 730 mm
Multimedia		Depth (without stand)	60 mm
Built-in speaker(s) * Built-in camera * Number of speakers	✓ ★ 2	Height (without stand) Weight (without stand)	433 mm 6.93 kg
RMS rated power	3 W	Packaging data	
Design		Package width	930 mm
Market positioning * Product colour * Front bezel colour Detachable stand	Business Black Black	Package depth Package height Package weight Package type	186 mm 563 mm 13.6 kg Box
Feet colour	Black	Sustainability	
Heavy metals free Certification	Hg (mercury) CB, TUV/GS, TUV Ergo, SEMKO, CU- EAC, EAEU RoHS, CE Mark	Sustainability certificates Doesn't contain European Product Registry for	RoHS PVC/BFR, Mercury
Ports & interfaces		Energy Labelling (EPREL) code	363301
Built-in USB hub *	1	Recycling data	
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Post-consumer recycled plastic	85%
USB upstream port type	USB Type-B	Logistics data	
Number of upstream ports	1	Harmonized System (HS) code	85285210
USB Type-A downstream ports quantity	4	Technical details	
DVI port	×	Compliance certificates	RoHS
HDMI *	4	Other features	
HDMI ports quantity	2	Exterior finish type	Textured
HDMI version	1.4	Picture enhancement	SmartImage
DisplayPorts quantity DisplayPort version	1 1.2	Recyclable packaging material	100%
Audio input	×	Regulatory Approvals	CB; TUV/GS; TUV Ergo; SEMKO; CU-
Audio output	1		EAC; EAEU RoHS; CE Mark
HDCP	1	Light sensor EasyRead mode	
HDCP version	1.4	LowBlue mode	· •
DC-in jack	v	Mean time between failures (MTBF)	70000 h





8712581768119

0609585255029



609585255029

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.