



HP Z24u G3 WUXGA USB-C Display

Brand : HP

Product code: 1C4Z6AA

Product name : Z24u G3 WUXGA USB-C Display


Z24u G3 WUXGA USB-C Display

HP Z24u G3 WUXGA USB-C Display:

Exquisitely crafted for every detail

Meticulously crafted to surpass every design standard, the HP Z24u G3 WUXGA USB-C Display is composed of authentic aluminum and delivers an impressive, frameless viewing experience. Bring your ideas to life with remarkable color accuracy in precise WUXGA resolution. Refine your work experience and transform your PC into a powerhouse with this 24 inch diagonal screen monitor with USB-C 100W Power Delivery.

HP Z24u G3 WUXGA USB-C Display. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:10, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Silver



Display		Ergonomics	
Display diagonal *	61 cm (24")	Cable lock slot *	✓
Display resolution *	1920 x 1200 pixels	Height adjustment *	✓
HD type *	WUXGA	Height adjustment	15 cm
Native aspect ratio *	16:10	Pivot	✓
Display technology *	LED	Pivot angle	-90 - 90°
Panel type *	IPS	Swivelling	✓
Touchscreen *	✗	Swivel angle range	-45 - 45°
Display brightness (typical)	350 cd/m ²	Tilt adjustment	✓
Response time	5 ms	Tilt angle range	-5 - 20°
Screen shape *	Flat		
	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	Power	
Supported graphics resolutions		Power consumption (typical) *	32 W
		Power consumption (standby) *	0.5 W
		Power consumption (max)	160 W
		AC input voltage	100 - 240 V
		AC input frequency	50 - 60 Hz
		Operational conditions	
Contrast ratio (typical) *	1000:1	Operating temperature (T-T)	5 - 35 °C
Contrast ratio (dynamic)	10000000:1	Operating relative humidity (H-H)	20 - 80%
Maximum refresh rate *	60 Hz	Storage relative humidity (H-H)	5 - 95%
Viewing angle, vertical	178°		
Pixel pitch	0.27 x 0.27 mm	Weight & dimensions	
Horizontal scan range	30 - 80 kHz	Width (with stand)	531.7 mm
Vertical scan range	50 - 60 Hz	Depth (with stand)	195 mm
Display diagonal (metric)	61 cm	Height (with stand)	521.4 mm
		Weight (with stand)	5.3 kg
Performance		Width (without stand)	531.7 mm
NVIDIA G-SYNC *	✗	Depth (without stand)	38.5 mm
AMD FreeSync *	✗	Height (without stand)	342.9 mm

Multimedia		Packaging data	
Built-in camera *	✓	Package width	625 mm
Design		Package depth	415 mm
Market positioning *	Business	Package height	142 mm
Product colour *	Silver	Package weight	8.1 kg
Heavy metals free	Hg (mercury)	Sustainability	
Ports & interfaces		Sustainability certificates	ENERGY STAR
Built-in USB hub *	✓	European Product Registry for Energy Labelling (EPREL) code	395356
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Logistics data	
USB upstream port type	USB Type-C	Harmonized System (HS) code	85285210
USB Type-A downstream ports quantity	4	Brand-specific features	
USB Type-C downstream ports quantity	1	HP GTIN (EAN/UPC)	195122260934
DVI port	✗	Other features	
HDMI *	✓	Weight	5.3 kg
HDMI ports quantity	1	Height	342.9 mm
HDMI version	2.0	Width	531.7 mm
DisplayPorts quantity	2	Depth	38.5 mm
DisplayPort version	1.4		
Charging port type	USB Type-C		
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		



0195122260873




195122260873




0195122260835




195122260835



0195122260842




195122260842



0195122260859



195122260859



0195122260866



195122260866



0195122260880



195122260880



0195122260897




195122260897




0195122260910




195122260910



0195122260927




195122260927



0195122260934



195122260934



0195122260941



195122260941



0195122260958



195122260958



0195122260965




195122260965



0195122260972




195122260972



0195122260989




195122260989



0195122260996



195122260996



0195122261009



195122261009



0195122261016



195122261016



0195122261023



195122261023



4580511764432

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.