PHILIPS

## Philips 3000 series 27E1N3300A/00 LED display 68.6 cm (27") 1920 x 1080 pixels Full HD Black

Brand : Philips

Product family: 3000 series

Product code: 27E1N3300A/00

Product name : 27E1N3300A/00

Monitor 27E1N3300A USB-C monitor

## Philips 3000 series 27E1N3300A/00 LED display 68.6 cm (27") 1920 x 1080 pixels Full HD Black:

This Philips USB-C multi-purpose monitor offers clutter-free setup. With a single cable you can view smooth high-resolution video, transfer data and charge your laptop. A true hub for mobile professionals. Philips 3000 series 27E1N3300A/00. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black







Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable lock slot *	1
Display resolution *	1920 x 1080 pixels	Cable lock slot type	Kensington
HD type *	Full HD	Tilt adjustment	1
Native aspect ratio *	16:9	Tilt angle range	-5 - 20°
Display technology *	LED	On Screen Display (OSD)	1
Panel type *	IPS		Simplified Chinese, Traditional
Backlight type	W-LED		Chinese, Czech, German, Dutch, English, Spanish, Finnish, French,
Touchscreen *	×	On Screen Display (OSD) languages	Greek, Hungarian, Italian, Japanese,
Display brightness (typical)	300 cd/m <sup>2</sup>		Korean, Polish, Portuguese, Russian,
Response time	4 ms		Swedish, Turkish, Ukrainian
Display surface	Matt	Number of OSD languages	21
Anti-glare screen	1	Plug and Play	
Screen shape *	Flat	LED indicators	Operation, Stand-by
Aspect ratio	16:9	Power	
Contrast ratio (typical) *	1000:1	Energy efficiency class (SDR) *	E
Dynamic contrast ratio marketing name	Mega Infinity DCR	Energy consumption (SDR) per 1000 hours *	26 kWh
Maximum refresh rate *	75 Hz	Power consumption (typical) *	25.1 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Power consumption (off)	0.3 W
Display number of colours *	16.7 million colours	AC input voltage	100 - 240 V
Response time (fast)	1 ms	AC input frequency	50 - 60 Hz
Pixel pitch	0.3114 x 0.3114 mm	Power supply type	Internal
Pixel density	81.59 ppi	Operational conditions	
Horizontal scan range	30 - 85 kHz	Operating temperature (T-T)	0 - 40 °C
Vertical scan range	48 - 75 Hz	Storage temperature (T-T)	-20 - 60 °C
Viewable size, horizontal	59.8 cm	5 1	-20 - 80%
Viewable size, vertical	33.6 cm	Operating relative humidity (H-H)	20 - 80% 0 - 3658 m
Display diagonal (metric)	68.6 cm	Operating altitude	
DDC/CI	1	Non-operating altitude	0 - 12192 m

Display		Packaging content	
Haze rate	25%	Stand included	1
Surface hardness	3H	Cables included	HDMI, USB Type-C to USB Type-C, AC
sRGB coverage (typical) NTSC coverage (typical)	122.8% 106.2%	Manual	<b>√</b>
Display sRGB	✓	Weight & dimensions	
Performance		Width (with stand)	612 mm
NVIDIA G-SYNC *	x	Depth (with stand)	197 mm
AMD FreeSync *	1	Height (with stand)	456 mm
Component video sync	Separate sync	Weight (with stand)	6.06 kg
Flicker-free technology	1	Width (without stand)	612 mm
Low Blue Light technology	1	Depth (without stand)	55 mm
Compatible operating systems	Mac OS X, Windows 10 / 8.1 / 8 / 7	Height (without stand)	365 mm
Multimedia		Weight (without stand)	4.2 kg
Built-in speaker(s) *	√	Packaging data	
Built-in camera *	×	Package width	780 mm
Number of speakers	2	Package depth	186 mm
RMS rated power	3 W	Package height	525 mm
Design		Package weight Package type	10.1 kg Box
Market positioning *	Home	Sustainability	
Product colour *	Black	Sustainability certificates	RoHS
Heavy metals free	Hg (mercury)	Doesn't contain	Mercury, PVC/BFR
Certification	CB, CE Mark, CU-EAC, EAEU RoHS, FCC Class B, ICES-003,	European Product Registry for	-
	TUV/ISO9241-307, TUV-BAUART	Energy Labelling (EPREL) code	1073229
Ports & interfaces		Logistics data	
Built-in USB hub *	<	Harmonized System (HS) code	85285210
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Technical details	
USB Type-C DisplayPort Alternate Mode	✓	Compliance certificates	RoHS
USB Power Delivery	✓	Other features	
USB Power Delivery up to	65 W	USB Power Delivery revision	3.0
HDMI *	4	Exterior finish type	Textured
HDMI ports quantity	1	Picture enhancement	SmartImage game
HDMI version	1.4	Recyclable packaging material	100%
Audio output Ergonomics	4	Regulatory Approvals	CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART
VESA mounting *	1	EasyRead mode	4
Panel mounting interface	100 x 100 mm	LowBlue mode	4
		Depth	55 mm
		Mean time between failures (MTBF)	50000 h



8712581783365

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.