## Viewsonic M1 PRO data projector Standard throw projector LED 720p (1280x720) 3D White

Brand : Viewsonic

Product code: M1 PRO

Product name : M1 PRO

- 3-in-1 smart stand for 360° projection

- Embedded battery and power bank compatibility
- 100" large screen in 720p HD resolution

- Powerful sound by Harman Kardon speakers

- Smart Wi-Fi screen mirroring & Bluetooth connectivity

1920 x 1080, 1280 x 720 native, 600 LED Lumens, 1.07G, 0.8 - 1x, 26dB, VGA, HDMI, Type-C x2, 3.5mm, 0.95kg, 45W

Viewsonic M1 PRO. Projection technology: LED, Projector native resolution: 720p (1280x720), Contrast ratio (typical): 120000:1. Light source type: LED, Service life of light source: 30000 h. Aperture range (F-F): 1.7 - 7.4, Zoom ratio: 0.8-1:1, Offset: 100%. HDMI connector type: Full-size. Noise level: 26 dB, Noise level (economic mode): 25 dB, On Screen Display (OSD) languages: BEL, Simplified Chinese, Dutch, English, Spanish, Finnish, French, Italian, Polish, Portuguese,...



Ports & interfaces	
AC (power) in	1
DC-in jack	4
Network	
Wi-Fi *	4
Bluetooth	1
Bluetooth version	4.2
Features	
Noise level (economic mode)	25 dB
HDCP	1
On Screen Display (OSD)	4
	BEL, Simplified Chinese, Dutch,
On Screen Display (OSD) languages	English, Spanish, Finnish, French, Italian, Polish, Portuguese,
	Romanian, Russian, Turkish
Number of OSD languages	24
Noise level *	26 dB
Design	
Market positioning *	Home cinema
Product type *	Standard throw projector
Product colour *	White
Power	
Power source *	AC/Battery
Power consumption (typical) *	45 W
Power consumption (standby) *	0.5 W
	100 -2 40 V
	12000 mAh
Battery life (max)	2 h
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Weight & dimensions	
Width	182 mm
Depth	140 mm
Height	62 mm
5	
	AC (power) in DC-in jack Network Wi-Fi * Bluetooth Bluetooth version Features Noise level (economic mode) HDCP On Screen Display (OSD) On Screen Display (OSD) languages Noise level * Design Market positioning * Product type * Product colour * Power Power consumption (typical) * Power consumption (typical) * Power consumption (standby) * AC input voltage Battery capacity Battery life (max) Operational conditions Operating temperature (T-T) Weight & dimensions

Package width

453 mm

## Weight & dimensions

Package depth	242 mm
Package height	94 mm
Package weight	2.8 kg





766907018608

0766907018608

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.