


## POLY Studio X70 All-In-One Video Bar with TC10 Controller Kit

Brand: POLY Product code: 8L531AA

Product name: Studio X70 All-In-One Video Bar with

TC10 Controller Kit



- Keep your eye on the action with Poly DirectorAl intelligent camera framing and NoiseBlockAl technology — all powered by machine learning. Get advanced vocal pickup from our next gen microphones. Easily share content over wired or wireless connections.
 Studio X70 All-In-One Video Bar with TC10 Controller Kit

## POLY Studio X70 All-In-One Video Bar with TC10 Controller Kit:

## Enable meeting equality

The Poly Studio X70, all-in-one video bar, offers quality audio and video performance in large meeting spaces. Enjoy pinpoint-accurate automatic framing and tracking modes, distraction-free audio technology, and lifelike 4K UltraHD video.



Poly Lens suite for easier management of your collaboration devices



Performance		Network	
Product colour *	Black	Supported network protocols	IPv4, IPv6
Auto framing Tracking modes	Presenter mode Whiteboard	Security algorithms	128-bit AES, 256-bit AES, FIPS 140-2, SSL/TLS
Meeting features		Camera	
Product type *	Group video conferencing system	Megapixel (approx.) *	20 MP
Wall mountable	✓	Camera type	Dual camera
Video		Second camera resolution	20 MP
HD type *	4K Ultra HD	Zoom capability	✓
Maximum video resolution *	3840 x 2160 pixels	Digital zoom	7.3x
Supported video modes	720p, 1080p, 2160p	Horizontal field of view	120°
	800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 3840 x 2160	Diagonal field of view	140°
Supported graphics resolutions		Display	
		Display diagonal	20.3 cm (8")
		Display resolution	1280 x 800 pixels
Video formats supported	AVC, H.264, H.265	Microphone	
Audio		Number of microphones	4
Built-in speaker(s)	<b>√</b>	Computer system	
Number of speakers	2	VESA mounting	✓
Voice codecs	G.711, G.719, G.722, G.722.1, G.728, G.729A	Operational conditions	
RMS rated power	40 W	Operating temperature (T-T)	0 - 40 °C
Speaker power	20 W	Operating relative humidity (H-H)	15 - 80%
Ports & interfaces		Storage temperature (T-T)	-40 - 70 °C
	2	Storage relative humidity (H-H)	5 - 95%
HDMI ports quantity	3 2	Heat dissipation	65 BTU/h
HDMI output ports quantity HDMI input ports quantity	1	Weight & dimensions	
USB connector type	USB Type-A, USB Type-C	Width	840.2 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A		Depth	117.3 mm
ports quantity	2	Height	135.4 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-C	1	Weight	3.2 kg
ports quantity	_	Packaging content	
Ethernet LAN (RJ-45) ports	2	Cables included	AC, HDMI, LAN (RI-45)
Network			Poly Studio X70; AC power adapter;
Ethernet LAN *	✓	Packaging content	HDMI cable; Power cable; CAT 5E
Ethernet LAN data rates	10,100,1000 Mbit/s		LAN cable; Poly TC10 touch controller; Display mounting clamp
Wi-Fi	✓		conditioner, Display mounting clamp

Network

Wi-Fi standards

802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)



































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.