**OWL LABS**

# Owl Labs Meeting Owl 4+ 360-Degree, 4K Smart Video Conference Camera, Microphone and Speaker (Automatic Speaker Focus, Smart Zooming and Noise Equalising)

**Brand :** Owl Labs

**Product code:** MTW405-2000

**Product name :** Meeting Owl 4+ 360-Degree, 4K Smart Video Conference Camera, Microphone and Speaker (Automatic Speaker Focus, Smart Zooming and Noise Equalising)

Meeting Owl 4+ 360-Degree, 4K Smart Video Conference Camera, Microphone and Speaker (Automatic Speaker Focus, Smart Zooming and Noise Equalising)
Owl Labs Meeting Owl 4+ 360-Degree, 4K Smart Video Conference Camera, Microphone and Speaker (Automatic Speaker Focus, Smart Zooming and Noise Equalising). Product type: Group video conferencing system. Sensor type: CMOS. HD type: 4K Ultra HD, Supported video modes: 360p, 720p, 1080p, 1440p, 2160p, Maximum frame rate: 30 fps. Ethernet LAN, Wi-Fi. Product colour: Charcoal

| Performance | |
|---|---|
| Number of cameras | 1 |
| Product colour * | Charcoal |
| Product type * | Group video conferencing system |
| Signal-to-Noise Ratio (SNR) | 72 dB |

| Video | |
|---|---|
| HD type * | 4K Ultra HD |
| Maximum video resolution * | 3840 x 2160 pixels |
| Supported video modes | 360p, 720p, 1080p, 1440p, 2160p |
| Supported graphics resolutions | 640 x 360, 1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160 |
| Maximum frame rate | 30 fps |
| Video formats supported | MJPG, NV12 |

| Audio | |
|---|---|
| Built-in speaker(s) | ✓ |
| Number of speakers | 2 |
| Microphone pick-up range | 2.5 m |

| Ports & interfaces | |
|---|---|
| USB connector type | USB Type-C |

| Network | |
|---|---|
| Ethernet LAN * | ✓ |
| Wi-Fi | ✓ |
| Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) |
| Security algorithms | WPA2, WPA3 |

| Camera | |
|---|---|
| Megapixel (approx.) * | 64 MP |
| Camera type | Single camera |
| Zoom capability | ✓ |
| Effective sensor resolution | 64 MP |

| Microphone | |
|---|---|
| Microphone direction type | Omnidirectional |
| Microphone mute | ✓ |
| Number of microphones | 8 |

| Logistics data | |
|---|---|
| Country of origin | Vietnam |

| Computer system | |
|---|---|
| Processor family | Qualcomm Snapdragon |
| Processor model | QCS8250 |
| Windows operating systems supported | ✓ |
| Mac operating systems supported | ✓ |
| Other operating systems supported | ChromeOS, Linux |

| Power | |
|---|---|
| Power source type | DC |
| AC input voltage | 100 - 240 V |
| AC input frequency | 50 - 60 Hz |
| Current | 1.6 A |
| DC output voltage | 20 V |
| DC output current | 3 A |

| Weight & dimensions | |
|---|---|
| Width | 116 mm |
| Depth | 116 mm |
| Height | 275 mm |
| Weight | 1.5 kg |
| Package width | 330 mm |
| Package depth | 530 mm |
| Package height | 460 mm |
| Package weight | 2.27 kg |

| Packaging content | |
|---|---|
| Cables included | AC, USB Type-C |
| AC adapter included | ✓ |

| Camera | | | Packaging content | |
|---|---|---|---|---|
| Sensor type * | CMOS | | Packaging content | Meeting Owl 4+ Power adapter and line cord USB-C to USB-C SuperSpeed cable Setup Guide Table Card + Owl holder Safety/regulatory/warranty slipsheet Owl Connect card Owl Labs sticker |
| Focal length range | 300 - 3000 mm | | | |
| Horizontal field of view | 360° | | | |
| Vertical field of view | 55° | | | |
| Focus adjustment | Auto | | | |

| Display | |
|---|---|
| Built-in display | ✖ |

| Microphone | |
|---|---|
| Microphone sensitivity | -36 dB |

0850022203879

850022203879