

D-Link DES-108 Unmanaged Black

Brand : D-Link

Product code: DES-108/B

Product name : DES-108



DES-108 - 8 Port Fast Ethernet Switch, Auto MDI/MDIX, Full/half-duplex, 1.6 Gbps, QoS, Black
 D-Link DES-108. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports quantity: 8. Full duplex.
 MAC address table: 1000 entries, Switching capacity: 1.6 Gbit/s. Networking standards: IEEE 802.1p,
 IEEE 802.3, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Power connector: DC-in jack

Management features		Technical details	
Switch type *	Unmanaged	Shipping (inner) case length	37 cm
Quality of Service (QoS) support	✓	Shipping (inner) case net weight	6.1 kg
Ports & interfaces		Products per shipping (inner) case	10 pc(s)
Basic switching RJ-45 Ethernet ports quantity *	8	Pallet gross weight (air)	357.5 kg
Power connector	DC-in jack	Master (outer) cases per pallet (air)	48 pc(s)
Network		Products per pallet (air)	480 pc(s)
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Pallet gross length	102 cm
10G support *	✗	Pallet gross width	122 cm
Copper ethernet cabling technology	100BASE-TX, 10BASE-T	Pallet height (air)	2.07 m
Full duplex	✓	Pallet gross weight (sea)	357.5 kg
Flow control support	✓	Master (outer) cases per pallet (sea)	48 pc(s)
Auto MDI/MDI-X	✓	Products per pallet (sea)	480 pc(s)
Data transmission		Pallet height (sea)	2.07 m
Supported data transfer rates	10/100 Mbps	Shipping (inner) case gross weight	7 kg
Switching capacity *	1.6 Gbit/s	Power	
MAC address table *	1000 entries	Input current	1 A
Store-and-forward	✓	Input voltage	5 V
Maximum data transfer rate	0.1 Gbit/s	Power consumption (typical)	2.1 W
Jumbo frames support	✓	Operational conditions	
Packet buffer memory	0.768 MB	Operating temperature (T-T)	0 - 50 °C
Security		Storage temperature (T-T)	-10 - 70 °C
MAC address filtering	✓	Operating relative humidity (H-H)	10 - 90%
Design		Storage relative humidity (H-H)	5 - 90%
Rack mounting *	✗	Packaging data	
Product colour	Black	Package width	208 mm
Housing material	Metal	Package depth	250 mm
LED indicators	Link, Power	Package height	68 mm
Certification	RoHS, FCC Class B, ICES-003 Class B, CE Class B, C-Tick Class B, VCCI Class B, cUL, CB	Package weight	610 g
Performance		Logistics data	
Mean time between failures (MTBF)	511323 h	Harmonized System (HS) code	85176990
Technical details		Other features	
Shipping (inner) case height	44.3 cm	Data transfer rate	200 Mbit/s
Shipping (inner) case width	26 cm	Dimensions (WxDxH)	162 x 102 x 28 mm



0790069368196



790069368196

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.