

## StarTech.com USB 3.0 to Gigabit Ethernet Adapter NIC w/ USB Port - Black

**Brand :** StarTech.com

**Product code:** USB31000SPTB

**Product name :** USB 3.0 to Gigabit Ethernet Adapter NIC w/ USB Port - Black

StarTech.com USB 3.0 Ethernet Adapter - USB 3.0 Network Adapter NIC with USB Port - USB to RJ45 - USB Passthrough (USB31000SPTB)

StarTech.com USB 3.0 to Gigabit Ethernet Adapter NIC w/ USB Port - Black. Connectivity technology: Wired, Host interface: USB, Interface: Ethernet. Maximum data transfer rate: 5000 Mbit/s. USB powered. Product colour: Black



Ports & interfaces		System requirements	
Connectivity technology *	Wired	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Host interface *	USB		
Interface *	Ethernet		
Ethernet LAN (RJ-45) ports	1		
USB ports quantity	1	<b>Operational conditions</b>	
USB version	3.2 Gen 1 (3.1 Gen 1)	Operating temperature (T-T)	0 - 50 °C
<b>Network</b>		Storage temperature (T-T)	-20 - 60 °C
Maximum data transfer rate *	5000 Mbit/s	Operating relative humidity (H-H)	5 - 85%
Networking standards *	IEEE 802.3ab, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u	<b>Sustainability</b>	
Ethernet LAN	✓	Sustainability compliance	✓
Ethernet interface type	Fast Ethernet, Gigabit Ethernet	Sustainability certificates	CE, RoHS
Ethernet LAN data rates	10,100,1000 Mbit/s	<b>Weight &amp; dimensions</b>	
Cabling technology	10/100/1000BaseT(X)	Width	35 mm
Full duplex	✓	Depth	126 mm
Jumbo frames support	✓	Height	17 mm
Jumbo frames	4000	Weight	44 g
VLAN tagging	✓	<b>Packaging data</b>	
Maximum operating distance	100 m	Drivers included	✓
<b>Design</b>		Package width	172 mm
Product colour	Black	Package depth	145 mm
Internal *	✗	Package height	30 mm
Chipset	ASIX - AX88179, VIA - VL811	Package weight	132 g
Plug and Play	✓	<b>Packaging content</b>	
LED indicators	Activity, Link	Manual	✓
<b>Power</b>		<b>Technical details</b>	
USB powered	✓	Compliance certificates	CE, RoHS
		<b>Logistics data</b>	
		Harmonized System (HS) code	85176990
		Master (outer) case width	300 mm

System requirements		Logistics data	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Master (outer) case length	592 mm
		Master (outer) case height	360 mm
		Products per master (outer) case	80 pc(s)
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura	Other features	
	Linux operating systems supported ✓	USB data transfer rates	5000 Mbit/s



0065030851893



065030851893



5054533496248

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.