Gigabyte AORUS FI32Q-X LED display 81.3 cm (32") 2560 x 1440 pixels Quad HD Black

Brand : Gigabyte

Product code: FI32Q-X

Product name : AORUS FI32Q-X

- SS IPS panel with 1ms GTG & OC 270Hz
- QD Display, 8-bit color with HDR600
- Premium Sound by Audio ESS SABRE HiFi
- ANC For Console & Black Equalizer
- Aim Stabilizer Sync & KVM
- AORUS GameAssist & OSD Sidekick
- Eye-care Gaming Monitor & Power Board Build-in
32", SS IPS, QHD 2560 x 1440, 270 Hz, 8 bits, 1 ms, 400 cd/m2, 1000:1, HDMI, DP, USB-C, USB-B, USB-A, 3.5 mm
Gigabyte AORUS FI32Q-X. Display diagonal: 81.3 cm (32"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 1 ms, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Display		Ports & interfaces	
Display diagonal *	81.3 cm (32")	Microphone in	✔
Display resolution *	2560 x 1440 pixels	PC Audio in	✔
HD type *	Quad HD	Built-in KVM switch	✔
Display technology *	LED	AC (power) in	✔
Panel type *	SS-IPS	**Ergonomics**	
Backlight type	Edge LED	VESA mounting *	✔
Touchscreen *	✘	Panel mounting interface	100 x 100 mm
Display brightness (typical)	400 cd/m²	Cable lock slot *	✔
Response time	1 ms	Cable lock slot type	Kensington
Anti-glare screen	✔	Height adjustment *	✔
Screen shape *	Flat	Height adjustment	13 cm
Contrast ratio (typical) *	1000:1	Pivot	✔
Maximum refresh rate *	270 Hz	Pivot angle	0 - 90°
Viewing angle, horizontal	178°	Swivelling	✔
Viewing angle, vertical	178°	Swivel angle range	-20 - 20°
Pixel pitch	0.2767 x 0.2767 mm	Tilt adjustment	✔
Viewable size, horizontal	70.8 cm	Tilt angle range	-5 - 21°
Viewable size, vertical	39.9 cm	On Screen Display (OSD)	✔
High Dynamic Range (HDR) supported	✔	**Power**	
High Dynamic Range (HDR) technology	High Dynamic Range (HDR) 600	Energy efficiency class (SDR) *	G
Colour depth	8 bit	Energy efficiency class (HDR) *	G
Colour gamut standard	Adobe RGB	Energy consumption (SDR) per 1000 hours *	34 kWh
sRGB coverage (typical)	157%	Energy consumption (HDR) per 1000 hours *	56 kWh
Adobe RGB coverage	99%	Power consumption (max)	160 W
Performance		Power consumption (off)	0.3 W
Flicker-free technology	✔	Power consumption (PowerSave)	0.5 W
HBR3 support	✔	AC input voltage	100 - 240 V

Multimedia

Built-in speaker(s) *	✔
Built-in camera *	✘

Design

Market positioning *	Gaming
Product colour *	Black
Front bezel colour	Black
Detachable stand	✔
Feet colour	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Power Delivery up to	18 W
HDMI *	✔
HDMI ports quantity	2
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out *	✔
Headphone outputs	1
Headphone connectivity	3.5 mm

Power

AC input frequency	50 - 60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Packaging content

Stand included	✔
Cables included	AC, DisplayPort, HDMI, USB, USB Type-C
Quick start guide	✔

Weight & dimensions

Width (with stand)	729.1 mm
Depth (with stand)	293 mm
Height (with stand)	596.7 mm
Weight (with stand)	10.3 kg
Width (without stand)	729.1 mm
Depth (without stand)	71.1 mm
Height (without stand)	433 mm
Weight (without stand)	7 kg

Packaging data

Package width	1000 mm
Package depth	198 mm
Package height	570 mm
Package weight	15.4 kg
Package type	Box

Sustainability

European Product Registry for Energy Labelling (EPREL) code	558215

4719331811846