

## Our Pure Planet 30W USB-A + USB-C Wall Charger (Uk port)

**Brand :** Our Pure Planet

**Product code:** OPP152

**Product name :** 30W USB-A + USB-C Wall Charger (UK port)



Our Pure Planet 33W USB-A + USB-C Wall Charger (UK plug)

Our Pure Planet 30W USB-A + USB-C Wall Charger (Uk port):

Keep your devices charged up and ready to use, with the 33W USB-C + USB-A Wall Charger UK plug - simply plug into your wall socket, power up fast, and you will be good to go.

The high-speed charging offered by our 33W Wall Charger means your devices will be powered faster - so you can spend less time waiting around for them to charge and more time doing literally anything else!

Got the need for speed? Use the 33W USB-C + USB-A Wall Charger UK plug with any Our Pure Planet cable and take your devices from zero to 50% in just 30 min.

And with our eco-friendly wall charger, you can power up without plastic impact. All our products are 200% plastic regenerative, 100% carbon neutral and use 100% sustainable packaging (FSC certified).



Performance		Power	
Charger compatibility *	Universal	Output current	3000 mA
Power source type *	AC	Power consumption (no load)	30 W
USB 2.0 ports quantity	1	Efficiency at low load (10%)	✗
USB Type-C ports quantity	1	Power plug type	Type G
Lightning connector	✗	Weight & dimensions	
Wireless charging	✗	Width	43 mm
Fast charging	✓	Depth	38.1 mm
Fast charging technology	Power Delivery, Quick Charge 3.0	Height	72.5 mm
Sockets quantity	2	Weight	63.1 g
Charger type *	Indoor	Packaging data	
Number of simultaneously connected devices (max) *	2	Retractable cable	✗
Programmable power supply (PPS)	✓	Quantity per pack	1 pc(s)
Backup function	✗	Storage bag	✗
Number of outputs	2 outputs	Package type	Box
USB Power Delivery	✓	Included power plug types	UK
Operating principle	Contact	Package width	70 mm
USB Power Delivery revision	3.0	Package depth	43 mm
USB Power Delivery up to	33 W	Package height	140 mm
Power protection features	Over voltage, Overcharge, Short circuit	Package weight	98 g
Mobile operating systems supported	Android, iOS	Operational conditions	
MagSafe compatible	✓	Operating temperature (T-T)	0 - 60 °C
Cooling fan	✓	Storage temperature (T-T)	10 - 50 °C
Compatibility	almost all of mobile phones	Operating relative humidity (H-H)	20 - 75%
Certification	CE, FCC, 200% plastic regenerative, 100% carbon neutral, FSC certified packaging, ROHS, ETL	Storage relative humidity (H-H)	10 - 90%
Country of origin	China	Packaging content	
		AC adapter included	✗
		Anti-slip mat	✗

Design		Packaging content	
Product colour *	Black	Manual	✓
Housing material	Polycarbonate (PC)	<b>Certificates</b>	
Illuminated USB port	✗	UN number	8504409999
On/off switch	✗	<b>Technical details</b>	
UV sanitizer	✗	Output voltage	5-20 V
LED indicators	✗	Sustainability compliance	✓
Plug and Play	✗	Sustainability certificates	CarbonFree, CarbonNeutral, Green Tick Carbon Neutral, Green Tick Sustainable, Ocean Bound Plastic (OBP), Product Carbon Footprint (PCF) Carbon Neutral, SCS Recycled Content Certification
Rack mounting	✗	Sustainability organizations	Plastic collective, Carbon Reduction Institute (NoCO2)
Auto shut-off	✓	Commodity Classification Automated Tracking System (CCATS)	8544.42.1100
Eco-friendly	✓	Warranty period	2 year(s)
Gallium nitride (GaN) transistors	✓	Compliance certificates	CE, RoHS, WEEE
Power		Logistics data	
Input voltage	100 - 240 V	Harmonized System (HS) code	8504409999
Input frequency	50 - 60 Hz	Master (outer) case width	330 mm
Input current	0.5 A	Master (outer) case length	275 mm
Maximum power	33 W	Master (outer) case height	282 mm
Maximum output voltage	20 V	Master (outer) case gross weight	5.8 kg
Minimum output voltage	5 V	Products per master (outer) case	48 pc(s)
Port 1 output power	30 W	Shipping (inner) case width	7.8 cm
Port 2 output power	33 W	Shipping (inner) case length	24.9 cm
Output current (5V)	3 A	Shipping (inner) case height	13 cm
Output current (9V)	3 A	Shipping (inner) case gross weight	670 g
Output current (12V)	2.5 A	Products per shipping (inner) case	6 pc(s)
Port 1 output current	3 A		
Port 2 output current	3 A		



9360069000504

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-JUL-2024. Prints or copies of Information are only valid on the printed Publication date